

User ID: RPW

RAW DATA MAX VALUES REPORT

Report Request ID: 903553

Report Code: AMP350MX

Aug. 25, 2011

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------	--------	----------	------------	----------

49

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA 42101

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

SCR GROUP SELECTIONS

Utah

GLOBAL DATES

Start Date	End Date
2010 01 01	2010 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-035-0003 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 5715 S. 1400 E., SALT LAKE CITY  
 SITE COMMENTS: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD  
 MONITOR COMMENTS: 11

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0  
 LATITUDE: 40.646667  
 LONGITUDE: -111.849722  
 UTM ZONE: 12  
 UTM NORTHING: 4499650  
 UTM EASTING: 428153  
 ELEVATION-MSL: 1335  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.8	1.1	.8	.6	.3	.3	.3	.3	.4	.8	.9	.8
2	1.3	1.3	.9	.5	.4	.3	.3	.3	2.0	.8	1.0	1.5
3	1.7	1.3	.6	.4	.5	.3	.3	.3	1.6	.6	.9	1.2
4	1.5	1.3	.8	.5	.3	.3	.3	.3	.4	.3	.9	1.6
5	1.2	1.0	.8	.4	.5	.3	.4	.3	.3	.4	1.0	1.0
6	1.4	.6	1.0	.5	.3	.3	.3	.3	.3	.3	1.0	.8
7	1.1	.4	1.0	.9	.4	.3	.3	.3	.5	.5	.3	1.3
8	1.6	.8	.8	.7	.5	.3	.3	.3	.3	.4	.3	1.2
9	1.1	1.0	.8	.5	.4	.3	.3	.3	.3	.5	.5	.8
10	1.3	1.1	.4	.7	.3	.3	.3	.4	.4	.6	.5	.9
11	2.0	.9	.7	.4	.3	.3	.3	.3	.5	.6	.3	.6
12	1.7	.8	.9	.3	.3	.3	.3	.3	.6	.6	.5	.8
13	1.8	.8	1.0	.3	.4	.3	.3	.4	.6	.8	.8	1.1
14	1.1	.7	.6	.7	.5	.4	.3	.5	.4	.7	.4	1.1
15	1.1	.9	1.1	.7	.5	.4	.3	.3	.5	.8	.4	.7
16	1.1	.6	1.0	.6	.3	.3	.4	.3	.5	.8	.4	1.1
17	.8	.7	1.0	.4	.4	.3	.3	.3	.6	.7	.8	1.0
18	.8	.6	1.1	.5	.3	.3	.3	.3	.5	.5	.8	.7
19	.3	.8	.6	.4	.3	.3	.3	.3	.4	.7	.3	.3
20	.6	.5	.9	.3	.4	.3	.3	.4	.3	.7	.3	.4
21	.6	.5	.7	.3	.3	.3	.3	.3	.4	.7	.3	.9
22	.6	.6	.7	.3	.3	.3	.3	.3	.4	.7	.3	1.1
23	.6	1.0	.6	.4	.3	.3	.3	.3	.5	.7	.3	.6
24	.7	.9	.8	.6	.3	.4	.3	.4	.6	.6	.7	.5
25	.9	.6	.7	.5	.4	.3	.3	.4	.8	.3	.9	.9
26	1.1	1.0	.4	.6	.4	.3	.3	.4	.7	.5	1.3	1.2
27	1.3	.8	.6	.4	.4	.3	.3	.3	.7	.6	1.5	1.3
28	1.3	.7	.7	.3	.3	.3	.3	.3	.8	.8	.7	1.3
29	1.4	.3	.5	.3	.3	.4	.3	.3	.6	.7	1.1	.7
30	1.5	.4	.3	.3	.5	.3	.3	.3	.7	.5	1.4	.3
31	.7	.6	.6	.5	.5	.3	.3	.4	.6	.6	.7	.7
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	2.0	1.3	1.1	.9	.5	.4	.4	.5	2.0	.8	1.5	1.6
MEAN:	1.13	.83	.75	.48	.37	.31	.31	.33	.59	.61	.69	.92
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.61		ANNUAL MAX:		2.0			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-035-3006 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE: 12  
 UTM NORTHING: 4509639  
 UTM EASTING: 426359  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (554) INSTRUMENTAL Gas Filter Correlatio  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 8-HR RUN AVG END HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .02

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.900	1.100	.900	.500	.300	.400	.100					
2	1.700	1.100	.700		.300	.300						
3	1.900	1.200	.500		.600	.300						
4	1.600	1.500	.700		.200	.300						
5	1.100	1.000	.900			.300						
6	1.300	.600	.700			.300						
7	1.100	.500	.600		.300	.500						
8	1.700	1.000	.900		.500	.300						
9	.900	.800	.400		.400	.300						
10	1.200	.900	.300		.200	.200						
11	2.200	.900	.400		.300	.200						
12	1.800	.700	.600		.300	.200						
13	.800	.800	.700		.300	.300						
14	.800	.700	.600		.500	.300						
15	1.000	.800	.800		.400	.300						
16	1.000	.700	1.100		.300	.300						
17	.600	.700	1.000		.300	.200						
18	.700	.600	.900		.300	.300						
19	.400	.700	.500		.400	.300						
20	.600	.600	.300		.300	.200						
21	.600	.300	.500		.300	.800						
22	.500	.700	.800		.200	.300						
23	.400	.700	.600		.300	.700						
24	.400	.700	.600		.400	.300						
25	.700	.600	.300		.400	.200						
26	1.000	.600	.300		.600	.200						
27	1.300	.400	.400		.600	.200						
28	.800	.500	.500		.200	.300						
29	1.200		.400		.100	.300						
30	1.400		.200		.200	.200						
31	.700		.600		.400							
NO.:	31	28	31	1	29	30	1	0	0	0	0	0
MAX:	2.200	1.500	1.100	.500	.600	.800	.100					
MEAN:	1.0419	.7643	.6032	.5000	.3414	.3100	.1000					
ANNUAL OBSERVATIONS:	151		ANNUAL MEAN:	.6106	ANNUAL MAX:	2.200						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-049-0002 POC: 1  
 COUNTY: (049) Utah  
 CITY: (62470) Provo  
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT  
 SITE COMMENTS:  
 MONITOR COMMENTS: 11

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0  
 LATITUDE: 40.253611  
 LONGITUDE: -111.663056  
 UTM ZONE: 12  
 UTM NORTHING: 4455894  
 UTM EASTING: 443606  
 ELEVATION-MSL: 1402  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 8-HR RUN AVG END HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.9	1.0	.9	.4	.3	.7	.3	.3	.4	.8	.7	1.1
2	1.1	.9	.9	.4	.3	.7	.3	.3	.3	.8	.6	1.5
3	1.3	1.1	.5	.3	.3	.5	.3	.3	.4	.8	1.1	1.5
4	1.2	.9	.6	.3	.3	.5	.3	.3	.5	.4	.9	.8
5	1.5	1.0	.9	.3	.3	.6	.3	.3	.3	.4	1.0	1.0
6	1.3	.8	1.1	.3	.3	.7	.3	.3	.3	.6	1.0	1.2
7	1.1	1.1	1.2	.6	.3	.6	.3	.3	.3	.6	.8	.8
8	1.1	.6	.5	.7	.4	.7	.3	.3	.4	.4	.3	.8
9	1.1	.7	.5	.4	.3	.7	.3	.3	.3	.5	.3	.8
10	1.2	.8	.3	.7	.3	.6	.3	.3	.3	.6	.3	.6
11	1.9	.8	.5	.7	.3	.6	.3	.3	.4	.6	.6	.5
12	2.0	.9	.7	.4	.3	.6	.3	.3	.5	.6	.8	.7
13	1.5	.8	.8	.4	.4	.6	.3	.3	.5	.9	.9	1.6
14	1.0	.7	.3	.6	.4	.6	.3	.3	.4	.9	.5	1.5
15	1.2	.7	.6	.5	.4	.6	.3	.3	.4	.8	.6	.7
16	1.2	.6	.9	.7	.5	.6	.3	.3	.5	.6	.6	1.0
17	1.3	.8	.7	.5	.3	.5	.3	.3	.5	.4	.8	.8
18	1.1	.8	.7	.6	.3	.8	.3	.3	.4	.4	.9	1.1
19	.7	.7	.3	.6	.4	.6	.3	.3	.4	.7	.7	.8
20	.7	.7	.7	.5	.5	.5	.3	.3	.5	.3	1.0	.4
21	.7	.7	.6	.3	.5	.5	.3	.3	.4	.8	.3	.8
22	.3	.6	.5	.3	.4	.6	.3	.3	.5	.4	.3	.8
23	.7	.8	.4	.4	.5	.6	.3	.3	.3	.6	.3	.9
24	.5	.8	.7	.7	.5	.6	.3	.3	.4	.8	.4	.7
25	1.1	.7	.5	.3	.7	.3	.3	.3	.7	.3	.5	.6
26	1.4	.9	.3	.4	.7	.3	.3	.4	.7	.3	.8	.7
27	1.6	1.0	.4	.4	.7	.3	.3	.4	.6	.5	1.3	.6
28	1.1	.5	.7	.3	.6	.3	.3	.3	.6	1.0	1.2	.6
29	.8	.6	.6	.3	.4	.4	.3	.3	.5	.9	.8	.8
30	.9	.3	.3	.3	.7	.3	.3	.3	.6	.9	1.1	.3
31	.7	.6	.6	.6	.6	.6	.3	.3	.6	.9	1.1	.3
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	2.0	1.1	1.2	.7	.7	.8	.3	.4	.7	1.0	1.3	1.6
MEAN:	1.10	.80	.62	.45	.43	.55	.30	.31	.44	.64	.70	.85
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.60		ANNUAL MAX:		2.0			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-057-0002 POC: 1  
 COUNTY: (057) Weber  
 CITY: (55980) Ogden  
 SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH  
 SITE COMMENTS: THIS SITE REPLACES OG (490570001) WHICH WAS DEMOLISHED FOR NEW CONST.  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0  
 LATITUDE: 41.206389  
 LONGITUDE: -111.974722  
 UTM ZONE: 12  
 UTM NORTHING: 4561914  
 UTM EASTING: 418278  
 ELEVATION-MSL: 1316  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE  
 PQAQO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 8-HR RUN AVG END HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.7	1.2	1.1	.3	.3	.3	.3	.3	.5	.9	1.0	.7
2	1.5	1.3	1.0	.4	.3	.4	.4	.4	.5	1.0	.8	1.8
3	1.7	1.0	.9	.3	.3	.4	.4	.4	.7	.3	.9	1.1
4	1.8	1.5	.8	.4	.3	.3	.5	.4	.7	.3	1.0	1.4
5	.8	.9	1.0	.3	.3	.5	.7	.3	.7	.3	1.2	.8
6	1.3	.6	1.2	.7	.3	.6	.5	.3	.5	.3	1.2	.5
7	1.4	.4	1.0	1.0	.5	.4	.7	.3	.5	.4	.9	1.1
8	1.5	.9	.9	1.0	.5	.4	.8	.3	.3	.6	.5	1.2
9	1.0	1.0	1.1	.6	.5	.4	.7	.3	.4	.6	.5	.8
10	1.4	.6	.3	.9	.3	.3	.8	.4	.6	.7	.8	.7
11	1.7	.7	.7	.9	.3	.3	.9	.3	.7	.6	.9	.4
12	1.8	.9	1.0	.4	.3	.3	1.0	.4	.9	.7	.8	1.2
13	1.8	1.1	1.3	.4	.4	.3	.3	.5	.8	.9	.9	1.4
14	1.1	.8	.3	1.0	.7	.4	.4	.5	.7	.9	.6	.9
15	.8	.9	.8	1.0	.8	.6	.4	.6	.8	1.0	.8	.8
16	1.0	.9	1.3	.7	.6	.7	.5	.5	.8	1.1	.3	.9
17	.9	.8	1.2	.9	.5	.3	.6	.6	.9	1.0	.8	.9
18	1.2	.8	.9	1.1	.3	.5	.6	.6	1.0	.7	1.1	1.1
19	.8	.9	.4	.9	.3	.5	.5	.5	1.0	.9	1.8	1.0
20	.7	.4	.8	.8	.4	.3	.4	.6	.7	1.0	.3	.4
21	.6	.5	1.0	.3	.4	.4	.4	.5	.5	.7	.3	.4
22	.6	.6	.9	.3	.3	.4	.5	.5	.5	.7	2.4	.7
23	.6	.9	.6	.3	.3	.5	.6	.6	.6	.8	.3	.7
24	1.1	1.0	1.1	.4	.3	.5	.6	.7	.7	.3	.3	.5
25	1.3	.8	1.1	.3	.5	.5	.8	.8	.8	.3	.5	.7
26	1.1	1.1	.5	.5	.5	.5	.6	.5	.8	.3	.6	.8
27	1.2	.9	.6	.4	.6	.6	.6	.3	.9	.7	.7	.9
28	1.0	.6	.9	.3	.4	.4	.6	.3	.6	.9	.4	.9
29	1.2		1.0	.3		.6	.7	.3	.7	1.2	.6	.6
30	1.1		.3	.3		.3	.5	.3	.7	1.3	.6	.3
31	.7		.4				.5	.4		.6		.3
NO.:	31	28	31	30	24	30	31	31	30	31	30	31
MAX:	1.8	1.5	1.3	1.1	.8	.7	1.0	.8	1.0	1.3	2.4	1.8
MEAN:	1.14	.86	.85	.58	.40	.43	.57	.44	.68	.71	.79	.84
ANNUAL OBSERVATIONS:	358		ANNUAL MEAN:	.70	ANNUAL MAX:	2.4						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42101) Carbon monoxide

SITE ID: 49-057-0006 POC: 1  
 COUNTY: (057) Weber  
 CITY: (55980) Ogden  
 SITE ADDRESS: 2540 S. WASHINGTON BLVD., OGDEN, UTAH  
 SITE COMMENTS: MICROSCALE CO SITE TO REPLACE OLD WASHINGTON BLVD CO SITE  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0  
 LATITUDE: 41.219722  
 LONGITUDE: -111.969444  
 UTM ZONE: 12  
 UTM NORTHING: 4563387  
 UTM EASTING: 418734  
 ELEVATION-MSL: 1314  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 8-HR RUN AVG END HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.2	1.5	.8	.3	.6	.5	.3	.3	.4	1.0	.8	.9
2	1.7	1.4	1.1	.4	.5	.4	.3	.3	.4	1.0	.9	1.7
3	2.0	1.2	1.0	.3	.3	.4	.3	.3	.7	.9	.9	1.5
4	1.7	1.5	.8	.3	.3	.5	.3	.3	.7	.4	1.1	1.7
5	1.4	1.2	1.1	.4	.4	.5	.3	.3	.7	.4	1.3	1.5
6	1.7	1.0	1.2	.7	.3	.5	.3	.3	.3	.3	1.5	.9
7	1.4	.9	1.1	.9	.6	.3	.3	.3	.5	.6	1.4	1.4
8	1.6	.8	1.0	.6	.5	.3	.3	.3	.3	.7	.6	1.4
9	1.8	1.0	1.0	.5	.6	.5	.3	.3	.3	.8	.5	1.1
10	1.7	.9	.3	.8	.3	.3	.4	.4	.5	.8	.7	.9
11	1.9	1.1	.7	.8	.5	.3	.4	.3	.5	.7	.7	.7
12	1.9	1.2	.9	.3	.3	.3	.3	.3	.5	.8	.9	1.3
13	1.9	1.3	1.1	.3	.4	.3	.4	.3	.4	.8	1.0	1.3
14	1.2	1.0	.4	.4	.6	.5	.3	.4	.4	.9	.5	1.2
15	1.2	1.1	.7	.6	.7	.5	.3	.4	.5	1.1	.6	.9
16	1.4	1.3	1.0	.3	.7	.4	.4	.3	.5	1.1	.4	1.0
17	1.2	1.0	1.0	.5	.5	.4	.5	.3	.5	.9	.8	.7
18	1.5	1.1	.7	.6	.3	.6	.5	.3	.6	.7	1.3	1.5
19	1.0	1.1	.3	.4	.4	.6	.3	.3	.6	.7	1.9	1.4
20	1.0	.8	.8	.4	.3	.4	.3	.5	.3	.8	.5	.7
21	.8	.6	.9	.3	.3	.3	.3	.5	.5	.9	.4	.5
22	1.1	.7	.7	.3	.3	.3	.4	.3	.4	.9	.3	.9
23	1.0	1.0	.6	.3	.3	1.2	.4	.3	.4	1.0	.3	.9
24	1.2	1.0	.6	.3	.3	.6	.5	.3	.4	.6	.4	.6
25	1.3	.9	.6	.3	.4	.4	.5	.5	.4	.3	.8	.8
26	1.3	1.1	.5	.4	.8	.5	.3	.4	.4		1.0	1.1
27	1.4	1.1	.6	.3	.8	.6	.3	.4	.5		.9	1.2
28	1.1	.8	.7	.3	.5	.5	.3	.3	.9		.9	1.1
29	1.3		.6	.4	.6	.5	.3	.3	.8		.8	.6
30	1.4		.3	.6	.7	.3	.6	.3	.8		.9	.3
31	1.1		.3		.3		.6	.3				.5
NO.:	31	28	31	30	31	30	31	31	30	25	30	31
MAX:	2.0	1.5	1.2	.9	.8	1.2	.6	.5	.9	1.1	1.9	1.7
MEAN:	1.40	1.06	.75	.44	.46	.46	.36	.34	.50	.76	.83	1.04
ANNUAL OBSERVATIONS:	359		ANNUAL MEAN:	.70	ANNUAL MAX:	2.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.