

User ID: RPW

RAW DATA MAX VALUES REPORT

Report Request ID: 903548

Report Code: AMP350MX

Aug. 25, 2011

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------	--------	----------	------------	----------

49

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA 42602

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

SCR GROUP SELECTIONS

Utah

GLOBAL DATES

Start Date	End Date
2010 01 01	2010 12 31

APPLICABLE STANDARDS

Standard Description
NO2 Annual 1971

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-005-0004 POC: 1  
 COUNTY: (005) Cache  
 CITY: (45860) Logan  
 SITE ADDRESS: 125 W. CENTER STREET, LOGAN, UT  
 SITE COMMENTS: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.  
 MONITOR COMMENTS: NEW PARAMETER FOR LOGAN

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0  
 LATITUDE: 41.731111  
 LONGITUDE: -111.8375  
 UTM ZONE: 12  
 UTM NORTHING: 4620024  
 UTM EASTING: 430337  
 ELEVATION-MSL: 1380  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2.7

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	30.0	38.0		23.0	14.0	12.0	28.0	20.0	28.0	49.0	28.0	47.0
2	39.0			19.0	23.0	18.0	26.0	20.0	31.0	43.0	33.0	52.0
3	34.0			10.0	26.0	9.0	8.0	18.0	31.0	25.0	30.0	42.0
4	37.0			7.0	20.0	15.0	18.0	20.0	24.0	28.0	35.0	31.0
5	38.0			18.0	18.0	11.0	18.0	14.0	11.0	23.0	36.0	29.0
6	30.0			30.0	14.0	11.0	14.0	14.0	22.0	22.0	38.0	33.0
7	39.0			18.0	31.0	13.0	21.0	8.0	38.0	22.0	36.0	32.0
8	38.0			23.0	18.0	19.0	10.0	18.0	26.0	28.0	23.0	30.0
9	36.0			8.0	15.0	18.0	24.0	20.0	22.0	32.0	25.0	33.0
10	42.0		20.0	38.0	10.0	14.0	27.0	22.0	23.0	23.0	28.0	26.0
11	40.0		32.0	22.0	16.0	13.0	14.0	28.0	26.0	22.0	23.0	28.0
12	40.0		39.0	33.0	19.0	9.0	19.0	19.0	28.0	41.0	25.0	28.0
13	43.0		29.0	16.0	23.0	6.0	19.0	35.0	31.0	39.0	18.0	26.0
14	35.0		15.0	25.0	17.0	15.0	19.0	29.0	27.0	48.0	14.0	25.0
15	29.0		38.0	27.0	21.0	15.0	22.0	31.0	31.0	37.0	34.0	46.0
16	27.0		37.0	20.0	17.0	17.0	20.0	18.0	43.0	41.0	21.0	41.0
17	31.0		36.0	15.0	21.0	28.0	22.0	35.0	37.0	28.0	37.0	36.0
18	38.0		38.0	13.0	10.0	32.0	18.0	25.0	41.0	29.0	41.0	38.0
19	39.0		24.0	25.0	23.0	26.0	16.0	15.0	30.0	35.0	45.0	34.0
20	34.0		27.0	26.0	14.0	11.0	24.0	33.0	30.0	44.0	25.0	37.0
21	29.0		26.0	19.0	14.0	17.0	14.0	14.0	42.0	44.0	12.0	31.0
22	21.0		31.0	19.0	7.0	17.0	27.0	6.0	32.0	42.0	21.0	32.0
23	21.0		29.0	20.0	7.0	29.0	17.0	26.0	33.0	26.0	11.0	28.0
24	31.0		31.0	23.0	16.0	23.0	25.0	39.0	43.0	24.0	36.0	12.0
25	40.0		29.0	14.0	22.0	23.0	14.0	37.0	33.0	26.0	38.0	23.0
26	43.0		16.0	21.0	30.0	16.0	16.0	45.0	38.0	25.0	47.0	29.0
27	35.0		19.0	21.0	37.0	14.0	10.0	24.0	47.0	29.0	44.0	32.0
28	30.0		29.0	16.0	17.0	21.0	15.0	10.0	48.0	36.0	37.0	30.0
29	34.0		44.0	30.0	14.0	26.0	15.0	9.0	47.0	40.0	45.0	27.0
30	28.0		7.0	17.0	17.0	18.0	28.0	15.0	48.0	25.0	47.0	22.0
31	33.0		13.0		18.0		16.0	26.0		19.0		37.0
NO.:	31	1	22	30	31	30	31	31	30	31	30	31
MAX:	43.0	38.0	44.0	38.0	37.0	32.0	28.0	45.0	48.0	49.0	47.0	52.0
MEAN:	34.32	38.00	27.68	20.53	18.35	17.20	18.84	22.35	33.03	32.10	31.10	32.16
ANNUAL OBSERVATIONS:	329		ANNUAL MEAN:	26.16	ANNUAL MAX:	52.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-011-0004 POC: 1  
 COUNTY: (011) Davis  
 CITY: (07690) Bountiful  
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH  
 SITE COMMENTS: NEW SITE TO REPLACE 490110001  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.902967  
 LONGITUDE: -111.884467  
 UTM ZONE: 12  
 UTM NORTHING: 4528150.36  
 UTM EASTING: 425503.56  
 ELEVATION-MSL: 1309  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	34.0	39.0	42.0	18.0	20.0	25.0	10.0	17.0	26.0	34.0		
2	37.0	44.0	46.0	18.0	23.0	20.0	22.0	18.0	21.0	36.0		
3	38.0	47.0	33.0	13.0	39.0	16.0	19.0	28.0	26.0	17.0		
4	55.0	43.0	47.0	16.0	17.0	21.0	9.0	29.0	22.0	15.0		
5	43.0	44.0	52.0	14.0	37.0	12.0	21.0	26.0	13.0	25.0		
6	35.0	40.0	36.0	17.0	13.0	20.0	20.0	32.0	8.0	23.0		
7	43.0	32.0	33.0	20.0	35.0	17.0	6.0	22.0	29.0	31.0		
8	50.0	45.0	32.0	41.0	32.0	9.0	25.0	11.0	13.0	16.0		
9	40.0	45.0	37.0	22.0	22.0	38.0	22.0	22.0	12.0	25.0		
10	41.0	46.0	25.0	43.0	12.0	19.0	12.0	39.0	13.0	20.0		
11	47.0	40.0	34.0	4.0	16.0	23.0	12.0	23.0	37.0	29.0		
12	58.0	38.0	43.0	33.0	20.0	6.0	24.0	19.0	19.0	32.0		
13	51.0	40.0	36.0	42.0	34.0	6.0	27.0	39.0	31.0	40.0		
14	38.0	34.0	25.0	36.0	25.0	25.0	20.0	23.0	25.0	33.0		
15	42.0	41.0	35.0	43.0	24.0	35.0	28.0	26.0	27.0	37.0		
16	38.0	35.0	41.0	48.0	17.0	13.0	27.0	34.0	32.0	25.0		
17	34.0	37.0	48.0	22.0	29.0	12.0	13.0	37.0	37.0	27.0		
18	49.0	38.0	45.0	21.0	11.0	41.0	22.0	13.0	27.0	31.0		
19	24.0	42.0	32.0	41.0	14.0	23.0	23.0	26.0	19.0	33.0		
20	39.0	32.0	38.0	24.0	32.0	6.0	28.0	33.0	20.0	28.0		
21	40.0	38.0	32.0	12.0	35.0	15.0	16.0	23.0	33.0	35.0		
22	37.0	43.0	40.0	10.0	17.0	20.0	15.0	9.0	32.0	32.0		
23	35.0	47.0	34.0	18.0	15.0	31.0	35.0	29.0	19.0	18.0		
24	17.0	46.0	43.0	20.0	26.0	36.0	27.0	32.0	31.0	13.0		
25	44.0	37.0	46.0	8.0	20.0	14.0	24.0	40.0	33.0	25.0		
26	40.0	39.0	19.0	27.0	33.0	12.0	32.0	30.0	21.0	25.0		
27	37.0	26.0	34.0	36.0	32.0	14.0	22.0	22.0	35.0	31.0		
28	41.0	31.0	31.0	11.0	28.0	24.0	19.0	11.0	48.0	35.0		
29	40.0		39.0	9.0	6.0	31.0	28.0	22.0	45.0	33.0		
30	38.0		11.0	26.0	10.0	25.0	31.0	16.0	40.0	32.0		
31	32.0		32.0		14.0		22.0	29.0		24.0		
NO.:	31	28	31	30	31	30	31	31	30	31	0	0
MAX:	58.0	47.0	52.0	48.0	39.0	41.0	35.0	40.0	48.0	40.0		
MEAN:	39.90	39.61	36.16	23.77	22.84	20.30	21.32	25.16	26.47	27.74		
ANNUAL OBSERVATIONS:		304		ANNUAL MEAN:	28.26		ANNUAL MAX:	58.0				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-0003 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 5715 S. 1400 E., SALT LAKE CITY  
 SITE COMMENTS: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD  
 MONITOR COMMENTS: THIS SITE REPLACES NO2-NOX MONITORING AT 49-035-3001.

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.646667  
 LONGITUDE: -111.849722  
 UTM ZONE: 12  
 UTM NORTHING: 4499650  
 UTM EASTING: 428153  
 ELEVATION-MSL: 1335  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	49.0	46.0	43.0	15.0	14.0	25.0	22.0	15.0	29.0	52.0	33.0	46.0
2	48.0	49.0	46.0	22.0	11.0	21.0	21.0	25.0	30.0	54.0	35.0	72.0
3	44.0	44.0	42.0	14.0	27.0	17.0	10.0	18.0	33.0	23.0	38.0	42.0
4	53.0	47.0	42.0	13.0	30.0	16.0	26.0	19.0	30.0	19.0	44.0	46.0
5	62.0	45.0	43.0	11.0	33.0	22.0	26.0	18.0	21.0	27.0	42.0	43.0
6	52.0	34.0	43.0	30.0	21.0	20.0	18.0	22.0	27.0	19.0	29.0	35.0
7	53.0	38.0	40.0	40.0	35.0	13.0	22.0	19.0	27.0	34.0	16.0	36.0
8	57.0	45.0	42.0	41.0	30.0	28.0	24.0	11.0	20.0	22.0	31.0	37.0
9	59.0	49.0	36.0	37.0	20.0	22.0	22.0	22.0	18.0	23.0	30.0	34.0
10	49.0	46.0	27.0	40.0	12.0	16.0	21.0	27.0	23.0	25.0	28.0	29.0
11	64.0	42.0	39.0	7.0	13.0	16.0	18.0	15.0	29.0	26.0	29.0	36.0
12	75.0	42.0	45.0	7.0	20.0	12.0	25.0	25.0	30.0	31.0	36.0	32.0
13	76.0	41.0	34.0	30.0	23.0	12.0	21.0	30.0	29.0	38.0	31.0	28.0
14	47.0	40.0	33.0	34.0	28.0	24.0	30.0	30.0	33.0	44.0	31.0	28.0
15	47.0	38.0	36.0	34.0	24.0	26.0	28.0	27.0	39.0	36.0	31.0	40.0
16	45.0	38.0	40.0	36.0	23.0	18.0	32.0	32.0	39.0	41.0	31.0	46.0
17	43.0	42.0	42.0	27.0	25.0	25.0	18.0	32.0	40.0	32.0	39.0	47.0
18	39.0	36.0	35.0	28.0	14.0	28.0	20.0	19.0	37.0	28.0	32.0	41.0
19	35.0	38.0	36.0	30.0	22.0	19.0	26.0	24.0	16.0	35.0	5.0	15.0
20	39.0	36.0	38.0	32.0	22.0	7.0	25.0	28.0	29.0	39.0	22.0	37.0
21	45.0	27.0	36.0	9.0	23.0	20.0	15.0	22.0	24.0	40.0	27.0	43.0
22	36.0	45.0	36.0	28.0	15.0	19.0	24.0	11.0		31.0	40.0	41.0
23	34.0	52.0	35.0	29.0	19.0	25.0	30.0	24.0	30.0	25.0	8.0	32.0
24	39.0	46.0	39.0	30.0	33.0	29.0	28.0	38.0	38.0	15.0	45.0	28.0
25	47.0	34.0	40.0	26.0	21.0	26.0	24.0	36.0	41.0	14.0	45.0	29.0
26	42.0	40.0	37.0	28.0	42.0	15.0	28.0	32.0	37.0	30.0	50.0	33.0
27	66.0	38.0	36.0	28.0	26.0	21.0	19.0	21.0	46.0	26.0	54.0	35.0
28	46.0	37.0	40.0	7.0	18.0	26.0	19.0	11.0	47.0	36.0	39.0	39.0
29	47.0		29.0	16.0	21.0	26.0	27.0	24.0	39.0	37.0	45.0	25.0
30	41.0		7.0	18.0	20.0	21.0	27.0	17.0	51.0	24.0	58.0	25.0
31	45.0		42.0		22.0		21.0	29.0		23.0		42.0
NO.:	31	28	31	30	31	30	31	31	29	31	30	31
MAX:	76.0	52.0	46.0	41.0	42.0	29.0	32.0	38.0	51.0	54.0	58.0	72.0
MEAN:	49.16	41.25	37.39	24.90	22.81	20.50	23.13	23.32	32.14	30.61	34.13	36.84
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	31.30	ANNUAL MAX:	76.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-035-3006 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE: 12  
 UTM NORTHING: 4509639  
 UTM EASTING: 426359  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	47.0	38.0	43.0	25.0	23.0	26.0						
2	43.0	45.0	43.0	24.0	29.0	19.0						
3	45.0	47.0	33.0	16.0	38.0	27.0						
4	49.0	48.0	44.0	17.0	20.0	19.0						
5	57.0	44.0	47.0	50.0	38.0	30.0						
6	47.0	33.0	44.0	38.0	16.0	15.0						
7	48.0	31.0	37.0	39.0	39.0	17.0						
8	54.0	46.0	36.0	41.0	38.0	28.0						
9	53.0	45.0	28.0	38.0	34.0	29.0						
10	48.0	41.0	29.0	44.0	17.0	14.0						
11	61.0	41.0	33.0	37.0	21.0	22.0						
12	71.0	39.0	41.0	42.0	28.0	12.0						
13	71.0	38.0	35.0	36.0	14.0	24.0						
14	41.0	39.0	32.0	46.0	38.0	27.0						
15	42.0	38.0	38.0	49.0	25.0	22.0						
16	45.0	36.0	41.0	31.0	26.0	34.0						
17	34.0	36.0	44.0	29.0	33.0	15.0						
18	35.0	39.0	13.0	22.0	28.0	31.0						
19	24.0	41.0	31.0	32.0	27.0	28.0						
20	31.0	38.0	23.0	39.0	28.0	33.0						
21	42.0	31.0	37.0	14.0	32.0	16.0						
22	36.0	40.0	44.0	22.0	28.0	28.0						
23	24.0	44.0	35.0	38.0	23.0	35.0						
24	31.0	45.0	43.0	34.0	42.0	35.0						
25	40.0	36.0	32.0	17.0	28.0	31.0						
26	37.0	36.0	37.0	35.0	42.0	9.0						
27	37.0	32.0	37.0	36.0	34.0	13.0						
28	40.0	38.0	42.0	10.0	32.0	26.0						
29	41.0		41.0	25.0	11.0	31.0						
30	45.0		8.0	30.0	19.0	32.0						
31	43.0		52.0		35.0							
NO.:	31	28	31	30	31	30	0	0	0	0	0	0
MAX:	71.0	48.0	52.0	50.0	42.0	35.0						
MEAN:	43.94	39.46	36.23	31.87	28.58	24.27						
ANNUAL OBSERVATIONS:	181		ANNUAL MEAN:	34.03	ANNUAL MAX:	71.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-2002 POC: 1  
 COUNTY: (047) Uintah  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2 Miles west of Redwash atop Deadman's Bench  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: DESERT  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.2062906011  
 LONGITUDE: -109.35393186  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1701.8  
 PROBE HEIGHT: 2

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: NON-REGULATORY  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: 1

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	20.0	8.0	8.0	4.0	8.0	14.0	3.0	9.0	13.0	13.0	9.0	9.0
2	26.0	12.0	7.0	15.0	3.0	6.0	3.0	21.0	8.0	16.0	13.0	25.0
3	30.0	8.0	7.0	10.0	9.0	12.0	2.0	8.0	10.0	10.0	12.0	20.0
4	55.0	14.0	6.0	2.0	3.0	12.0	2.0	5.0	9.0	4.0	14.0	20.0
5	29.0	10.0	1.0	11.0	3.0	8.0	3.0	7.0	5.0	8.0	13.0	8.0
6	32.0	12.0	5.0	3.0	2.0	8.0	3.0	9.0	3.0	14.0	18.0	15.0
7	14.0	7.0	4.0	10.0	5.0	13.0	3.0	5.0	12.0	5.0	12.0	12.0
8	18.0	4.0	6.0	6.0	5.0	4.0	3.0	7.0	23.0	7.0	8.0	26.0
9	18.0	8.0	6.0	17.0	4.0	6.0	5.0	15.0	9.0	13.0	8.0	6.0
10	23.0	7.0	5.0	4.0	8.0	2.0	3.0	8.0	7.0	7.0	15.0	10.0
11	31.0	6.0	5.0	5.0	9.0	7.0	2.0	12.0	3.0	16.0	17.0	16.0
12	38.0	9.0	5.0	4.0	2.0	2.0	5.0	4.0	6.0	14.0	25.0	7.0
13	28.0	7.0	4.0	5.0	11.0	3.0	4.0	6.0	12.0	15.0	10.0	22.0
14	30.0	6.0	3.0	5.0	5.0	12.0	5.0	11.0	11.0	19.0	6.0	25.0
15	41.0	8.0	2.0	12.0	6.0	5.0	5.0	12.0	7.0	16.0	8.0	14.0
16	29.0	6.0	9.0	6.0	6.0	15.0	4.0	10.0	17.0	6.0	18.0	15.0
17	39.0	5.0	6.0	5.0	7.0	4.0	2.0	11.0	15.0	4.0	13.0	12.0
18	19.0	6.0	5.0	10.0	15.0	10.0	4.0	10.0	11.0	19.0	24.0	10.0
19	25.0	6.0	1.0	22.0	7.0	12.0	2.0	10.0	11.0	7.0	25.0	5.0
20	13.0	5.0	2.0	14.0	14.0	7.0	6.0	12.0	15.0	14.0	20.0	5.0
21	21.0	2.0	2.0	5.0	6.0	12.0	3.0	6.0	16.0	9.0	6.0	14.0
22	10.0	6.0	3.0	4.0	4.0	9.0	3.0	7.0	10.0	7.0	10.0	9.0
23	9.0	5.0	4.0	7.0	12.0	8.0	4.0	4.0	17.0	7.0	11.0	16.0
24	9.0	8.0	2.0	8.0	4.0	6.0	4.0	15.0	14.0	7.0	4.0	19.0
25	18.0	8.0	3.0	5.0	14.0	9.0	4.0	20.0	5.0	3.0	16.0	14.0
26	17.0	7.0	2.0	3.0	9.0	5.0	3.0	17.0	10.0	4.0	18.0	6.0
27	18.0	6.0	2.0	14.0	10.0	9.0	5.0	13.0	16.0	16.0	22.0	12.0
28	18.0	4.0	3.0	2.0	11.0	8.0	5.0	5.0	17.0	9.0	12.0	18.0
29	9.0		3.0	5.0	2.0	10.0	9.0	3.0	11.0	9.0	13.0	7.0
30	5.0		3.0	5.0	5.0	15.0	11.0	8.0	13.0	20.0	25.0	8.0
31	9.0		2.0		4.0		9.0	9.0		9.0		12.0
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	55.0	14.0	9.0	22.0	15.0	15.0	11.0	21.0	23.0	20.0	25.0	26.0
MEAN:	22.61	7.14	4.06	7.60	6.87	8.43	4.16	9.65	11.20	10.55	14.17	13.45
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	10.01	ANNUAL MAX:	55.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-047-2003 POC: 1  
 COUNTY: (047) Uintah  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2 miles south of Ouray and south of the White and Green River confluence  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: DESERT  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.0567100920  
 LONGITUDE: -109.68810764  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1466.8  
 PROBE HEIGHT: 2

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: NON-REGULATORY

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	28.0	6.0	9.0	2.0	1.0	12.0	4.0	2.0	5.0	5.0	14.0	13.0
2	33.0	13.0	5.0	1.0	1.0	5.0	3.0	4.0	6.0	6.0	5.0	10.0
3	23.0	14.0	7.0	2.0	2.0	4.0	6.0	2.0	4.0	7.0	9.0	12.0
4	26.0	18.0	7.0	2.0	2.0	7.0	3.0	4.0	6.0	3.0	8.0	11.0
5	25.0	19.0	3.0	3.0	5.0	2.0	4.0	2.0	3.0	4.0	7.0	15.0
6	56.0	25.0	7.0	.0	1.0	3.0	3.0	3.0	1.0	4.0	6.0	11.0
7	12.0	20.0	3.0	2.0	3.0	2.0	10.0	4.0	9.0	4.0	8.0	10.0
8	22.0	21.0	6.0	5.0	5.0	2.0	5.0	4.0	5.0	6.0	7.0	3.0
9	28.0	13.0	4.0	6.0	7.0	5.0	4.0	5.0	5.0	5.0	3.0	5.0
10	18.0	16.0	2.0	6.0	1.0	9.0	3.0	3.0	3.0	4.0	4.0	12.0
11	32.0	29.0	1.0	5.0	3.0	5.0	6.0	3.0	4.0	6.0	6.0	8.0
12	29.0	26.0	2.0	6.0	3.0	4.0	5.0	3.0	6.0	2.0	5.0	5.0
13	36.0	25.0	4.0	3.0	2.0	5.0	3.0	3.0	4.0	5.0	7.0	8.0
14	40.0	19.0	2.0	11.0	8.0	2.0	3.0	3.0	4.0	8.0	4.0	11.0
15	37.0	20.0	4.0	6.0	2.0	3.0	3.0	3.0	4.0	9.0	8.0	19.0
16	27.0	13.0	3.0	6.0	4.0	4.0	3.0	5.0	5.0	7.0	5.0	9.0
17	30.0	15.0	2.0	4.0	4.0	1.0	13.0	4.0	4.0	6.0	5.0	8.0
18	36.0	30.0	3.0	4.0	3.0	4.0	3.0	6.0	4.0	4.0	10.0	4.0
19	20.0	29.0	1.0	5.0	2.0	9.0	2.0	6.0	3.0	5.0	7.0	6.0
20	14.0	10.0	3.0	6.0	3.0	3.0	2.0	5.0	5.0	6.0	9.0	3.0
21	21.0	7.0	2.0	4.0	5.0	3.0	3.0	5.0	6.0	6.0	4.0	1.0
22	13.0	12.0	3.0	4.0	3.0	3.0	4.0	2.0	5.0	4.0	4.0	9.0
23	21.0	16.0	2.0	5.0	3.0	2.0	2.0	2.0	3.0	3.0	8.0	17.0
24	18.0	20.0	1.0	5.0	1.0	3.0	3.0	3.0	7.0	6.0	.0	5.0
25	13.0	23.0	3.0	9.0	4.0	4.0	2.0	11.0	4.0	1.0	5.0	2.0
26	18.0	27.0	1.0	10.0	5.0	2.0	5.0	5.0	7.0	2.0	5.0	6.0
27	16.0	16.0	2.0	5.0	4.0	2.0	4.0	5.0	7.0	4.0	6.0	5.0
28	14.0	26.0	2.0	1.0	4.0	3.0	2.0	1.0	6.0	6.0	13.0	3.0
29	10.0		3.0	6.0	1.0	3.0	2.0	7.0	4.0	10.0	6.0	6.0
30	4.0		2.0	4.0	4.0	3.0	3.0	3.0	6.0	8.0	7.0	9.0
31	10.0		1.0		7.0		3.0	6.0		4.0		15.0
NO.:	31	28	31	29	31	30	31	31	30	31	30	31
MAX:	56.0	30.0	9.0	11.0	8.0	12.0	13.0	11.0	9.0	10.0	14.0	19.0
MEAN:	23.55	18.86	3.23	4.69	3.32	3.97	3.90	4.00	4.83	5.16	6.50	8.42
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	7.48	ANNUAL MAX:	56.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-049-0002 POC: 1  
 COUNTY: (049) Utah  
 CITY: (62470) Provo  
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT  
 SITE COMMENTS:  
 MONITOR COMMENTS: 14

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.253611  
 LONGITUDE: -111.663056  
 UTM ZONE: 12  
 UTM NORTHING: 4455894  
 UTM EASTING: 443606  
 ELEVATION-MSL: 1402  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	48.0	42.0	46.0	16.0	5.0	27.0	27.0	18.0	40.0	61.0	37.0	47.0
2	49.0	43.0	42.0	24.0	23.0	8.0	24.0	24.0	42.0	51.0	29.0	41.0
3	49.0	42.0	40.0	13.0	23.0	17.0	20.0	23.0	40.0	31.0	40.0	37.0
4	50.0	50.0	38.0	14.0	23.0	13.0	15.0	18.0	29.0	29.0	39.0	32.0
5	48.0	42.0	40.0	8.0	28.0	23.0	20.0	24.0	15.0	28.0	36.0	39.0
6	43.0	34.0	46.0	18.0	6.0	15.0	20.0	24.0	35.0	32.0	36.0	30.0
7	42.0	30.0	37.0	31.0	30.0	9.0	25.0	18.0	25.0	29.0	31.0	34.0
8	50.0	41.0	37.0	33.0	28.0	21.0	30.0	17.0	29.0	30.0	18.0	33.0
9	49.0	36.0	27.0	19.0	21.0	20.0	27.0	30.0	24.0	33.0	31.0	34.0
10	54.0	38.0	15.0	37.0	7.0	14.0	27.0	31.0	32.0	25.0	30.0	27.0
11	54.0	39.0	38.0	20.0	6.0	15.0	25.0	27.0	32.0	29.0	32.0	34.0
12	54.0	40.0	44.0	20.0	15.0	6.0	35.0	38.0	33.0	32.0	39.0	30.0
13	48.0	26.0	34.0	18.0	20.0	8.0	31.0	32.0	30.0	40.0	33.0	24.0
14	46.0	33.0	28.0	25.0	17.0	19.0	30.0	37.0	32.0	42.0	33.0	32.0
15	45.0	32.0	33.0	19.0	19.0	19.0	30.0	28.0	31.0	42.0	33.0	34.0
16	41.0	35.0	36.0	32.0	16.0	23.0	27.0	32.0	29.0	33.0	27.0	39.0
17	43.0	39.0	39.0	29.0	21.0	19.0	17.0	32.0	38.0	29.0	41.0	41.0
18	44.0	34.0	35.0	18.0	8.0	25.0	22.0	27.0	39.0	34.0	38.0	37.0
19	40.0	35.0	24.0	30.0	16.0	16.0	25.0	25.0	11.0	37.0	44.0	21.0
20	40.0	36.0	38.0	28.0	18.0	18.0	17.0	31.0	32.0	44.0	35.0	39.0
21	22.0	39.0	31.0	11.0	8.0	18.0	18.0	23.0	37.0	29.0	28.0	39.0
22	23.0	30.0	31.0	14.0	14.0	26.0	27.0	18.0	33.0	30.0	25.0	35.0
23	45.0	44.0	29.0	21.0	10.0	17.0	32.0	33.0	38.0	25.0	29.0	30.0
24	42.0	41.0	34.0	24.0	11.0	27.0	31.0	43.0	37.0	21.0	35.0	10.0
25	47.0	38.0	39.0	22.0	26.0	23.0	25.0	27.0	50.0	22.0	35.0	5.0
26	46.0	40.0	17.0	25.0	42.0	25.0	29.0	31.0	31.0	30.0	40.0	6.0
27	42.0	38.0	29.0	24.0	25.0	15.0	22.0	23.0	54.0	32.0	41.0	6.0
28	41.0	18.0	28.0	10.0	12.0	29.0	22.0	11.0	47.0	37.0	33.0	34.0
29	45.0		36.0	5.0	15.0	29.0	26.0	15.0	53.0	36.0	39.0	32.0
30	45.0		6.0	9.0	17.0	26.0	23.0	10.0	48.0	35.0	43.0	17.0
31	39.0		32.0		16.0		24.0	28.0		27.0		27.0
NO.:	31	28	31	29	31	30	31	31	30	31	30	31
MAX:	54.0	50.0	46.0	37.0	42.0	29.0	35.0	43.0	54.0	61.0	44.0	47.0
MEAN:	44.32	36.96	33.19	20.62	17.61	19.00	24.94	25.74	34.87	33.39	34.33	29.87
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:		29.56	ANNUAL MAX:		61.0				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-053-0006 POC: 1  
 COUNTY: (053) Washington  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 1215 NORTH LAVA FLOW DRIVE, SANTA CLARA, UTAH  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (014) FOUR CORNERS  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 37.129  
 LONGITUDE: -113.637  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 846  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1						3.0	4.0	2.0	5.0			
2						3.0	3.0	7.0	7.0			
3						5.0	2.0	5.0	14.0			
4					1.0	3.0	1.0	4.0	3.0			
5					5.0	3.0	2.0	3.0	2.0			
6					2.0	2.0	3.0	5.0	3.0			
7					6.0	8.0	5.0	2.0	9.0			
8					2.0	4.0	7.0	2.0	6.0			
9					2.0	3.0	3.0	8.0	4.0			
10					5.0	4.0	2.0	5.0	8.0			
11					1.0	2.0	1.0	7.0	5.0			
12					4.0	1.0	5.0	4.0	3.0			
13					5.0	2.0	4.0	6.0	7.0			
14					3.0	6.0	2.0	3.0	14.0			
15					2.0	3.0	5.0	2.0	8.0			
16					2.0	3.0	4.0	4.0	6.0			
17					5.0	2.0	2.0	4.0	15.0			
18					3.0	2.0	1.0	4.0	4.0			
19					12.0	2.0	6.0	5.0	3.0			
20					4.0	2.0	2.0	5.0	7.0			
21					3.0	3.0	3.0	3.0	6.0			
22					1.0	2.0	4.0	2.0	13.0			
23					2.0	4.0	4.0	5.0	6.0			
24					4.0	3.0	2.0	12.0	10.0			
25					5.0	2.0	2.0	6.0	14.0			
26					6.0	1.0	4.0	4.0	4.0			
27					3.0	2.0	2.0	4.0	20.0			
28					2.0	6.0	2.0	2.0	8.0			
29					1.0	4.0	2.0	2.0	11.0			
30					2.0	3.0	2.0	10.0	13.0			
31					3.0		2.0	7.0				
NO.:	0	0	0	0	28	30	31	31	30	0	0	0
MAX:					12.0	8.0	7.0	12.0	20.0			
MEAN:					3.43	3.10	3.00	4.65	7.93			
ANNUAL OBSERVATIONS:	150				ANNUAL MEAN:	4.43	ANNUAL MAX:	20.0				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Aug. 25, 2011

(42602) Nitrogen dioxide (NO2)

SITE ID: 49-057-0002 POC: 1  
 COUNTY: (057) Weber  
 CITY: (55980) Ogden  
 SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH  
 SITE COMMENTS: THIS SITE REPLACES OG (490570001) WHICH WAS DEMOLISHED FOR NEW CONST.  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0  
 LATITUDE: 41.206389  
 LONGITUDE: -111.974722  
 UTM ZONE: 12  
 UTM NORTHING: 4561914  
 UTM EASTING: 418278  
 ELEVATION-MSL: 1316  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	49.0	49.0	44.0	15.0	31.0		21.0	12.0	15.0	52.0	36.0	50.0
2	43.0	54.0	48.0	30.0	34.0		15.0	17.0	22.0	56.0	38.0	60.0
3	49.0	50.0	48.0	23.0	25.0		7.0	20.0	21.0	36.0	34.0	54.0
4	51.0	55.0	37.0	33.0	32.0		17.0	18.0	19.0	22.0	36.0	44.0
5	48.0	46.0	39.0	14.0	33.0		15.0	13.0	14.0	26.0	40.0	38.0
6	57.0	44.0	44.0	44.0	33.0		10.0	15.0	15.0	30.0	34.0	32.0
7	60.0	32.0	39.0	44.0	40.0		18.0	7.0	14.0	30.0	40.0	30.0
8	62.0	50.0	39.0	46.0	43.0		11.0	10.0	11.0	30.0	22.0	36.0
9	54.0	52.0	42.0	44.0	36.0		13.0	15.0	15.0	28.0	32.0	34.0
10	55.0	47.0	37.0	55.0	12.0		19.0	17.0	16.0	32.0	32.0	32.0
11	82.0	42.0	42.0	17.0	28.0		20.0	19.0	20.0	30.0	34.0	34.0
12	60.0	44.0	44.0	36.0	19.0		16.0	16.0	23.0	40.0	32.0	38.0
13	61.0	41.0	45.0	12.0	33.0		13.0	18.0	22.0	42.0	32.0	32.0
14	50.0	46.0	20.0	40.0	39.0		15.0	18.0	18.0	48.0	28.0	34.0
15	39.0	45.0	43.0	47.0	38.0		20.0	21.0	21.0	44.0	30.0	38.0
16	49.0	46.0	52.0	44.0	39.0		25.0	16.0	20.0	42.0	22.0	40.0
17	45.0	38.0	47.0	45.0	31.0	15.0	19.0	20.0	19.0	38.0	42.0	42.0
18	57.0	45.0	47.0	43.0	9.0	24.0	17.0	12.0	24.0	36.0	54.0	40.0
19	44.0	45.0	49.0	46.0	32.0	18.0	13.0	27.0	18.0	38.0	22.0	32.0
20	44.0	41.0	43.0	47.0	34.0	25.0	14.0	20.0	15.0	46.0	24.0	42.0
21	43.0	41.0	46.0	16.0	31.0	15.0	8.0	41.0	22.0	36.0	20.0	36.0
22	39.0	46.0	46.0	30.0	17.0	17.0	22.0	5.0	12.0	42.0	22.0	40.0
23	44.0	47.0	39.0	35.0	22.0	22.0	16.0	19.0	19.0	28.0	12.0	34.0
24	42.0	45.0	43.0	38.0	17.0	23.0	20.0	23.0	21.0	28.0	40.0	32.0
25	46.0	38.0	55.0	28.0	26.0	21.0	18.0	26.0	21.0	16.0	40.0	34.0
26	43.0	43.0	36.0	41.0	22.0	19.0	13.0	22.0	23.0	26.0	42.0	38.0
27	44.0	48.0	40.0	39.0	18.0	17.0	13.0	17.0	24.0	34.0	42.0	42.0
28	45.0	42.0	45.0	17.0	17.0	17.0	8.0	13.0	26.0	36.0	36.0	42.0
29	50.0		49.0	23.0		14.0	10.0	13.0	23.0	44.0	46.0	26.0
30	52.0		14.0	20.0		12.0	19.0	15.0	30.0	34.0	44.0	34.0
31	46.0		17.0				14.0	19.0		32.0		30.0
NO.:	31	28	31	30	27	14	31	31	30	31	30	31
MAX:	82.0	55.0	55.0	55.0	43.0	25.0	25.0	41.0	30.0	56.0	54.0	60.0
MEAN:	50.10	45.07	41.26	33.73	28.67	18.50	15.45	17.55	19.43	35.55	33.60	37.74
ANNUAL OBSERVATIONS:	345		ANNUAL MEAN:	31.96	ANNUAL MAX:	82.0						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.