

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 1014596

Report Code: AMP350MX

Aug. 23, 2012

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
	49			42101									1	2011 01 01	2011 12 31

SELECTED OPTIONS

Option Type	Option Value
MERGE PDF FILES	YES
SINGLE EVENT PROCESSING	INCLUDE EVENTS

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

APPLICABLE STANDARDS

Standard Description
CO 1-hour 1971

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 23, 2012

(42101) Carbon monoxide

SITE ID: 49-035-0003 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (00000) Not in a city
 SITE ADDRESS: 5715 S. 1400 E., SALT LAKE CITY
 SITE COMMENTS: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.646667
 LONGITUDE: -111.849722
 UTM ZONE: 12
 UTM NORTHING: 4499650
 UTM EASTING: 428153
 ELEVATION-MSL: 1335
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2011

DURATION: 1 HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.6	2.3	1.8	1.0	.8	.3	.3	.3	.6			
2	1.5	1.3	1.0	.7	.8	.3	.3	.3	.9			
3	1.1	1.4	1.1	.7	.5	.6	.5	.3	.7			
4	1.3	.9	1.1	1.4	1.0	.9	.3	.3	.5			
5	2.4	1.0	1.1	.7	1.3	.6	.3	.3	.3			
6	2.5	1.2	.6	.6	.7	.3	.3	.6	.7			
7	1.2	1.2	.6	.5	.6	.6	.6	.6	.7			
8	1.1	.6	1.0	.6	.3	.6	.3	.6	.8			
9	1.0	1.1	.9	.7	.3	.7	.3	.5	.6			
10	1.6	1.4	1.3	.6	.5	.6	.3	.6	.3			
11	2.5	2.2	.5	.8	.6	.5	.3	.5	.3			
12	1.7	1.5	.6	.9	.9	.3	.3	.5	.3			
13	2.0	1.2	.6	1.0	.7	.5	.3	.5	.6			
14	1.7	1.6	1.1	.6	.5	.5	.3	.3	.8			
15	1.8	1.4	1.3	1.3	.5	.5	.3	.3	.5			
16	1.5	.3	.3	.7	.3	.3	.3	.3	.5			
17	1.0	1.4	.7	.5	.3	.5	.3	.6	.3			
18	2.3	.7	1.4	.5	.5	.7	.5	1.1	.6			
19	.8	.8	.3	.7	.3	.3	.3	.5	1.1			
20	2.0	.7	.3	1.1	.3	.6	.6	.3	1.3			
21	1.5	1.1	.3	1.0	.8	.3	.5	.3	1.1			
22	.7	1.1	.6	.9	.3	.6	.3	.5	.8			
23	1.1	1.3	1.3	.8	.3	.3	.5	.6	.7			
24	2.6	1.1	.3	.8	.5	.3	.5	.5	.7			
25	1.4	.6	.7	.3	.7	.6	.6	.3	.5			
26	1.2	.3	1.0	.5	.3	.3	.3	.3	.7			
27	2.1	.9	.3	.7	.6	.5	.3	.3	1.0			
28	.8	1.2	.7	1.2	.3	.3	.7	.3	1.0			
29	.7		1.3	.3	.3	.3	.6	.3	1.0			
30	.8		.6	.5	.3	.3	.3	.3	1.0			
31	.6		.8		.8		.3	.3				
NO.:	31	28	31	30	31	30	31	31	30	0	0	0
MAX:	2.6	2.3	1.8	1.4	1.3	.9	.7	1.1	1.3			
MEAN:	1.49	1.13	.81	.75	.53	.45	.35	.40	.69			
ANNUAL OBSERVATIONS:		273		ANNUAL MEAN:	.73	ANNUAL MAX:	2.6					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 23, 2012

(42101) Carbon monoxide

SITE ID: 49-035-3006 POC: 1
 COUNTY: (035) Salt Lake
 CITY: (67000) Salt Lake City
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (7159) SALT LAKE CITY, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0
 LATITUDE: 40.736389
 LONGITUDE: -111.872222
 UTM ZONE: 12
 UTM NORTHING: 4509639
 UTM EASTING: 426359
 ELEVATION-MSL: 1306
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (554) INSTRUMENTAL Gas Filter Correlatio
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2011

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .02

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.500	.200	1.900	.950	.490	.590	.360	.290	.530	.520	.370	.210
2	1.200	.600	.800	.390	.860	.240	.420	.410	.550	.610	1.210	1.630
3	1.000	.900	.600	.410	.410	.600	.320	.370	.430	.810	.890	.590
4	1.000	.700	1.200	.610	.510	.590	.350	.380	.470	.540	.610	.580
5	1.900	1.400	.800	1.210	.810	.660	.480	.500	.350	.230	.480	.400
6	2.300	1.100	.500	.430	.630	.680	.280	.370	.260	.340	.420	1.410
7	1.000	.800	.600	.500	.410	.360	.550	.360	.290	.760	.660	2.380
8	.900	.200	1.000	.770	.250	.450	.400	.410	.270	.660	.820	1.370
9	1.000	.500	1.000	.360	.300	.490	.220	.560	.400	.470	1.110	2.660
10	.900	1.500	1.100	.490	.370	.320	.280	.610	.290	.740	2.030	1.860
11	1.600	1.400	.500	.760	.430	.390	.550	.620	.260	.810	2.450	1.840
12	1.300	1.500	.500	.660	.640	.330	.620	.590	.630	.860	.840	1.400
13	1.800	1.000	.500	.770	.550	.410	.290	.370	.580	1.170	1.090	1.320
14	1.300	1.600	.900	.430	.290	.380	.410	.270	.560	1.140	1.310	.890
15	1.400	2.400	1.300	.990	.140	.380	.440	.290	.490	.810	1.750	.820
16	1.200	.300	.200	.450	.170	.290	.430	.620	.620	.620	1.300	1.040
17	1.500	.900	.500	.360	.370	.260	.450	.550	.340	.650	1.740	1.430
18	2.500	.700	.400	.630	.380	.280	.340	.680	.380	1.050	.320	.450
19	.500	.600	.300	.480	.380	.490	.340	.510	.790	1.280	.870	.380
20	1.400	.600	.300	.920	.460	.360	.330	.390	.810	.980	.890	.860
21	2.400	.600	1.700	.950	.360	.400	.510	.310	.850	1.070	1.160	1.010
22	1.300	.500	.500	.440	.310	.470	.350	.650	.680	.700	1.790	1.080
23	.800	.800	.800	.390	.360	.430	.300	.530	1.220	.530	1.310	2.010
24	3.100	.800	.300	.460	.430	.340	.380	.580	.660	1.360	.780	1.460
25	1.500	.400	.500	.300	.510	.290	.440	.640	.680	.450	.690	1.490
26	1.300	.300	.500		.270	.290	.300	.980	.820	.660	1.100	1.950
27	1.700	.400	.400	.300	.500	.340	.800	.370	.780	1.020	1.380	2.170
28	.600	1.100	.700	.520	.250	.350	.310	.290	.910	1.650	2.710	2.460
29	.500		1.000	.380	.400	.400	.630	.350	.870	1.390	2.810	1.770
30	.500		.800	.560	.550	.430	.420	.350	.880	.980	1.890	1.130
31	.500		1.400		.590		.280	.770		1.700		.930
NO.:	31	28	31	29	31	30	31	31	30	31	30	31
MAX:	3.100	2.400	1.900	1.210	.860	.680	.800	.980	1.220	1.700	2.810	2.660
MEAN:	1.3355	.8500	.7581	.5817	.4316	.4097	.4058	.4829	.5883	.8568	1.2260	1.3219
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	.7713	ANNUAL MAX:	3.100						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 23, 2012

(42101) Carbon monoxide

SITE ID: 49-049-0002 POC: 1
 COUNTY: (049) Utah
 CITY: (62470) Provo
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT
 SITE COMMENTS:
 MONITOR COMMENTS: 11

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (6520) PROVO-OREM, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 40.253611
 LONGITUDE: -111.663056
 UTM ZONE: 12
 UTM NORTHING: 4455894
 UTM EASTING: 443606
 ELEVATION-MSL: 1402
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2011

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.6	.3	1.0	1.0	1.1	.9	.5	.3	.3	.3	.5	1.4
2	.5	.9	1.0	1.0	1.3	.3	.8	.5	.7	.3	1.2	1.5
3	1.2	1.0	.3	.5	.7	.3	.6	.3	.6	.9	1.6	1.0
4	1.5	.9	1.1	1.0	.8	.6	.3	.5	.5	.3	.8	1.1
5	1.6	.9	.7	.8	.3	.3	.3	.3	.3	.3	.5	1.0
6	1.9	.8	.6	.5	.7	.5	.3	.3	.7	.3	.5	3.3
7	1.6	1.2	.5	.6	.7	.5	.3	.3	.5	.6	1.0	2.3
8	1.5	.6	.6	.6	.3	.5	.3	.7	.7	.7	1.0	2.3
9	.6	.6	.8	.3	.3	.3	.3	.5		1.0	1.5	2.3
10	1.2	.9	1.9	.3	.3	.5	.3	.5		.9	1.9	2.1
11	1.0	1.5	.5	1.2	.5	.5	.3	.3		.8	1.4	1.8
12	1.1	1.3	.5	.5	.5	.3	.3	.5	.3	.9	.8	2.6
13	2.0	.9	.9	1.2	.5	.3	.3	.3	.8	1.7	1.0	1.7
14	2.3	1.5	1.5	.5	.3	.5	.3	.3	.6	1.2	1.5	2.1
15	2.0	1.9	1.2	1.2	.3	.5	.3	.6	.6	1.0	1.6	1.6
16	1.5	1.7	.8	.5	.3	.3	.3	.5	.5	.3	1.3	1.9
17	1.5	1.1	.7	.7	.3	.5	.3	.6	.3	.8	1.4	2.0
18	2.0	1.1	1.7	.5	.5	.3	.3	.6	.3	1.4	.7	1.5
19	1.4	.8	.8	.6	.3	.3	.3	.5	.6	1.0	1.2	.9
20	.8	1.2	.7	1.0	.8	.6	.3	.5	.8	1.3	1.4	1.2
21	1.0	.6	.3	.9	1.1	.5	.3	.3	.8	1.0	1.3	1.1
22	1.1	.8	.3	.6	.3	.5	.5	.7	.7	.8	1.7	1.5
23	1.3	2.9	1.5	.6	.3	.5	1.0	.6	.8	.6	2.6	1.7
24	1.8	.6	.3	1.0	.6	.5	.3	.7	.8	1.2	1.6	1.6
25	1.0	.5	1.2	.3	.6	.3	.3	.6	.5	.3	.9	1.8
26	1.0	.3	1.0	.3	.3	.3	.5	.6	.6	.7	1.1	2.0
27	1.7	.3	.3	.8	.3	.5	.5	.5	.7	1.3	1.5	2.0
28	1.7	1.0	.8	1.1	.3	.6	.3	.3	.9	1.1	1.8	2.2
29	1.0		1.0	.3	.3		.5	.5	.7	1.5	2.4	1.5
30	.7		.5	.6	.6	.3	.3	.6	1.1	1.0	1.7	2.1
31	.3		1.4		.8		.3	.6		1.7		1.9
NO.:	31	28	31	30	31	29	31	31	26	31	30	31
MAX:	2.3	2.9	1.9	1.2	1.3	.9	1.0	.7	1.1	1.7	2.6	3.3
MEAN:	1.30	1.00	.84	.69	.50	.42	.34	.46	.61	.87	1.31	1.77
ANNUAL OBSERVATIONS:	360		ANNUAL MEAN:		.85	ANNUAL MAX:		3.3				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 23, 2012

(42101) Carbon monoxide

SITE ID: 49-057-0002 POC: 1
 COUNTY: (057) Weber
 CITY: (55980) Ogden
 SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH
 SITE COMMENTS: THIS SITE REPLACES OG (490570001) WHICH WAS DEMOLISHED FOR NEW CONST.
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 41.206389
 LONGITUDE: -111.974722
 UTM ZONE: 12
 UTM NORTHING: 4561914
 UTM EASTING: 418278
 ELEVATION-MSL: 1316
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2011

DURATION: 1 HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.9	.3	1.6	1.8	.7	1.1	.7	.5	.8	.7		.3
2	.7	.8	1.4	1.0	.6	.3	1.1	.6	.8	1.0		.7
3	1.5	.9	.9	.5	.5	.6	.6	.6	.8	1.3		1.3
4	1.0	1.1	1.6	.8	.9	1.0	.8	.6	.9	.7		.6
5	1.4	1.3	1.2	1.1	.8	.7	.6	.8	.6	.3		1.1
6	1.5	1.2	.3	1.5	.7	.9	.6	.6	.6	.3		1.5
7	1.4	1.4	.6	.8	1.0	.6	1.6	.6	.8	.3	.3	2.0
8	.8	.5	1.1	.9	.3	.6	.6	.7	.8	.8	1.1	2.2
9	1.2	.9	1.4	.7	.3	.6	.5	.8	.5	.7	1.4	2.4
10	1.2	1.6	1.7	.3	.3	.8	.3	.7	.7	1.4	1.8	1.6
11	1.6	1.9	.5	1.2	.6	.5	.6	.5	.6	.6	2.0	1.5
12	.8	1.5	.3	.6	.8	.3	.7	.8	1.0		1.0	2.8
13	2.3	1.4	.7	1.2	.8	.6	.3	.6	1.1		1.0	1.0
14	.9	2.0	.8	.7	.3	.6	.8	.6	1.1	.9	1.3	1.0
15	1.8	1.6	1.3	1.3	.3	.6	.6	.5	1.0	1.2	1.1	1.0
16	1.5	.3	1.7	.7	.7	.3	.7	.9	.8	.5	2.0	1.3
17	.8	1.3	1.4	.3	.3	.8	.7	.8	1.0	.6	1.0	1.3
18	2.0	1.6	.9	.3	.3	.6	.5	.9	.9	1.2	.3	.5
19	.8	.7	.3	.6	.3	.5	.6	1.0	1.3	1.2	1.3	.6
20	2.0	.3	.5	.8	.6	.7	.8	.7	1.4	1.3	.8	.7
21	.9	1.1	.9	1.1	.6	.6	.8	.7	1.3	1.1	2.8	.7
22	.6	.8	.7	.7	.6	.9	.7	.9	1.1	1.0	1.9	1.1
23	1.1	1.7	1.6	.6	.5	.7	.8	1.0	1.5	.8	2.1	1.7
24	2.3	1.0	.3	.6	.5	.7	.7	1.0	1.0	1.1	1.4	1.7
25	.8	.3	.6	.3	.7	.6	.8	.6	.6	.9	.8	1.7
26	1.6	.3	.9	.3	.3	.3	.7	.7	.8	.9	1.5	1.8
27	2.2	.9	.3	1.0	.3	.9	.5	.7	1.4	.3	1.5	1.9
28	.6	1.5	.9	.9	.3	1.0	.7	.6	1.2	.3	2.2	1.5
29	.6		1.4	.3	.3	.5	.8	.7	.9	.3	2.4	2.1
30	.6		1.0	.7	.7	.5	.6	1.0	1.1	.3	1.1	1.1
31	.8		1.0		.9		.5	.5		.3		1.4
NO.:	31	28	31	30	31	30	31	31	30	29	24	31
MAX:	2.3	2.0	1.7	1.8	1.0	1.1	1.6	1.0	1.5	1.4	2.8	2.8
MEAN:	1.23	1.07	.95	.78	.52	.64	.68	.72	.95	.76	1.42	1.36
ANNUAL OBSERVATIONS:	357		ANNUAL MEAN:		.91		ANNUAL MAX:		2.8			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA MAX VALUES REPORT

Aug. 23, 2012

(42101) Carbon monoxide

SITE ID: 49-057-0006 POC: 1
 COUNTY: (057) Weber
 CITY: (55980) Ogden
 SITE ADDRESS: 2540 S. WASHINGTON BLVD., OGDEN, UTAH
 SITE COMMENTS: MICROSCALE CO SITE TO REPLACE OLD WASHINGTON BLVD CO SITE
 MONITOR COMMENTS:

STATE: (49) Utah
 AQCR: (220) WASATCH FRONT
 URBANIZED AREA: (5840) OGDEN, UT
 LAND USE: COMMERCIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0
 LATITUDE: 41.219722
 LONGITUDE: -111.969444
 UTM ZONE: 12
 UTM NORTHING: 4563387
 UTM EASTING: 418734
 ELEVATION-MSL: 1314
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2011

DURATION: 1 HOUR
 UNITS: Parts per million
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	1.6	.3	1.8	1.7	.9	1.5	.5	.7	.8	.3	.3	.3
2	1.3	1.0	1.4	.9	1.0	.9	.8	1.2	.8	.9	.8	.7
3	1.8	.8	1.0	.3	.7	1.4	.3	.3	.8	1.0	1.4	1.1
4	1.5	1.5	2.0	.6	1.3	1.7	.3	.5	.6	.6	.3	.9
5	1.8	1.7	1.5	.8	1.0	1.2	.5	.6	.3	.3	.3	1.2
6	1.4	1.3	.8	1.1	1.4	1.5	.7	.5	.3	.3	.3	1.5
7	1.3	.9	1.0	1.0	1.3	1.0	.8	.3	.6	.6	.7	1.8
8	1.2	.3	1.4	.9	.6	1.1	.6	.7	.7	.8	1.0	1.9
9	1.1	.9	1.0	.9	.8	1.0	.6	.8	.6	1.1	1.4	2.0
10	1.0	2.5	1.7	.7	.8	.6	.3	.7	.7	.8	1.8	1.7
11	1.3	2.4	1.0	1.1	1.2	.3	.5	.7	.3	.6	2.0	1.7
12	.8	1.9	.7	.7	.9	.3	.6	.5	.7	1.2	1.0	2.1
13	2.6	1.6	.9	1.0	1.7	1.3	.3	.5	1.0	1.1	1.1	.7
14	1.2	1.9	1.0	.7	.3	.9	.9	.3	.9	1.1	1.0	1.1
15	1.8	1.8	1.2	1.5	.3	.7	1.1	2.0	.9	1.1	.7	.8
16	2.0	.5	2.2	.8	.3	.5	.9	.8	.5	.9	1.2	1.9
17	1.4	1.1	1.1	.5	.5	1.0	.8	.7	.7	.7	.9	1.4
18	2.5	1.0	.6	.8	.5	.5	.7	.8	.3	.9	.3	.6
19	.8	.8	.5	.5	.8	.5	.3	1.0	.8	1.3	1.0	.7
20	1.8	.6	.5	.7	.9	.9	.6	.6	.7	1.2	.5	1.0
21	1.3	1.3	1.0	.8	.9	.7	.7	.3	1.0	1.4	2.1	.9
22	1.1	1.0	.8	.6	.8	.7	.6	.8	.6	1.2	1.4	1.3
23	1.3	1.8	1.2	.6	.5	.8	.9	.8	.8	.9	2.0	1.8
24	2.3	.9	.5	.6	.5	.7	.6	.8	1.5	1.3	1.5	2.1
25	1.2	.7	.9	.5	.8	.5	.6	.5	.3	.6	.5	2.0
26	1.7	.7	.7	.5	.3	.3	.7	.6	.5	.8	1.8	2.0
27	2.0	1.3	.5	.6	.6	.7	.3	.6	.6	1.1	1.2	2.2
28	.8	1.7	.7	1.1	.3	.9	.8	.5	1.1	1.4	1.5	1.8
29	.9		.8	.7	.5	.6	.9	.7	1.0	1.3	1.9	2.4
30	1.0		.9	.9	1.5	.3	.5	.9	.3	.9	1.3	.8
31	.7		1.2		1.4		.3	.5		1.3		1.6
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	2.6	2.5	2.2	1.7	1.7	1.7	1.1	2.0	1.5	1.4	2.1	2.4
MEAN:	1.44	1.22	1.05	.80	.81	.83	.60	.68	.68	.93	1.10	1.42
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.96	ANNUAL MAX:		2.6				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.