

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 1205148

Report Code: AMP350MX

Apr. 28, 2014

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			42101							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2013 01 01	2013 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
Lead Quarterly 1978
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2006
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 28, 2014

(42101) Carbon monoxide

SITE ID: 49-035-3006 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 630-08-0  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (554) INSTRUMENTAL Gas Filter Correlatio  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2013

DURATION: 8-HR RUN AVG END HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .02

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.400	1.100	.700	.200	.200	.200	.200	.300	.400	.500	.500	1.000
2	.700	1.200	1.000	.300	.200	.300	.200	.300	.200	.500	.500	.700
3	.800	.700	.800	.500	.400	.300	.300	.200	.300	.200	.600	.300
4	1.000	.600	.500	.300	.300	.300	.200	.300	.300	.300	.600	.400
5	1.000	.800	.600	.300	.200	.300	.200	.300	.300	.400	.400	.600
6	.900	.700	.700	.300	.200	.300	.200	.400	.300	.500	.500	.700
7	1.400	1.300	.300	.300	.200	.300	.200	.300	.300	.700	.500	.800
8	1.000	.800	.400	.300	.300	.200	.300	.200	.200	.600	.700	.300
9	1.300	.500	.300	.200	.300	.200	.400	.300	.300	.700	.900	.800
10	1.000	.400	.600	.400	.400	.200	.400	.200	.200	.300	1.000	.800
11	.300	.500	.700	.300	.200	.200	.400	.200	.200	.600	1.100	1.400
12	.400	.600	.600	.400	.300	.300	.300	.300	.200	.400	1.200	1.400
13	.500	.700	.600	.400	.300	.200	.300	.200	.300	.300	1.300	1.200
14	.600	.600	.700	.200	.300	.200	.200	.300	.500	.400	.700	1.300
15	.400	.600	.700	.300	.200	.300	.300	.400	.500	.400	.700	1.700
16	.800	.800	.400	.200	.200	.300	.300	.400	.400	.500	.700	1.900
17	1.100	.900	.200	.200	.300	.300	.200	.300	.400	.600	.400	1.500
18	.800	.600	.400	.300	.200	.300	.200	.300	.300	.700	.900	1.100
19	1.200	.700	.500	.400	.200	.200	.400	.400	.300	.500	.600	1.100
20	.700	.600	.300	.400	.200	.200	.300	.300	.600	.500	.700	.700
21	1.100	.300	.200	.500	.300	.200	.200	.300	.600	.800	.300	.800
22	1.700	.500	.300	.300	.300	.200	.300	.300	.200	.800	.200	.900
23	1.100	.500	.200	.300	.200	.200	.400	.300	.400	.700	.100	1.400
24	.800	.400	.300	.300	.300	.200	.300	.200	.400	.900	.400	1.400
25	1.000	.600	.300	.400	.300	.200	.300	.200	.300	.900	.800	1.000
26	.800	.400	.700	.400	.300	.300	.300	.200	.200	.700	1.000	1.200
27	.600	.500	.800	.400	.200	.400	.200	.300	.300	.700	1.200	1.500
28	.700	.700	.600	.400	.300	.400	.200	.300	.400	.500	1.200	.900
29	.500		.500	.300	.300	.200	.400	.300	.500	.300	1.000	1.000
30	1.000		.400	.300	.200	.200	.300	.400	.300	.300	1.000	1.300
31	1.500		.300		.200	.200	.300	.300		.400		1.400
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	1.700	1.300	1.000	.500	.400	.400	.400	.400	.600	.900	1.300	1.900
MEAN:	.8742	.6643	.5032	.3267	.2581	.2533	.2806	.2903	.3367	.5355	.7233	1.0484
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.5077	ANNUAL MAX:	1.900						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 28, 2014

(42101) Carbon monoxide

SITE ID: 49-047-5632 POC: 1  
 COUNTY: (047) Uintah  
 CITY: (00000) Not in a city  
 SITE ADDRESS: Accessed from Dragon Road/145-S, Uintah Co, UT  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: DESERT  
 LOCATION SETTING: RURAL

CAS NUMBER: 630-08-0  
 LATITUDE: 39.8686220398  
 LONGITUDE: -109.09730241  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1878.871  
 PROBE HEIGHT:

SUPPORT AGENCY: (1387) Enefit  
 MONITOR TYPE: INDUSTRIAL  
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE  
 PQA0: (1387) Enefit

REPORT FOR: 2013

DURATION: 8-HR RUN AVG END HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.3	.3	.3	.3	.3	.3	.3					
2	.3	.3	.3	.3	.3	.3	.3					
3	.3	.3	.3	.3	.3	.3	.3					
4	.3	.3	.3	.3	.3	.3	.3					
5	.3	.3	.3	.3	.3	.3	.3					
6	.6	.3	.3	.3	.3	.3	.3					
7	.6	.3	.3	.3	.3	.3	.3					
8	.5	.3	.3	.3	.3	.3	.3					
9	.4	.3	.3	.3	.4	.3	.3					
10	.3	.3	.3	.3	2.1	.3	.3					
11	.3	.3	.3	.3	1.8	.3	.3					
12	.3	.3	.3	.3	1.8	.3	.3					
13	.3	.3	.3	.3	.3	.3	.3					
14	.3	.3	.3	.3	.3	.3	.3					
15	.3	.3	.3	.3	.3	.3	.3					
16	.3	.3	.3	.4	.3	.3	.3					
17	.5	.3	.3	.3	.3	.3	.3					
18	.4	.3	.3	.3	.3	.3	.3					
19	.5	.3	.3	.5	.3	.3	.3					
20	.6	.3	.3	.5	.3	.3	.3					
21	.6	.3	.3	.5	.3	.3	.3					
22	.7	.3	.3	.6	.3	.3	.3					
23	.7	.3	.3	.5	.3	.3	.3					
24	.6	.3	.3	.5	.3	.3	.3					
25	.7	.3	.3	.6	.3	.3	.3					
26	.3	.3	.3	.3	.3	.3	.3					
27	.3	.3	.3	.3	.3	.3	.3					
28	.3	.3	.3	.3	.3	.3	.3					
29	.3	.3	.3	.3	.3	.3	.3					
30	.3	.3	.3	.3	.3	.3	.3					
31	.3	.3	.3	.3	.3	.3	.3					
NO.:	31	28	31	30	20	30	1	0	0	0	0	0
MAX:	.7	.3	.3	.6	2.1	.3	.3					
MEAN:	.41	.30	.30	.36	.55	.30	.30					
ANNUAL OBSERVATIONS:	171		ANNUAL MEAN:	.36	ANNUAL MAX:	2.1						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 28, 2014

(42101) Carbon monoxide

SITE ID: 49-049-0002 POC: 1  
 COUNTY: (049) Utah  
 CITY: (62470) Provo  
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT  
 SITE COMMENTS:  
 MONITOR COMMENTS: 11

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0  
 LATITUDE: 40.253611  
 LONGITUDE: -111.663056  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1402  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2013

DURATION: 8-HR RUN AVG END HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .5

Day	MONTH												
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1	1.0	1.0	.9	.3	.3	.4	.3	.3	.3	.3	.5	1.1	
2	1.3	1.2	1.1	.5	.3	.4	.3	.3	.3	.3	.7	1.0	
3	.8	1.0	1.1	.6	.3	.3	.3	.3	.3	.3	.7	.8	
4	.8	1.2	.9	.6	.3	.3	.4	.3	.3	.3	.5	.7	
5	.7	1.5	.9	.5	.3	.4	.4	.3	.3	.3	.6	.9	
6	.8	1.0	.7	.5	.3	.4	.3	.3	.3	.3	.8	1.0	
7	1.2	1.1	.3	.6	.3	.4	.3	.3	.3	.3	1.0	1.1	
8	.9	1.1	.3	.6	.3	.4	.3	.3	.3	.3	.9	.8	
9	1.3	.4	.3	.4	.3	.3	.3	.3	.3	.4	.8	.9	
10	1.3	.3	.3	.5	.3	.4	.4	.3	.3	.3	.8	.9	
11	.3	.5	.5	.4	.4	.3	.3	.3	.3	.3	1.1	1.5	
12	.3	.6	.6	.5	.4	.5	.3	.4	.3	.3	1.2	1.7	
13	.3	.7	.4	.6	.4	.3	.3	.3	.3	.3	1.3	1.7	
14	.6	.7	.6	.3	.4	.3	.3	.3	.3	.3	1.0	1.7	
15	.6	.9	.5	.5	.4	.3	.3	.3	.3	.3	1.1	1.7	
16	.8	1.0	.4	.3	.3	.3	.3	.3	.3	.5	.8	2.0	
17	1.3	1.3	.3	.3	.3	.3	.3	.3	.3	.3	.5	.8	1.9
18	1.2	.9	.3	.3	.3	.3	.3	.3	.3	.3	.4	.9	2.1
19	1.3	1.1	.4	.4	.3	.3	.3	.3	.3	.3	.4	1.1	1.6
20	1.4	.7	.4	.3	.3	.3	.3	.3	.3	.3	.4	1.1	1.2
21	1.6	.3	.3	.3	.4	.3	.3	.3	.3	.3	.6	.8	1.2
22	1.9	.5	.3	.3	.4	.3	.3	.3	.3	.3	.6	1.2	1.1
23	1.9	.7	.3	.3	.3	.3	.3	.3	.3	.3	.6	1.2	1.9
24	2.4	.3	.5	.3	.3	.3	.3	.3	.3	.3	.7	.8	1.9
25	2.2	.8	.6	.3	.3	.3	.3	.3	.3	.3	.8	1.1	1.2
26	1.0	.7	.8	.3	.3	.3	.3	.3	.3	.3	.8	1.1	1.5
27	.9	.7	.6	.3	.3	.3	.3	.3	.3	.3	.6	1.3	1.6
28	.3	.9	.7	.3	.3	.3	.3	.3	.3	.3	.3	1.3	1.9
29	.3	.5	.3	.3	.3	.3	.3	.3	.4	.3	.9	1.5	1.5
30	.7	.6	.3	.3	.3	.3	.3	.8	.4	.3	1.0	1.8	1.8
31	.9	.4	.3	.3	.3	.3	.3	.3	.3	.3	1.0	1.8	1.9
NO.:	31	28	31	30	31	30	31	31	30	31	30	31	31
MAX:	2.4	1.5	1.1	.6	.4	.5	.4	.8	.4	.8	1.3	2.1	2.1
MEAN:	1.04	.83	.54	.40	.32	.33	.31	.32	.31	.43	.95	1.41	1.41
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.60	ANNUAL MAX:		2.4					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 28, 2014

(42101) Carbon monoxide

SITE ID: 49-057-0002 POC: 1  
 COUNTY: (057) Weber  
 CITY: (55980) Ogden  
 SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH  
 SITE COMMENTS: THIS SITE REPLACES OG (490570001) WHICH WAS DEMOLISHED FOR NEW CONST.  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0  
 LATITUDE: 41.2063211134  
 LONGITUDE: -111.97552430  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1316  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2013

DURATION: 8-HR RUN AVG END HOUR

UNITS: Parts per million

MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.6	1.2	1.0	.4	.3	.5	.3	.3	.5	.5	.8	1.2
2	.9	1.4	1.2	.5	.4	.6	.3	.3	.3	.5	.8	.6
3	1.4	.7	1.3	.7	.4	.4	.3	.3	.3	.3	.8	.5
4	1.1	.6	.8	.7	.4	.4	.4	.3	.3	.4	.5	.6
5	1.0	.7	1.1	.3	.3	.5	.4	.3	.3	.5	.6	.7
6	.9	1.0	.8	.5	.3	.5	.3	.3	.4	.5	.8	.9
7	1.0	1.1	.3	.6	.3	.4	.3	.3	.3	.8	.9	1.0
8	1.0	1.4	.3	.3	.3	.4	.3	.3	.3	.8	1.0	.6
9	1.7	1.0	.3	.3	.3	.3	.3	.3	.5	.5	1.2	1.2
10	1.8	.6	.5	.8	.4	.3	.3	.3	.3	.3	1.1	1.2
11	.3	1.1	.6	.5	.5	.3	.3	.3	.3	.7	1.0	1.4
12	.9	.8	.6	.8	.6	.3	.3	.3	.3	.8	1.2	1.6
13	.9	1.0	.9	.6	.5	.3	.3	.3	.5	.5	1.3	1.5
14	1.0	1.1	.9	.5	.6	.3	.4	.3	.5	.6	1.0	1.5
15	.9	1.2	.7	.6	.4	.3	.4	.4	.4	.7	1.0	1.5
16	1.1	1.4	.8	.5	.4	.3	.3	.4	.4	1.0	.7	1.4
17	1.7	1.0	.4	.3	.3	.3	.3	.4	.4	.8	1.0	1.3
18	.6	1.0	.5	.8	.5	.3	.3	.3	.3	.8	1.2	1.3
19	.3	1.1	.8	.9	.5	.3	.3	.3	.3	.9	1.2	1.2
20	.4	.8	.7	.6	.4	.3	.3	.3	.7	1.0	.7	.9
21	.7	.5	.3	.8	.4	.3	.3	.3	.7	1.0	.5	1.0
22	.8	.6	.3	.7	.4	.3	.3	.3	.3	1.0	.4	1.5
23	.7	.6	.3	.6	.3	.3	.3	.3	.4	.9	.4	1.6
24	.7	.8	.5	.9	.5	.3	.3	.3	.5	1.0	.9	1.5
25	.8	1.3	.8	.9	.5	.3	.3	.3	.3	1.1	1.1	1.7
26	.9	.8	.7	.9	.6	.3	.3	.3	.3	1.2	1.4	1.5
27	.9	1.2	.8	.5	.3	.3	.3	.3	.4	1.1	1.5	1.7
28	.6	1.1	.6	.6	.3	.4	.3	.3	.6	.4	1.6	1.7
29	.9	.5	.3	.3	.3	.4	.3	.4	.7	.6	1.4	1.6
30	.9	.6	.3	.3	.4	.3	.3	.4	.3	.6	1.4	1.4
31	.9	.7	.4	.4	.4	.3	.3	.5	.3	.3	.5	1.5
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	1.8	1.4	1.3	.9	.6	.6	.4	.5	.7	1.2	1.6	1.7
MEAN:	.91	.97	.66	.59	.40	.35	.31	.32	.40	.71	.98	1.25
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.65		ANNUAL MAX:		1.8			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 28, 2014

(42101) Carbon monoxide

SITE ID: 49-057-0006 POC: 1  
 COUNTY: (057) Weber  
 CITY: (55980) Ogden  
 SITE ADDRESS: 2540 S. WASHINGTON BLVD., OGDEN, UTAH  
 SITE COMMENTS: MICROSCALE CO SITE TO REPLACE OLD WASHINGTON BLVD CO SITE  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 630-08-0  
 LATITUDE: 41.219722  
 LONGITUDE: -111.969444  
 UTM ZONE: 12  
 UTM NORTHING: 4563387  
 UTM EASTING: 418734  
 ELEVATION-MSL: 1314  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (054) INSTRUMENTAL NONDISPERSIVE INFRARE  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2013

DURATION: 8-HR RUN AVG END HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .5

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.6	1.3	1.0	.3	.3	.3	.3	.8	1.0	.9	.8	1.1
2	.9	1.6	1.0	.3	.3	.3	.3	.9	.7	.9	.8	.3
3	.9	.7	1.2	.6	.4	.3	.3	.9	.9	.6	.7	.3
4	.9	1.5	.7	.4	.3	.3	.3	.8	.9	.8	.3	.4
5	.9	1.4	1.4	.3	.3	.3	.3	.9	.9	.8	.5	.4
6	.9	1.3	1.5	.3	.3	.3	.3	1.0	.9	1.0	.7	.7
7	1.0	1.4	1.0	.3	.3	.6	.3	.9	.7	1.2	.7	.9
8	.9	1.6	1.0	.3	.3	.6	.3	2.7	.7	1.2	.8	.4
9	1.8	1.4	.5	.3	.3	.4	.3	.8	.9	.8	.9	1.2
10	1.4	.7	.5	.3	.3	.3	.3	.7	2.4	.7	1.1	1.3
11	.3	1.2	.8	.3	.5	.3	.3	.5	2.2	.9	.9	1.2
12	.4	.8	.5	.3	.5	.3	.3	.8	.7	.7	1.1	1.3
13	.4	1.0	.8	.3	.4	.4	.3	.8	1.3	.5	1.2	1.5
14	.4	1.1	.7	.3	.4	.3	.3	.7	1.3	.5	.7	1.4
15	.3	1.3	.7	.3	.3	.3	.3	1.0	.9	.5	.7	1.6
16	.6	1.4	.6	.3	.3	.3	.3	1.0	1.3	.7	.7	1.2
17	1.1	1.0	.4	.3	.3	.3	.3	1.0	1.2	.6	.8	1.0
18	.6	.8	.3	.3	.4	.3	.3	.7	.9	.6	.8	1.0
19	.3	.9	.7	.3	.4	.3	.3	.9	1.0	.9	.8	1.0
20	.3	.5	.3	.3	.3	.3	.3	.8	1.6	.9	.5	.6
21	.4	.3	.3	.4	.3	.3	.3	.8	1.6	.6	.5	.9
22	.7	.4	.3	.3	.3	.3	.3	.8	.7	.8	.3	1.3
23	.8	.5	.3	.3	.3	.3	.3	.8	1.2	.6	.3	1.5
24	.9	.8	.4	.4	.3	.3	.3	.8	1.2	.8	.7	1.2
25	1.5	2.8	.4	.4	.3	.3	.3	.8	.9	.8	.7	1.3
26	1.1	2.8	.5	.5	.3	.3	.3	.8	.6	.9	1.0	1.1
27	1.0	1.7	.5	.5	.3	.3	.3	.9	1.0	.9	1.1	1.2
28	.6	1.3	.3	.5	.3	.3	.3	1.0	1.1	.3	1.2	1.2
29	1.1	.6	.4	.4	.3	.3	.3	.9	1.1	.5	1.1	1.4
30	1.1	.6	.3	.3	.3	.3	.6	1.0	.6	.5	1.2	1.4
31	1.3	.4	.4	.3	.3	.3	.8	1.0	.3	.3	.3	1.1
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	1.8	2.8	1.5	.6	.5	.6	.8	2.7	2.4	1.2	1.2	1.6
MEAN:	.82	1.20	.65	.35	.33	.33	.33	.91	1.08	.73	.79	1.05
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:		.71	ANNUAL MAX:		2.8				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.