

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 1439570

Report Code: AMP350MX

Apr. 26, 2016

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			88101							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA			

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2015 01 01	2015 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2013
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-003-0003 POC: 1  
 COUNTY: (003) Box Elder  
 CITY: (08460) Brigham City  
 SITE ADDRESS: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT  
 SITE COMMENTS: SITE FOR OZONE, PM2.5, AND MET  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 41.4927067004  
 LONGITUDE: -112.01886314  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1334  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			4.7	1.6				5.4				
2		5.4				3.9	8.6				2.0	
3	29.4				3.0				7.6	3.5		17.7
4			3.1	1.5				5.8				15.6
5		3.6				5.5	6.6				3.3	15.3
6	33.5				3.8				3.5	3.3		10.2
7			7.6	8.1				4.9				8.9
8		1.5				4.2	5.3				4.6	9.7
9	6.1				1.7				6.9	3.1		5.1
10			7.2	5.4				6.7				2.6
11		1.7				4.0	3.7				2.8	3.5
12	17.4				5.3				8.3	3.4		2.9
13			2.2	3.7				4.3				2.7
14		9.5			1.7	3.9	4.2		8.0	3.6		1.2
15			4.8		4.0			18.8				2.8
16												4.3
17		2.0				5.8	4.5					5.5
18	13.5			3.8	1.9				3.2	2.5		12.4
19			2.1	5.7				32.2				7.8
20		3.3				5.6	3.5					5.8
21	2.5			6.6	2.7				4.4	3.4		1.3
22			2.0					P 43.4				1.0
23		1.8				8.2	3.4					.8
24	12.6			5.7	2.8				6.1	4.2		1.5
25			.9					7.6				1.7
26		3.8				5.3	4.1					1.5
27	16.5			2.8	2.2				4.4	2.5		7.7
28			1.5					5.5				14.9
29						10.2	3.6				10.8	17.5
30	5.3			3.9	4.3				5.6	2.6		23.4
31								5.9				17.4
NO.:	9	9	10	12	10	10	10	11	10	10	5	29
MAX:	33.5	9.5	7.6	8.1	5.3	10.2	8.6	43.4	8.3	4.2	10.8	23.4
MEAN:	15.20	3.62	3.61	4.21	3.17	5.66	4.75	12.77	5.80	3.21	4.70	7.68
ANNUAL OBSERVATIONS:		135		ANNUAL MEAN:	6.43	ANNUAL MAX:	43.4					

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5

1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-005-0004 POC: 1  
 COUNTY: (005) Cache  
 CITY: (45860) Logan  
 SITE ADDRESS: 125 W. CENTER STREET, LOGAN, UT  
 SITE COMMENTS: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (4405) LOGAN, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 41.731111  
 LONGITUDE: -111.8375  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1380  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	16.2	8.2	5.2	1.7	6.9	4.8	6.1	5.6	6.1	7.2	2.5	22.8
2	19.6	5.6	5.8	2.2	5.0	5.2	9.5	6.0	6.3	2.9	3.7	20.5
3	27.9	2.5	3.5	4.2	3.6	4.6	10.9	5.6	6.6	3.0	2.1	29.0
4	24.2	2.3	4.8	5.4	3.9	4.4	11.7	6.1	7.7	3.6	3.5	35.0
5	23.8	5.8	4.9	4.9	3.8	7.0	7.0	4.9	4.3	5.4	5.0	20.4
6	25.7	2.6	6.5	3.8	4.7	4.8	6.4	5.7	3.5	4.9	4.0	19.3
7	24.2	2.9	6.4	4.7	.3	3.4	6.3	5.3	4.1	4.2	6.8	14.4
8	20.3	1.6	5.7	4.0	2.4	4.2	5.8	3.6	4.1	4.4	8.0	12.0
9	16.6	2.2	6.1	4.4	1.6	3.7	2.5	5.6	6.3	5.0		6.6
10	12.0	1.5	6.2	5.0	1.2	4.7	3.0	8.8	6.3	4.7	3.5	3.9
11	24.1	2.8	6.0	5.9	4.4	3.6	3.8	6.5	7.8	4.1	4.0	6.5
12	24.2	4.5	2.8	1.8	5.1	4.2	3.7	3.8	7.5	5.1	3.3	6.4
13	21.8	3.9	4.5	5.1	6.1	3.2	4.4	4.6	13.3	6.8	6.4	3.6
14	7.4	8.7	3.8	9.2	5.0	4.9	4.8	5.8	10.8	6.1	11.5	2.1
15	10.0	5.3	3.2	1.5	3.4	4.1	4.4	7.1	6.1	6.2	7.7	4.6
16	22.3		5.2	5.3	1.4	4.6	5.7	17.0	2.6	8.3	3.1	4.1
17	17.5	3.8	4.7	4.3	1.3	5.6	5.6	13.2	3.9	6.4	5.7	6.9
18	16.7	4.3	2.9	5.0	2.0	5.9		22.7	2.7	2.8	2.5	22.1
19	6.9	8.0	3.0	5.5	1.9	6.4		34.5	4.3	2.2	4.4	26.2
20	4.5	4.4	4.0	6.4	2.1	5.9		33.8	3.7	2.7	2.5	8.2
21	4.1	2.9	4.3	9.7	2.6	4.7		P 40.4	5.2	3.6	5.1	2.4
22	5.7	1.7	3.3	9.8	3.3	6.0	5.2	P 59.3	5.7	4.8	9.3	1.8
23	9.7	2.7	2.0	5.6	2.2	8.2	3.5	P 45.2	6.9	5.3	13.0	1.6
24	9.2	4.7	1.7	4.5	2.5	7.4	4.3	12.9	10.4	5.6	16.6	2.7
25	16.6	4.8	2.2	2.4	2.2	6.9	5.3	7.4	7.8	5.0	11.7	4.5
26	13.1	6.0	2.0	1.7	2.4	8.0	4.1	5.7	6.9	3.9	3.7	5.8
27	16.4	6.3	3.5	2.7	2.4	6.9	3.9	5.2	5.2	4.5	4.9	12.3
28	11.0	5.1	3.3	3.5	3.6	8.4	2.5	6.1	5.1	5.0	30.3	18.7
29	10.5		2.0	4.2	3.0	8.6	3.3	6.7	9.1	5.7	18.0	27.3
30	11.5		3.1	4.5	5.3	9.2	4.0	4.7	9.2	3.4	7.4	27.4
31	8.9		6.8		5.5		4.8	4.5		2.4		15.3
NO.:	31	27	31	30	31	30	27	31	30	31	29	31
MAX:	27.9	8.7	6.8	9.8	6.9	9.2	11.7	59.3	13.3	8.3	30.3	35.0
MEAN:	15.57	4.26	4.17	4.63	3.26	5.65	5.28	13.04	6.32	4.68	7.25	12.72
ANNUAL OBSERVATIONS:	359		ANNUAL MEAN:		7.31	ANNUAL MAX:		59.3	3 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5			
									3 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(88101) PM2.5 - Local Conditions

SITE ID: 49-005-0004 POC: 2  
 COUNTY: (005) Cache  
 CITY: (45860) Logan  
 SITE ADDRESS: 125 W. CENTER STREET, LOGAN, UT  
 SITE COMMENTS: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.  
 MONITOR COMMENTS: COLLOCATED SAMPLES USED TO SUBSTITUTE FOR MISSING POC 1 VALUES

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (4405) LOGAN, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 41.731111  
 LONGITUDE: -111.8375  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1380  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SPM  
 COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1												
2											5.0	
3									7.6			
4												
5							7.2					
6	26.1				6.0							
7												
8												
9										4.9		
10		1.5						7.7				
11						3.8						
12				1.7								
13												
14											11.4	
15									6.1			
16												
17												
18	17.3				2.3							
19			3.2									
20												8.4
21										3.9		
22								P 59.6				
23		2.0										
24				4.7								
25												
26											4.3	
27									5.8			
28												
29							3.8					
30					5.3							
31			6.8									
NO.:	2	2	2	2	3	1	2	2	3	2	3	1
MAX:	26.1	2.0	6.8	4.7	6.0	3.8	7.2	59.6	7.6	4.9	11.4	8.4
MEAN:	21.70	1.75	5.00	3.20	4.53	3.80	5.50	33.65	6.50	4.40	6.90	8.40
ANNUAL OBSERVATIONS:	25		ANNUAL MEAN:		8.66	ANNUAL MAX:		59.6	1 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5			
									1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-005-0007 POC: 1  
 COUNTY: (005) Cache  
 CITY: (69640) Smithfield  
 SITE ADDRESS: 675 West 220 North  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 41.842649  
 LONGITUDE: -111.852199  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		8.1	5.1	2.1	4.9		6.8	5.4	5.3	5.8	2.0	16.7
2		6.0	4.9	2.5	5.0	3.7	12.0	6.0	4.9	2.4	2.4	22.5
3		2.8	2.8	3.8	3.5	3.8	11.6	5.1	5.0	2.7	2.1	28.9
4		1.5	4.3	6.3	3.2	3.6	10.6	5.3	6.7	2.8	2.6	
5		4.1	5.8	5.1	3.2	5.7	6.3	4.4	6.0	4.7	5.7	
6		3.6		3.6	4.2	4.4	5.5	4.9	4.0	3.9	3.1	
7		2.9	5.9	4.4	2.1	3.0	6.5	5.7	3.6	3.8	5.6	
8		1.3		3.4	2.7	4.3	5.1	3.4	3.6	3.6	5.9	
9		1.5		4.0	1.6	3.9	2.1	5.1	5.4	3.6	4.8	5.8
10		1.4		4.7	2.9	4.7	3.1	6.9	7.2	3.6	1.7	2.1
11		2.2		4.7	5.3	3.1	3.4	7.7	6.8	1.8	3.0	4.0
12		4.4		1.7	4.5	3.7	3.9	3.9	7.2	2.7	3.3	6.0
13		4.1	3.5	3.3	6.2	3.8	4.4	4.7	12.7		4.2	3.4
14			4.4	10.1	4.2	3.9	9.0	5.3	10.2		6.6	1.8
15		6.5	3.2	1.8	2.4	4.8	4.6	8.1	6.0		6.2	4.2
16			4.5	4.9	.9	4.7	6.2	17.6	2.2		2.6	4.4
17		2.5	4.5	2.6	.9	5.7	5.2	12.3	2.5		2.9	6.1
18		4.2	2.2	4.6	.9	5.8	2.8	24.1	2.1		1.9	22.6
19		5.8	2.7	6.1	1.4	5.8	2.8	34.8	4.7		3.4	17.4
20		3.1	3.2	5.4	1.1	6.2	3.4	34.5	4.8	2.6	5.7	6.4
21		2.0	3.9	7.1	1.9	5.2	3.9	P 37.9	5.1	2.4	5.1	1.7
22		1.9	3.6	9.0	2.1	5.7	4.0	P 66.7	6.5	4.7	7.6	1.4
23		2.2	1.7	5.6	2.0	6.7	3.0	P 42.8	5.5	5.3	11.9	.9
24		3.7	1.5	4.0	2.4	7.5	3.9	14.1	7.2	5.0	13.6	
25		4.2	.9	2.5	1.8	6.2	6.0	6.1	6.1	6.1	9.8	3.2
26		4.3	2.6	1.7	1.7	5.9	4.5	5.3	5.1	4.1	3.7	
27		5.4	3.1	2.1	1.9	6.1	4.8	5.0	4.4	2.1	3.0	12.1
28		5.5	2.9	3.0	2.3	8.1		5.8	4.5	3.5	6.8	
29			1.8	3.4	2.1	17.8	3.1	6.5	6.2	4.2	13.3	
30			2.9	3.8	3.7	9.2	3.9	4.4	6.8	1.8		32.7
31			7.3		4.2		4.3	4.1		2.7		16.6

NO.:	0	26	25	30	31	29	30	31	30	24	29	22
MAX:		8.1	7.3	10.1	6.2	17.8	12.0	66.7	12.7	6.1	13.6	32.7
MEAN:		3.66	3.57	4.24	2.81	5.62	5.22	13.03	5.61	3.58	5.19	10.04
ANNUAL OBSERVATIONS:		307	ANNUAL MEAN:	5.69	ANNUAL MAX:	66.7	3 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5					
												3 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-005-0007 POC: 2  
 COUNTY: (005) Cache  
 CITY: (69640) Smithfield  
 SITE ADDRESS: 675 West 220 North  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 41.842649  
 LONGITUDE: -111.852199  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH												
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1													
2													
3									5.2				
4													
5							6.2						
6					4.8								
7			.0										
8													
9										3.8			
10								7.7					
11		4.9				3.4							
12				1.3									
13													
14													
15									6.6				
16													
17							4.2						
18					1.8								
19			.0										
20													
21										2.7			
22								P 66.5					
23		1.9				6.7							
24				4.3									
25													
26													
27									5.6				
28													
29							2.8						
30					3.6								
31			7.3										
NO.:	0	2	3	2	3	2	3	2	3	2	0	0	
MAX:		4.9	7.3	4.3	4.8	6.7	6.2	66.5	6.6	3.8			
MEAN:		3.40	2.43	2.80	3.40	5.05	4.40	37.10	5.80	3.25			
ANNUAL OBSERVATIONS:		22		ANNUAL MEAN:	6.88	ANNUAL MAX:	66.5	1 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5					
								1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-011-0004 POC: 1  
 COUNTY: (011) Davis  
 CITY: (07690) Bountiful  
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH  
 SITE COMMENTS: NEW SITE TO REPLACE 490110001  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.902967  
 LONGITUDE: -111.884467  
 UTM ZONE: 12  
 UTM NORTHING: 4528150.36  
 UTM EASTING: 425503.56  
 ELEVATION-MSL: 1309  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			11.6					6.7				
2		2.5				5.6	8.2				4.8	
3				4.1	4.5				3.4	3.5		
4			5.0					6.2				
5		3.5				6.2	9.7				5.1	
6	4.2			5.7	4.4				6.1	3.0		
7			7.2					4.6				
8		2.4				5.6	6.0				4.3	6.6
9	18.7			5.3	4.2				6.4	4.4		
10			4.7					7.2				
11		3.1				4.3	5.7					
12	34.7			2.6	5.6				9.7	3.7		
13			4.8					5.4				
14		9.4				5.1	7.4					1.9
15				1.5	3.4				4.6	4.6		
16			4.1					15.0				
17		3.1				6.2	5.1					
18	9.1			4.2	3.0				3.6			
19			4.1					31.4				
20		3.3				6.4	4.2				2.5	
21	5.9			8.3	4.1				5.3	5.7		
22			1.1					19.4				
23		2.0				9.1	5.7					1.5
24	17.9			4.6	2.6				7.0	5.0		
25			4.4					6.7				
26		6.0				5.5	4.7				2.4	
27	20.2			4.9	3.5				5.1			
28			7.3					6.9				
29						10.0	4.2					
30	13.2			4.9	5.4				5.8	3.3		
31			7.3					5.7				
NO.:	8	9	11	10	10	10	10	11	10	8	5	3
MAX:	34.7	9.4	11.6	8.3	5.6	10.0	9.7	31.4	9.7	5.7	5.1	6.6
MEAN:	15.49	3.92	5.60	4.61	4.07	6.40	6.09	10.47	5.70	4.15	3.82	3.33
ANNUAL OBSERVATIONS:		105		ANNUAL MEAN:	6.35	ANNUAL MAX:	34.7					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-011-0004 POC: 3  
 COUNTY: (011) Davis  
 CITY: (07690) Bountiful  
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH  
 SITE COMMENTS: NEW SITE TO REPLACE 490110001  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.902967  
 LONGITUDE: -111.884467  
 UTM ZONE: 12  
 UTM NORTHING: 4528150.36  
 UTM EASTING: 425503.56  
 ELEVATION-MSL: 1309  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 1 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	22.6	7.0	16.3	12.8	6.6	6.9	11.9	10.9				
2	28.8	6.2	17.5	8.3	3.3	10.1	11.9	13.1				
3	33.7	5.5	6.7	6.6	3.7	7.2	14.2	9.6				
4	34.0	5.6	5.5	7.7	3.4	9.8	34.5	8.9				
5	31.3	8.7	7.2	8.7	6.1	10.5	18.3	8.5				
6	37.7	2.7	7.6	12.7	6.2	6.3	10.8	11.1				
7	43.7	5.6	9.9	9.0	5.8	4.1	8.7	11.3				
8	59.3	5.0	11.2	4.8	5.3	6.6	8.3	8.7				
9	67.5	5.9	10.0	6.7	8.7	5.9	5.1	7.1				
10	61.6	4.1	6.3	7.6	14.4	6.1	6.3	9.7				
11	70.2	8.2	7.2	7.4	5.5	6.5	6.9	9.9				21.9
12	57.2	6.9	5.7	4.9	6.5	6.3	5.3					15.0
13	9.6	9.6	9.8	7.3	10.6	7.7	6.2					6.1
14	14.7	14.7	6.9	44.3	6.5	6.7	10.1					2.8
15	22.7	13.6	5.5	8.8	4.3	7.0	5.9					7.5
16	31.3	5.5	5.7	12.2	3.7	9.3	7.0					5.7
17	27.1	4.9	6.7	3.8	3.9	7.2	8.8					7.1
18	14.6	5.6	8.3	8.6	5.5	8.5	7.7					9.6
19	25.3	7.6	7.8	9.7	10.5	7.8	7.6					13.2
20	6.0	10.6	5.7	11.3	4.6	9.3	9.0					11.8
21	9.4	6.2	8.6	11.8	6.6	11.0	8.4					6.1
22	11.1	2.5	8.0	13.7	5.4	12.3	8.0					5.7
23	16.0	3.8	18.6	7.3	4.9	16.2	6.8					4.6
24	22.3	7.9	3.7	8.6	5.4	14.3	13.6					5.5
25	25.6	6.0	2.2	4.7	4.2	16.1	14.3					7.8
26	28.2	7.9	3.4	5.4	5.2	10.6	9.2					10.3
27	38.2	7.3	5.3	5.9	4.3	11.3	7.9					12.5
28	14.8	7.7	6.4	5.3	4.5	14.0	6.7					17.2
29	17.4		5.8	5.1	4.8	12.7	7.3					16.5
30	19.9		14.6	5.9	7.5	17.8	8.9					15.6
31	9.3		22.6		8.0		9.9					25.3
NO.:	31	28	31	30	31	30	31	11	0	0	0	21
MAX:	70.2	14.7	22.6	44.3	14.4	17.8	34.5	13.1				25.3
MEAN:	29.39	6.89	8.60	9.23	6.00	9.54	9.85	9.89				10.85
ANNUAL OBSERVATIONS:	244		ANNUAL MEAN:	11.32	ANNUAL MAX:	70.2						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-011-0004 POC: 3  
 COUNTY: (011) Davis  
 CITY: (07690) Bountiful  
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH  
 SITE COMMENTS: NEW SITE TO REPLACE 490110001  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.902967  
 LONGITUDE: -111.884467  
 UTM ZONE: 12  
 UTM NORTHING: 4528150.36  
 UTM EASTING: 425503.56  
 ELEVATION-MSL: 1309  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24-HR BLK AVG

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	12.0	5.1	8.9	4.1	3.8	3.9	7.4	8.1				
2	18.8	2.8	9.9	3.4	2.5	6.4	8.2	9.1				
3	28.2	3.0	3.8	3.9	2.7	5.3	9.9	7.4				
4	24.6	2.9	3.6	4.6	2.0	6.2	11.8	6.5				
5	20.3	3.2	5.3	5.8	3.8	6.2	12.3	5.7				
6	22.2	1.6	4.6	7.6	4.4	3.8	7.4	7.6				
7	29.2	2.7	6.3	4.2	2.9	2.8	6.4	7.6				
8	34.3	3.4	6.3	3.1	2.8	4.4	6.6	5.4				
9	P 37.6	3.2	6.0	3.4	5.0	4.6		5.6				
10	P 41.4	2.4	4.5	3.5	5.5	4.7	4.4	7.8				
11	P 45.1	4.1	4.6	3.4	4.2	4.8	4.4					
12	14.1	4.8	4.1	2.5	4.7	4.2	3.9					6.2
13	5.3	5.5	4.7	3.7	6.8	4.8	4.3					2.5
14	8.9	8.3	3.5	13.2	5.1	4.2	6.8					1.4
15	15.2	6.7	3.7	5.2	3.2	5.0	4.8					3.8
16	27.0	2.7	3.9	5.1	2.6	6.2	5.1					3.4
17	14.2	3.0	4.8	2.6	2.7	5.8	6.3					3.3
18	6.7	4.3	4.6	4.5	4.0	6.3	5.0					6.8
19	15.7	5.1	4.0	7.7	3.5	5.3	5.3					5.7
20	3.5	4.1	3.9	8.6	2.6	6.9	5.6					7.2
21	5.1	3.6	4.4	8.4	4.4	7.7	6.0					1.3
22	5.6	1.9	4.7	9.3	4.0	8.0	5.5					1.6
23	10.1	2.4	4.3	5.9	3.2	10.5	5.3					1.0
24	14.8	4.7	2.8	6.0	3.0	10.3	6.7					1.7
25	19.0	3.5	1.8	3.2	2.7	10.9	9.3					2.8
26	21.4	5.8	2.2	3.0	3.2	7.2	5.9					5.6
27	17.9	4.7	2.7	3.3	2.7	7.7	4.9					8.3
28	5.8	4.7	4.3	3.2	2.7	9.8	4.8					12.5
29	9.2		3.5	3.3	2.9	9.9	5.3					11.0
30	11.8		3.6	3.9	5.1	10.3	6.3					11.9
31	5.2		5.8		5.1		6.8					13.6
NO.:	31	28	31	30	31	30	30	10	0	0	0	20
MAX:	45.1	8.3	9.9	13.2	6.8	10.9	12.3	9.1				13.6
MEAN:	17.75	3.94	4.55	4.99	3.67	6.47	6.42	7.08				5.58
ANNUAL OBSERVATIONS:	241		ANNUAL MEAN:	6.78	ANNUAL MAX:	45.1	3 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5					
							3 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-013-0002 POC: 3  
 COUNTY: (013) Duchesne  
 CITY: (64670) Roosevelt  
 SITE ADDRESS: 290 S. 1000 W.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.2941780318  
 LONGITUDE: -110.00973229  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1596  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SPM  
 COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24-HR BLK AVG  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	10.1	4.2	3.4	5.9	4.3	3.3	9.7	5.2	4.2	4.0	4.1	10.6
2	14.5	3.5		3.2	4.2	4.4	7.1	5.8	3.9	4.0	4.1	14.6
3	18.0	3.0		3.0	3.5	4.7		5.3	4.0	3.9	4.1	18.4
4	15.0	2.7	3.2	4.0	3.0			3.9	3.9	4.1	3.9	21.1
5	19.0	3.2	5.3	4.0	3.7	3.8	7.3	4.1	4.4	4.4	4.1	18.5
6	19.2	3.6	6.2	4.6	3.5	3.9	5.4	4.3	5.1	4.2	4.2	16.2
7	21.2	3.4	5.3	5.9	3.0	3.6	4.2	4.1	6.6	3.9	4.2	22.4
8	P 46.7	3.0	4.7	4.4	4.0	3.7	4.5	4.7	7.1	4.1	4.3	18.4
9	28.9	3.3	4.9	3.2	3.3	4.4	4.1	4.0	5.4		4.3	18.5
10	24.6	2.8	4.8	3.8		4.5	3.3	5.5	4.5	4.3	4.1	22.1
11	20.1	2.9	5.2	4.7	3.4	4.6	3.6	5.8	4.5	4.2	4.2	9.3
12	12.9	3.2	4.5	3.5	3.9	4.0	3.7		4.9	3.9	5.1	4.6
13	6.3	3.5	3.1	3.1	4.1	4.9	3.4		9.2	4.0	6.2	6.6
14	5.8	4.6	3.3	12.3	4.5	3.7	3.6	6.3	8.0	4.0	6.4	10.6
15	6.6	3.4	3.6	6.5	2.8	3.6	3.9	4.7	4.2	4.0	6.1	
16	8.8	3.7	3.7	2.8		4.1	3.5	4.7	4.1	4.3	4.4	
17	10.0	3.1	4.0		2.7	5.0	4.5	8.1	3.8	4.8	4.2	7.1
18	29.8	3.4	3.7		2.7	5.2	4.8	12.5	4.0	4.5	4.2	5.5
19	18.2	3.6	3.3		2.8	5.2	4.3	13.4	3.9	3.9	4.0	10.2
20	8.8	3.9	2.8		3.0	4.8	4.0	17.9	4.1	4.5	4.1	18.3
21	6.5	3.5			2.9	5.4	3.8	17.1	4.0	4.1	4.3	12.7
22	4.2	2.9	3.5		2.8	8.1	3.9	12.9	4.0	4.1	4.7	7.0
23	6.9		4.7	6.3	3.4	5.9	3.7	16.7	4.5	4.1	5.0	4.4
24	7.3	4.3	2.7	4.0	3.4	6.9	3.7	10.7	4.8		5.6	4.6
25	8.2	3.9	2.7	2.9	2.7	6.9	4.0	7.3	5.0	5.2	4.8	6.9
26		2.8	3.1	2.9	2.8	7.6	3.8	5.7	4.9	4.4	4.1	4.8
27	14.4	3.1	3.2	3.0	3.2	5.9	4.5	5.5	5.0	3.9	4.2	5.1
28	13.6	4.1	3.1	3.3	3.4	8.2	4.7	4.9	4.4	4.2	4.8	7.9
29	7.2		3.3	3.6	3.1	7.0	3.9	5.0	4.7	4.5	5.6	13.4
30	6.2		3.8	3.0	3.5	7.1	3.8	4.8	4.0	4.3	7.4	17.3
31	3.4		4.4		4.4		4.2	3.9		4.0		11.2
NO.:	30	27	28	24	30	29	29	29	30	29	30	29
MAX:	46.7	4.6	6.2	12.3	4.5	8.2	9.7	17.9	9.2	5.2	7.4	22.4
MEAN:	14.08	3.43	3.91	4.33	3.36	5.19	4.44	7.41	4.84	4.20	4.69	12.01
ANNUAL OBSERVATIONS:	344		ANNUAL MEAN:	6.04	ANNUAL MAX:	46.7	1 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5					
							1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-013-0002 POC: 3  
 COUNTY: (013) Duchesne  
 CITY: (64670) Roosevelt  
 SITE ADDRESS: 290 S. 1000 W.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.2941780318  
 LONGITUDE: -110.00973229  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1596  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SPM  
 COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP  
 PQAQ: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 1 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	15.0	5.8	4.6	9.5	6.0	3.9	12.6	6.7	5.3	4.2	4.2	14.7
2	18.7	4.1	4.2	4.3	6.0	5.7	9.0	7.5	4.4	4.5	4.3	20.0
3	22.8	3.7	3.2	3.7	4.8	6.0	9.1	7.8	4.7	4.1	4.3	24.2
4	19.5	2.8	4.5	5.6	4.4	5.8	9.8	4.8	4.4	5.0	4.1	27.4
5	25.4	5.2	7.1	4.7	5.1	5.4	13.8	5.6	5.7	5.2	4.4	22.5
6	22.7	5.3	9.7	5.5	5.1	5.7	8.2	5.6	6.7	4.7	4.6	25.4
7	30.2	4.5	7.2	8.5	3.8	5.3	5.2	4.9	12.3	4.1	4.9	30.6
8	97.7	3.8	6.8	6.8	5.2	5.1	6.3	7.0	10.1	4.4	4.7	27.2
9	32.4	4.6	6.3	4.1	4.3	5.5	5.8	5.3	7.8	4.2	4.9	27.2
10	37.8	3.2	7.1	5.0	2.8	6.8	5.6	6.6	5.5	5.3	4.7	27.7
11	30.1	3.7	6.3	6.2	4.3	6.5	4.6	8.2	5.6	4.9	5.2	17.2
12	19.3	4.2	6.0	5.2	5.1	5.5	4.6	5.3	6.7	4.2	8.0	5.7
13	11.7	4.6	4.2	3.8	4.9	6.9	3.8	11.7	11.5	4.2	13.3	8.5
14	10.8	6.0	4.3	55.9	6.7	4.7	4.4	10.7	12.2	4.3	10.1	12.6
15	11.4	5.2	4.7	14.6	3.4	5.1	5.2	6.1	5.4	4.6	7.5	16.4
16	13.1	5.4	4.7	3.2	3.4	6.2	4.1	7.5	4.7	5.0	5.1	8.0
17	14.5	4.0	5.0	4.1	2.7	7.0	6.6	11.0	3.9	5.3	4.8	8.8
18	44.0	4.1	5.1		2.9	6.8	6.7	18.2	4.9	5.6	5.1	8.7
19	29.1	4.5	4.4		3.1	6.4	6.4	19.0	4.0	4.1	4.6	18.3
20	10.9	7.5	3.3		3.9	6.4	5.3	21.2	4.6	5.4	4.4	23.4
21	8.8	5.0	5.0		3.3	8.3	4.7	21.3	4.5	4.4	5.4	21.9
22	9.0	3.8	4.3	6.2	3.4	13.6	5.3	18.0	4.4	4.4	6.7	9.7
23	11.6	4.8	9.4	9.6	4.6	7.3	4.9	23.9	5.6	4.4	7.1	5.5
24	9.3	6.6	3.0	4.9	4.6	8.6	4.6	14.0	6.0	4.6	7.7	5.9
25	10.2	6.8	3.3	3.5	3.0	9.2	5.2	9.7	6.0	6.6	6.3	8.5
26	16.9	3.3	4.1	3.8	3.6	11.1	4.9	7.5	6.1	5.1	4.3	5.9
27	17.7	4.1	4.1	4.1	4.3	9.0	7.1	8.0	6.9	4.1	4.6	9.0
28	18.6	6.6	3.9	4.7	4.6	12.7	6.8	6.3	5.2	5.0	5.6	9.9
29	10.9		4.4	4.9	4.3	10.2	5.0	5.9	6.3	5.9	8.9	19.3
30	9.7		4.6	3.8	4.5	8.9	4.8	6.3	4.4	5.7	9.0	22.0
31	4.5		5.8		6.9		5.3	4.4		4.3		14.6
NO.:	31	28	31	26	31	30	31	31	30	31	30	31
MAX:	97.7	7.5	9.7	55.9	6.9	13.6	13.8	23.9	12.3	6.6	13.3	30.6
MEAN:	20.78	4.76	5.18	7.55	4.35	7.19	6.31	9.87	6.19	4.77	5.96	16.35
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:		8.33		ANNUAL MAX:		97.7			

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-1001 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (47290) Magna  
 SITE ADDRESS: 2935 SOUTH 8560 WEST MAGNA,UTAH  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.708611  
 LONGITUDE: -112.094722  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1317  
 PROBE HEIGHT: 7

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			8.0					9.0				
2		3.2				3.8	8.4				7.0	13.6
3	17.4			3.6	4.3				3.7	5.4		
4			4.2					6.8				
5		2.2				4.2	8.6					12.9
6				3.9	3.7				4.3	3.2		
7			7.6					4.7				
8		2.3				7.3	6.2				7.7	8.3
9	P 59.6			3.2	2.9				6.5	5.4		
10			3.8					8.0				
11		2.6				4.2	3.5					5.9
12	18.8				6.2				9.0	4.7		
13			3.3					4.5				
14		8.5				4.6	5.8					1.8
15	3.1			1.6	2.7				6.8	4.3		
16			3.4					17.3				
17		3.8				6.2	5.7				3.4	2.6
18				4.1	2.7				2.0	2.6		
19			2.2					29.5				
20		2.9				5.6	14.6				3.5	9.4
21	3.4			8.2	3.5				5.7	4.0		
22			4.1					17.3				
23		2.6				8.0	10.8				20.7	1.7
24	15.8			5.4	3.4				7.2	6.3		
25			.8					9.6				
26		4.3				4.7	7.5				2.3	3.2
27	22.9			2.1	2.6				4.1	3.3		
28			3.0					8.4				
29						9.2	9.2				11.1	22.7
30	11.8			3.9	5.0				5.7	3.2		
31			5.3					4.0				
NO.:	8	9	11	9	10	10	10	11	10	10	7	10
MAX:	59.6	8.5	8.0	8.2	6.2	9.2	14.6	29.5	9.0	6.3	20.7	22.7
MEAN:	19.10	3.60	4.15	4.00	3.70	5.78	8.03	10.83	5.50	4.24	7.96	8.21
ANNUAL OBSERVATIONS:		115		ANNUAL MEAN:	6.92	ANNUAL MAX:	59.6					

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5

1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3006 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS: PARTISOL WITH WINS IMPACTOR

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		7.2	9.0	3.0	6.0	4.9	6.4	6.8		6.0	2.3	10.3
2	26.4	3.8	6.5	2.1	4.0	5.0	6.9	5.9		4.5	3.4	13.7
3	31.3	2.8	4.4	3.7	4.3	5.8	9.2	4.7	4.9	3.4	1.7	22.3
4	25.3	2.5	5.4	5.1	3.5	6.0	18.8	6.4	4.5	5.9	2.8	29.1
5	23.7	3.7	6.2	7.2	3.4	5.7	9.2	7.6	4.5	3.9	5.6	9.3
6	29.3	1.7	6.9	6.2	4.0	5.0	7.2	7.3	5.5	3.8	6.1	9.2
7	33.2	1.9	8.9	8.7	3.1	3.0	7.0	5.2	4.3	4.1	9.0	12.6
8	P 48.6	2.2	6.4	3.1	3.1	4.6	4.4	2.8	4.5	5.0	6.4	7.0
9	P 43.5		5.6	5.2	2.7	5.8	2.2	5.5	5.6	4.5	2.8	7.1
10	P 47.3	1.7	6.1	5.4	3.3	4.4	3.0	6.8	7.1	3.9	3.5	4.1
11	P 52.6	3.8	4.9	6.6	5.8	3.7	4.5	7.0	7.8	3.4	4.2	4.2
12	19.6	6.0	3.2	2.2	5.3	4.0	2.9	2.9	7.0	4.2	4.8	5.3
13	5.3	8.6	4.5	3.9	9.5	4.0	3.7	5.7	11.7	4.8	7.6	
14	12.4	10.9	3.7	27.1	5.0	4.7	5.5	4.8	5.3	4.6	9.8	.1
15	18.6	7.2	3.2	2.9	2.6	4.6	4.3	6.8	4.6	4.7	2.9	.3
16	29.3	4.7	4.4	5.2	1.9	5.3	5.5	13.3	2.2	5.2	4.4	.0
17	17.2	3.5	4.2	3.0	2.9	6.4	6.3	11.6	4.2	4.8	4.9	.1
18	9.2	5.2	4.1	4.4	4.4	5.9	5.6	17.6	2.7	1.8	4.2	7.6
19	15.0	5.8	3.6	6.6	1.4	4.7	5.4	28.4	4.2	2.2	5.6	5.4
20	7.5	3.1	4.8	8.8	3.9	6.3	5.7	30.6	4.5	3.6	3.6	12.1
21	8.1	2.9	4.5	9.4	4.2	6.1	5.0	23.8	5.9	2.9	7.5	3.6
22	8.7	1.2	5.0	8.5	6.9	5.7	4.5	17.5	6.2	5.1	11.1	5.1
23	14.3	1.7	5.6	5.5	3.8	8.4	5.5	13.7	5.9	4.3	17.1	2.5
24	18.2	4.9	2.2	5.2	2.9	8.3	18.3	10.4	6.9	5.0	14.1	2.7
25	20.8	3.9	1.0	2.4	2.5	7.7	6.4	7.2	5.8	5.2	3.0	3.9
26	26.8	6.7	3.4	2.2	2.6	5.8	4.6	4.8	5.1	3.6	2.6	7.2
27	17.0	5.0	3.5	3.4	3.1	7.1	6.3	4.7	4.2	3.4	2.0	14.1
28	7.2	3.6	4.8	3.8	2.8	7.4	3.5	6.0	7.4	5.5	6.6	24.4
29	12.2		3.0	4.7	2.8	7.5	4.2	6.3	6.1	5.4	13.0	25.3
30	15.2		4.6	4.3	4.7	12.9	5.0	5.2	4.7	2.9	10.3	28.7
31	6.2		7.4		5.0		5.5	6.1		4.3		24.0
NO.:	30	27	31	30	31	30	31	30	28	31	30	29
MAX:	52.6	10.9	9.0	27.1	9.5	12.9	18.8	30.6	11.7	6.0	17.1	29.1
MEAN:	21.67	4.30	4.87	5.66	3.92	5.89	6.21	9.68	5.48	4.25	6.10	10.24
ANNUAL OBSERVATIONS:	358		ANNUAL MEAN:	7.36	ANNUAL MAX:	52.6	4 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5					
							4 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3006 POC: 4  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS: FDMS CONTINUOUS MONITOR

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 1 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	31.7	7.3	10.4	14.8	7.9	7.0	16.3	10.0	7.4	10.6	9.7	18.6
2	30.7	9.0	9.7	4.1	6.5	8.2	10.8	8.3	10.0	5.2	8.7	28.8
3	33.7	5.6	5.8	7.1	7.0	24.1	11.5	8.0	10.4	5.6	4.0	40.2
4	51.2	4.3	6.0	7.9	11.8	25.2	57.5	8.2	9.7	5.2	4.9	43.1
5	32.9	6.0	8.0	15.0	6.3	10.1	26.4	11.6	54.6	11.6	8.6	10.5
6	36.6	3.5	10.8	10.3	6.8	7.1	8.8	13.0	17.4	7.5	19.3	22.1
7	51.6	3.1	12.1	14.8	5.3	5.6	9.3	24.6	9.7	8.2	20.9	25.9
8	63.5	4.3	11.2	9.4	5.5	7.1	7.0	22.3	8.8	10.8	15.8	9.6
9	65.2	4.4	8.4	8.9	5.1	6.3	4.7	6.8	13.0	7.6	4.9	15.6
10	63.1	5.0	8.0	6.4	8.3	5.2	4.2	7.5	13.7	9.7	10.4	10.0
11	73.2	8.7	7.4	15.0	6.5	5.5	3.5	8.2	10.9	7.8	6.4	10.6
12	46.8	9.3	7.0	9.1	9.5	5.9	4.6	8.0	14.7	8.8	9.4	15.3
13	10.5	15.0	11.2	5.9	16.7	6.4	5.0	7.7	20.3	10.0	15.1	7.6
14	15.4	20.3	8.6	279.8	8.8	5.9	9.7	10.5	5.9	9.2	27.6	7.0
15	23.5	16.4	5.4	7.4	5.2	6.4	6.0	8.9	13.9	8.2	11.5	17.5
16	29.6	7.5	6.3	14.3	4.2	7.6	6.4	20.9	6.1	13.4	14.6	9.1
17	29.7	5.7	6.8	4.3	4.9	9.5	6.7	45.2	7.3	9.6	6.6	11.1
18	14.7	7.9	9.5	9.0	5.8	8.5	8.5	23.2	7.5	3.7	8.3	24.6
19	22.0	8.6	7.6	8.9	4.1	8.0	8.7	32.7	7.4	5.1	7.4	14.7
20	9.6	7.8	7.5	17.4	4.1	9.3	8.7	36.2	7.6	7.9	12.2	20.8
21	9.8	5.1	7.8	14.0	7.1	8.6	9.2	32.3	10.0	5.9	20.5	10.0
22	11.9	2.5	7.8	14.5	5.0	8.6	6.7	29.3	11.6	12.9	24.7	8.5
23	16.9	3.5	20.8	9.5	7.9	10.9	7.0	17.0	8.1	8.6	39.6	15.2
24	22.5	6.9	4.9	8.8	7.8	11.7	46.5	16.0	9.2	10.0	26.2	6.6
25	24.8	7.1	3.3	5.1	4.3	12.7	21.9	9.7	10.7	15.4	4.9	8.6
26	33.0	7.6	4.0	6.4	3.8	8.9	8.3	7.1	8.7	5.5	7.0	16.7
27	31.1	6.0	5.5	6.1	6.1	9.3	17.7	6.0	7.4	7.8	3.2	20.3
28	11.4	10.4	9.4	6.1	4.5	11.0	7.6	7.8	9.1	11.9	11.3	31.0
29	14.5		8.4	7.5	5.0	16.3	9.1	10.1	8.4	11.6	17.6	37.7
30	16.9		6.7	6.9	6.2	22.1	7.3	9.7	6.0	6.7	18.5	41.6
31	9.9		16.2		8.6		7.5	9.5		9.8		29.7
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	73.2	20.3	20.8	279.8	16.7	25.2	57.5	45.2	54.6	15.4	39.6	43.1
MEAN:	30.25	7.46	8.47	18.49	6.66	9.97	12.04	15.36	11.52	8.77	13.33	18.99
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	13.49	ANNUAL MAX:	279.8						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3006 POC: 4  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS: FDMS CONTINUOUS MONITOR

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24-HR BLK AVG

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	17.8	5.5	6.8	4.8	5.6	3.8	10.5	6.7	4.9	5.3	3.0	8.5
2	22.4	4.4	6.3		4.8	6.0	8.2	5.8	4.8	3.0	3.5	12.5
3	29.2	3.7	3.3	3.7	4.6	8.8	10.0	4.7	4.1	3.0	2.6	21.1
4	26.1	2.7	4.6	5.2	4.9	11.6	13.6	6.1	5.4	3.1	3.4	27.0
5	21.5	3.9	5.7	6.2	3.7	7.0	14.8	7.4	10.3	5.2	5.9	6.4
6	26.2	2.2	5.8	7.5	4.8	4.7	6.6	7.7	6.5	3.7	6.4	8.5
7	28.8	2.4	8.4	7.5	3.2	4.0	6.9	10.3	5.2	4.8	8.9	12.0
8	P 43.1	3.0	7.5	6.2	4.2	5.1	5.0	5.8	4.8	5.6	7.1	6.5
9	P 37.9	2.8	6.0	4.6	3.7	4.5	3.3	5.2	6.6	4.2	3.0	7.0
10	P 44.1	2.5	5.9	4.9	3.7	3.9	2.6	5.7	7.4	4.3	3.9	3.4
11	P 51.1	3.8	5.7	5.6	5.3	3.6	2.4	6.3	7.2	3.5	3.6	3.6
12	18.2	5.7	4.6	4.2	6.7	4.1	2.9	5.0	7.9	5.1	5.8	5.1
13	4.6	7.5	5.1	4.1	9.3	4.5	3.9	4.4	13.6	5.1	7.1	4.1
14	10.5	10.6	4.6	31.6	6.1	4.6	6.4	6.2	3.6	4.6	10.6	2.4
15	15.0	8.4	3.3	4.1	3.7	4.5	4.5	6.4	5.0	4.8	3.2	5.2
16	25.7	4.9	4.8	5.8	2.9	5.8	4.8	12.5	3.0	5.5	4.7	4.4
17	14.7	3.6	4.3	3.0	3.1	7.4	5.5	21.7	4.6	5.1	4.0	4.8
18	8.0	5.3	5.1	4.5	4.2	6.8	3.8	18.4	3.5	2.3	4.7	10.7
19	13.2	6.5	4.1	6.2	2.8	6.3	5.7	28.6	3.7	2.6	4.8	4.6
20	5.6	4.1	4.7	10.4	2.9	6.7	4.7	31.2	4.1	4.3	3.8	12.8
21	6.3	3.5	5.1	11.1	4.2	7.3	7.2	25.8	5.5	4.0	6.4	3.6
22	6.5	1.9	5.4	9.7	3.9	6.7	5.2	18.0	6.1	6.3	9.7	4.0
23	12.9	2.3	6.4	7.0	4.1	9.4	4.7	14.1	5.1	4.9	19.1	4.0
24	16.1	4.1	3.4	6.1	4.1	9.4	9.8	10.9	6.8	4.6	13.0	3.6
25	19.6	4.6	2.2	3.4	2.7	10.3	12.7	7.3	6.5	5.5	3.2	4.6
26	23.6	5.0	2.7	2.9	2.8	6.2	5.1	4.4	5.0	4.0	2.8	6.9
27	17.7	4.5	3.9	3.7	3.5	6.1	8.6	3.7	4.1	4.1	2.0	12.5
28	6.9	3.5	4.5	4.1	3.0	8.1	4.7	5.5	5.7	5.2	6.6	21.4
29	10.2		4.1	5.0	3.2	12.5	5.9	5.9	5.9	7.5	11.4	23.5
30	13.2		4.9	5.1	4.6	12.2	4.9	5.2	3.2	3.8	9.1	26.0
31	5.9		6.4		5.7		5.4	6.0		4.3		
NO.:	31	28	31	29	31	30	31	31	30	31	30	30
MAX:	51.1	10.6	8.4	31.6	9.3	12.5	14.8	31.2	13.6	7.5	19.1	27.0
MEAN:	19.44	4.39	5.02	6.49	4.26	6.73	6.46	10.09	5.67	4.49	6.11	9.36
ANNUAL OBSERVATIONS:	363		ANNUAL MEAN:	7.41	ANNUAL MAX:	51.1	4 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5					
							4 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3010 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1250 NORTH 1400 WEST  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.78422  
 LONGITUDE: -111.931  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	30.4	8.7	11.9	2.7	6.2	5.7	10.4	8.3		6.1	1.9	12.5
2	29.2	4.2	11.1	2.5	5.0	6.6	13.1	6.4	5.1	3.0	5.1	14.9
3	23.7	2.7	4.0	4.3	5.4	8.8	18.6	4.8	4.9	3.5	2.5	24.7
4	18.5	2.6	5.9	5.3	3.3	9.1	22.9	6.6	4.8	4.0	2.9	30.2
5	21.6	3.0	7.4	6.5	4.0		10.8	4.8	10.9	4.9	5.3	18.7
6	34.1	2.3	8.0	6.6	4.1	6.8	8.1	6.3	4.7	3.8	7.6	11.1
7	P 42.7	2.9	11.4	11.9	4.5	4.6	7.6	4.7	8.3	5.2	10.2	13.1
8	P 50.6	2.7	9.0	3.8	3.8	5.8	9.8	4.2	7.0	6.0	7.4	9.1
9	P 56.4	2.9	7.1	6.8	3.1	6.3	4.2	6.8	7.2	6.9	2.2	4.7
10	P 52.6	2.0	5.8	6.9	4.8	4.9	4.4	7.1	9.0	4.5	2.6	4.1
11	P 53.4	4.7	4.5	7.5	5.9	4.1	4.6	6.9	10.2	3.8	3.7	6.1
12	17.9	8.3	3.5	2.7	6.0	4.8	3.7	3.8	9.8	5.6	6.2	7.5
13	4.0		6.4	7.9	8.4	6.2	4.7	6.0	13.1	5.5	8.8	5.0
14	11.7	14.5	4.1	20.6	6.2	6.0	6.4	5.2	8.2	6.5	14.3	1.8
15	19.5	11.9	3.6	3.6	2.4	5.7	6.5	6.6	5.0	5.6	3.1	5.8
16	30.5	3.0	4.0	5.2	1.5	8.0	7.9	16.8		10.3	4.7	5.9
17	22.9	4.2	5.1	4.2	3.5	9.2	7.0	13.0		7.4	3.8	5.4
18	8.7	7.5	2.9	7.5	3.8	7.2	4.8	20.3		3.6	4.9	9.6
19	17.0	.0	2.9	8.4	2.0	5.3	6.1	29.4	2.7	2.4	5.9	4.9
20	5.2	3.9	4.3	10.7	3.0	19.0	6.2	33.4	4.0	3.6	4.3	12.2
21	8.6	4.8	5.7	11.4	4.2	7.7	6.5	27.4	4.3	4.3	9.6	3.8
22	10.2	1.0	4.7	9.8	4.3		8.1	25.6	5.4	6.9	15.2	3.2
23	15.8	4.7	5.0	7.0	3.7	10.4	6.6	17.2	6.6	5.8	21.1	2.2
24	20.8	6.1	2.0	5.7	3.7	11.2	16.0	10.3	8.5	5.3	16.4	2.8
25	23.1	4.6	1.2	2.7	2.8	11.2	11.1	7.2	7.6	5.6	2.7	3.3
26	31.2	5.4	3.1	3.6	3.0	10.2	5.4	7.3	5.5	4.1	2.8	8.6
27	22.8	7.0	3.7	2.8	3.8	13.0	10.8	5.4	4.7	4.6	3.7	15.7
28	11.1	7.3	4.4	4.2	2.9	14.8		7.0	7.6	5.7	7.8	25.5
29	12.8		2.9	5.6	4.2	14.2	4.9	5.9	8.6	4.9	11.7	24.3
30	13.0		5.0	3.8	6.5	18.7	6.6	5.5	5.6	3.0	11.1	34.6
31	6.1		8.2		5.5		8.1	5.5		2.9		27.7
NO.:	31	27	31	30	31	29	30	31	26	31	30	31
MAX:	56.4	14.5	11.9	20.6	8.4	19.0	22.9	33.4	13.1	10.3	21.1	34.6
MEAN:	23.42	4.92	5.45	6.41	4.24	8.74	8.30	10.51	6.90	5.01	6.98	11.58

5 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5

5 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-035-3010 POC: 2  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1250 NORTH 1400 WEST  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.78422  
 LONGITUDE: -111.931  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1286  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1												
2											4.8	
3									4.8			
4												
5							9.6					
6	34.2											
7			12.1									
8												
9					4.1					10.3		
10		1.5										
11						4.1						
12		8.3		3.6								
13												
14												
15									6.3			
16								3.2				
17							5.5					
18												
19			4.1									
20												
21					4.4					4.4		
22												
23						9.7						
24	20.7			5.3								
25												
26												
27								5.7	5.9			
28												
29												
30								5.7				
31			7.5									
NO.:	2	2	3	2	2	2	2	3	3	2	1	0
MAX:	34.2	8.3	12.1	5.3	4.4	9.7	9.6	5.7	6.3	10.3	4.8	
MEAN:	27.45	4.90	7.90	4.45	4.25	6.90	7.55	4.87	5.67	7.35	4.80	
ANNUAL OBSERVATIONS:		24		ANNUAL MEAN:	7.74	ANNUAL MAX:	34.2					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-047-1004 POC: 4  
 COUNTY: (047) Uintah  
 CITY: (80090) Vernal  
 SITE ADDRESS: 628 North 1700 West  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 40.4647097224  
 LONGITUDE: -109.56147150  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: Multiple Monitor Types  
 COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 1 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH												
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1											4.6	17.5	
2										3.7	4.0	27.7	
3										3.4	10.3	25.7	
4										4.1	6.0	30.1	
5										5.1	6.0	18.1	
6										2.8	6.2	19.0	
7										2.9	6.7	24.2	
8										4.1	4.9	27.5	
9										3.8	5.2	17.4	
10										3.8	4.9	17.6	
11										3.6	10.8	14.0	
12										2.6	7.7	8.8	
13										3.4	11.7	10.4	
14										3.4	16.3	25.1	
15										6.4	12.1	26.7	
16										5.2	6.1	8.7	
17										5.1	5.5	7.3	
18										7.1	5.2	8.8	
19										4.8	6.8	24.8	
20										3.8	5.3	16.8	
21										4.3	7.1	31.4	
22										4.6	9.0	5.6	
23										5.4	9.2	3.0	
24										4.6	11.0	8.3	
25										5.5	6.0	10.8	
26										5.7	4.9	8.8	
27										4.6	3.1	9.4	
28										4.8	10.2	18.1	
29										5.0	13.3	29.0	
30										5.6	13.0	31.7	
31										4.0		17.5	
NO.:	0	0	0	0	0	0	0	0	0	0	30	30	31
MAX:											7.1	16.3	31.7
MEAN:											4.44	7.77	17.74
ANNUAL OBSERVATIONS:	91		ANNUAL MEAN:	10.07		ANNUAL MAX:	31.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-047-1004 POC: 4  
 COUNTY: (047) Uintah  
 CITY: (80090) Vernal  
 SITE ADDRESS: 628 North 1700 West  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 40.4647097224  
 LONGITUDE: -109.56147150  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: Multiple Monitor Types  
 COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24-HR BLK AVG  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH												
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1											2.9	8.7	
2										2.8	2.6	17.2	
3										2.5	5.0	18.1	
4										3.0	3.4	18.9	
5										3.9	3.2	11.3	
6										2.1	4.0	9.5	
7										2.3	3.5	13.1	
8										3.2	3.3	13.7	
9										2.6	3.4	10.3	
10										2.6	3.1	10.9	
11										2.3	3.6	6.9	
12										1.9	4.1	3.7	
13										2.7	5.8	5.4	
14										2.7	8.0	15.3	
15										3.2	7.2	7.9	
16										3.9	3.8	5.2	
17										4.3	3.4	5.5	
18										4.9	3.6	5.6	
19										2.6	3.1	10.5	
20										2.8	2.4	12.3	
21										2.9	3.8	12.6	
22										3.6	5.0	1.9	
23										3.9	5.3	1.9	
24										3.6	5.8	3.7	
25										4.3	2.8	7.2	
26										3.5	2.8	3.0	
27										2.7	2.2	4.7	
28										3.6	5.0	9.4	
29										3.2	7.2	17.6	
30										3.2	7.0	21.1	
31										2.8		9.6	
NO.:	0	0	0	0	0	0	0	0	0	0	30	30	31
MAX:											4.9	8.0	21.1
MEAN:											3.12	4.21	9.76
ANNUAL OBSERVATIONS:	91		ANNUAL MEAN:		5.74		ANNUAL MAX:		21.1				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-049-0002 POC: 1  
 COUNTY: (049) Utah  
 CITY: (62470) Provo  
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT  
 SITE COMMENTS:  
 MONITOR COMMENTS: PARTISOL WITH CYCLONE IMPACTOR

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 40.253611  
 LONGITUDE: -111.663056  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1402  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	15.4	7.2	9.5	6.9	6.7	5.5	14.1		5.9	5.5	2.0	7.6
2	17.3	5.5	6.9	2.5	4.9		10.8		5.4	5.4	6.9	11.0
3	25.8	2.7	2.5	3.5	4.0		14.6		3.7	3.9	3.5	13.8
4	20.6	2.7	6.9	4.8	6.1		22.6		4.9	3.6	3.3	12.9
5	26.7	4.7	6.7	10.4	6.2		9.2	8.5	6.9	3.3	5.2	9.5
6	24.5	3.7	7.4	9.3	2.6		7.2	6.7	7.2	3.0	7.6	4.1
7	3.9	2.8	7.0	12.7	4.3		6.1	4.6	6.5	5.4	3.3	8.7
8	9.5	3.9	5.8	2.4	4.7		4.6	3.8		5.8		8.9
9	25.0	3.8	6.2	3.8	.8		2.3	5.0		6.4	3.7	10.3
10	P 38.6		6.0	5.7	2.7		2.4	5.4		4.9		5.6
11	26.6	4.4	4.8	6.4	5.2		3.7	5.7		3.4	3.6	4.2
12	12.0	4.9	3.5	3.3	4.9		2.7	4.3		5.4	6.7	7.2
13	7.0	6.9	4.1	4.0	4.9		3.8	4.7		5.2	8.8	5.1
14	13.8	8.0	3.5	19.4	4.3		4.4	5.4	6.5	5.7	7.2	2.0
15	13.1	6.8	2.8	3.6	2.4		4.4	6.9	4.8	6.3	3.3	3.7
16	16.9	3.9	3.9	4.9	1.6			12.1	3.1	7.2	6.0	5.6
17	15.3	3.8	4.6	3.8	1.7	6.2	5.3	12.2	3.4	5.2	5.0	8.9
18	3.7	4.3	4.0	4.6	3.3	5.2	5.4	18.5	4.0	2.4	4.7	10.3
19	10.6	5.1	3.6	5.3		5.4	4.1	22.7	4.6	3.1	6.1	5.8
20	7.0	4.3	4.2	10.9		5.7	5.1	29.7	3.8	4.6	2.8	5.1
21	9.3	3.7	4.5	13.0		10.5		21.1	4.9	4.9		2.2
22	8.5	2.2	4.4	8.3		10.0	4.7	15.5	6.4	5.3	8.9	4.0
23	14.3	2.5	3.7	6.4		7.6	3.8	11.9	6.8	7.2	11.9	4.2
24	18.7	6.2	2.4	6.1		8.7	5.8	9.3	8.3	5.3	7.3	4.0
25	13.7	5.5	1.7			12.8	5.9	7.7	7.1	3.8	2.7	3.4
26	17.3	5.5	3.9	1.6	.0	8.2	4.2	5.2	6.0	3.7	2.7	7.5
27	10.3	10.0	3.8	4.2	4.5	7.5	6.6	5.1	5.1	4.9	3.4	13.1
28	8.9	5.5	3.5	3.8	3.1	6.3	3.7	6.4	7.0	12.7	8.3	23.7
29	17.8		3.0		3.7	9.7	5.0	5.8	5.7	4.9	13.5	35.2
30	15.2		4.8	5.2	5.3	10.9		5.2	5.6	5.5	7.1	27.8
31	10.2		7.1		4.6			5.5		3.6		22.5
NO.:	31	27	31	28	24	15	27	27	24	31	27	31
MAX:	38.6	10.0	9.5	19.4	6.7	12.8	22.6	29.7	8.3	12.7	13.5	35.2
MEAN:	15.40	4.83	4.73	6.31	3.85	8.01	6.39	9.44	5.57	5.08	5.76	9.61
ANNUAL OBSERVATIONS:	323		ANNUAL MEAN:	7.17	ANNUAL MAX:	38.6	1 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5					
							1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-049-4001 POC: 1  
 COUNTY: (049) Utah  
 CITY: (45090) Lindon  
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH  
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.341389  
 LONGITUDE: -111.713611  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1442  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	17.3	7.5		5.3	5.9	8.0	9.4	6.8	4.7	4.6	1.8	11.7
2	22.5	5.8			4.9	6.5	14.0	6.0	4.5	3.6	3.9	13.5
3	32.4	2.0			8.6	7.8	16.0	4.9	3.3	2.9	2.8	18.3
4	30.4	3.1	7.6		5.5	7.5	22.5	5.9	4.0	3.2	2.6	12.1
5	P 39.3	3.1	8.4		3.3	6.1	7.9	7.1	6.7	3.3	5.2	10.8
6	24.6	2.0	9.0		3.2	4.2	7.4	7.0	7.5	2.9	5.0	5.0
7	26.9	2.2	9.0	7.5	3.7	3.5	5.0	4.2	10.9	4.0	6.3	13.0
8	27.3	2.9	8.1	2.1	5.6	4.6	4.4	3.4	18.4	5.1	3.8	9.5
9	31.0	2.2		4.0	1.2	5.3	1.9	6.2	8.5	5.6	3.5	9.4
10	30.0	2.6	5.8	5.3	4.3	5.7	2.9	5.7	10.5	3.7	4.2	4.0
11	26.1	3.6	4.5	5.0	6.0	4.2	3.6	5.4	7.9	4.7	4.7	3.5
12	11.5	6.2	3.2	2.9	5.1	4.8	2.6	3.3	8.7	4.3	9.0	8.6
13	7.0	8.4	2.9	.0	5.9	5.4	5.0	4.3	11.0	5.4	9.4	6.3
14	16.3	8.6	4.0	20.7	4.9	7.6	7.0	4.7	5.3	6.3	10.1	2.1
15	14.9	6.1	2.6	3.7	2.7	4.4	5.2	6.3	3.8	4.9	4.0	3.8
16	22.1	4.0	3.8	2.2	1.3	4.8		11.7	2.8	6.6	5.2	18.6
17	14.9	4.5	4.3	4.3	1.7	5.1	4.3	11.5	3.4	4.5	4.8	.5
18	6.6	6.1	3.8	4.2	3.4	4.8	7.4	18.0	3.4	2.1	7.1	8.9
19	12.1	6.4	3.6	4.6	3.5	5.7	8.1	22.6	4.5	1.9	7.2	5.6
20	8.5	5.4		5.8	2.5	5.6	6.0	28.7	4.2	3.9	3.7	3.4
21	10.5	4.8			3.7	6.6	6.7	20.9	4.5	4.0	7.4	1.6
22	11.4	3.4			3.9	5.6		14.8	5.2	4.2	9.2	5.0
23	15.2	4.6		6.4	2.7	6.8	4.1	11.6	5.7	7.3	13.8	2.8
24	18.7	6.6		6.0	2.9	7.7	12.2	8.7	6.8	4.4	7.3	4.6
25	15.2		1.5	1.8	2.6	8.6	10.4	7.5	5.8	4.5	3.2	4.7
26	19.7		3.8	1.6	2.3	8.4	4.2	5.9	5.1	2.7		10.7
27	9.6		3.8	4.1	2.6	6.0	5.6	4.8	5.0	2.6		16.4
28	6.8		3.2	5.6	4.0	6.9	3.9	5.8	5.9	5.1		27.2
29	18.9		3.4	4.5	4.6	9.3	5.0	5.3	5.7	5.0		
30	15.9		4.5	7.1	6.5	9.1	5.3	4.6	5.1	5.4		
31	9.7		7.1		5.7		5.8	5.9		4.6		26.2
NO.:	31	24	22	23	31	30	29	31	30	31	25	29
MAX:	39.3	8.6	9.0	20.7	8.6	9.3	22.5	28.7	18.4	7.3	13.8	27.2
MEAN:	18.49	4.67	4.90	4.99	4.02	6.22	7.03	8.69	6.29	4.24	5.81	9.23
ANNUAL OBSERVATIONS:	336		ANNUAL MEAN:		7.22	ANNUAL MAX:		39.3				

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5

1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-049-4001 POC: 2  
 COUNTY: (049) Utah  
 CITY: (45090) Lindon  
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH  
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL  
 MONITOR COMMENTS: PARTISOL WITH WINS IMPACTOR

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.341389  
 LONGITUDE: -111.713611  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1442  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1												
2												
3									4.1			
4												
5							9.2					
6					2.7							
7			9.2									
8												
9										6.1		
10								5.7				
11		3.9				4.9						
12				3.6								
13												
14												
15									4.5			
16												
17							5.8					
18	7.0				3.6							
19			3.5									
20												
21										3.9		
22								15.5				
23		4.7				7.4						
24												
25												
26											.0	
27									5.1			
28												
29												
30	16.2				5.7							
31			6.9									
NO.:	2	2	3	1	3	2	2	2	3	2	1	0
MAX:	16.2	4.7	9.2	3.6	5.7	7.4	9.2	15.5	5.1	6.1	0.0	
MEAN:	11.60	4.30	6.53	3.60	4.00	6.15	7.50	10.60	4.57	5.00	0.00	
ANNUAL OBSERVATIONS:		23		ANNUAL MEAN:	6.05		ANNUAL MAX:	16.2				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-049-5010 POC: 1  
 COUNTY: (049) Utah  
 CITY: (71290) Spanish Fork  
 SITE ADDRESS: 312 W. 2050 NORTH, SPANISH FORK, UTAH  
 SITE COMMENTS: SITE IS LOCATED AT SPANISH FORK AIRPORT  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: INDUSTRIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.1363362851  
 LONGITUDE: -111.66050219  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1380  
 PROBE HEIGHT: 5

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SPM

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			9.2					6.1				
2		5.3				4.8	8.0				4.4	6.5
3	26.5			3.0	4.5				5.9	3.1		
4			6.5					4.6				
5		2.4				4.1	5.9				4.9	6.2
6	28.1			7.6	2.4				8.6	2.5		
7			5.5					4.9				
8		2.7				4.2	6.0				1.9	6.9
9	31.4			3.9	1.7				7.3	3.5		
10			4.3					4.8				
11		3.8				3.5	3.1				3.4	4.4
12	19.8			2.6	4.6				7.4	3.6		
13			2.5					3.9				
14		6.6				4.3	4.3		4.3	4.5	4.0	2.1
15				1.7	2.2							
16			3.4					10.7				
17		3.5				6.3	4.8				6.1	6.3
18				4.1	3.0				4.0	2.7		
19			3.7					22.4				
20		3.1				5.5	5.1				3.7	3.6
21	9.9			12.9	3.4				4.2	4.5		
22			3.9					17.4				
23		2.7				7.5	5.1				7.4	2.4
24				5.8	2.7				5.8	3.8		
25			.9					7.5				
26		4.7					3.9				2.2	8.1
27				6.0	2.9				4.8	4.5		
28			3.1					5.7				
29							4.0				13.8	P 37.5
30	14.4			4.1	4.3				4.7	4.6		
31			5.7					5.9				
NO.:	6	9	11	10	10	8	10	11	10	10	10	10
MAX:	31.4	6.6	9.2	12.9	4.6	7.5	8.0	22.4	8.6	4.6	13.8	37.5
MEAN:	21.68	3.87	4.43	5.17	3.17	5.03	5.02	8.54	5.70	3.73	5.18	8.40
ANNUAL OBSERVATIONS:		115		ANNUAL MEAN:	6.19	ANNUAL MAX:	37.5					

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5

1 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-053-0007 POC: 1  
 COUNTY: (053) Washington  
 CITY: (37170) Hurricane  
 SITE ADDRESS: 147 N 870 W, Hurricane, Utah  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (014) FOUR CORNERS  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 37.179125  
 LONGITUDE: -113.305096  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 846  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (LC)  
 MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1			18.6					3.7				
2		2.4				3.7	5.3				2.4	4.0
3				4.1	3.5					2.5		
4			7.8					3.5				
5		2.8					5.5				2.9	5.1
6				5.9					4.4	2.5		
7								2.8				
8		2.2					3.0				2.4	1.8
9				2.4					7.8	2.6		
10								5.0				
11		1.5					2.7				3.8	
12				4.6	1.3				4.8	3.3		
13			1.7					3.8				
14		2.8					3.9				.2	
15	3.1			3.7	4.0				5.5			
16			3.3					4.2				
17		2.8					4.9					2.3
18	2.0			6.2					2.7			
19			2.0					15.0				
20		3.2					3.9					4.6
21	1.7			7.1	2.3				3.6	2.3		
22			2.6					9.1				
23		2.6									1.6	6.5
24	1.4			6.2	3.5				3.4	3.1		
25			1.7					4.9				
26		2.1				9.6	2.3				3.6	2.4
27	1.9			1.9	1.8				4.1	1.5		
28			2.7									
29						7.8	3.7				4.3	
30	.4			2.9	2.5				4.0	2.3		
31			4.0									
NO.:	6	9	9	10	7	3	9	9	9	8	8	7
MAX:	3.1	3.2	18.6	7.1	4.0	9.6	5.5	15.0	7.8	3.3	4.3	6.5
MEAN:	1.75	2.49	4.93	4.50	2.70	7.03	3.91	5.78	4.48	2.51	2.65	3.81
ANNUAL OBSERVATIONS:		94		ANNUAL MEAN:	3.81	ANNUAL MAX:	18.6					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-053-0007 POC: 3  
 COUNTY: (053) Washington  
 CITY: (37170) Hurricane  
 SITE ADDRESS: 147 N 870 W, Hurricane, Utah  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (014) FOUR CORNERS  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 37.179125  
 LONGITUDE: -113.305096  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 846  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 1 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	11.2	5.1	4.2	29.6	12.7	16.0	10.9	7.3	6.6	4.6	2.2	10.4
2	11.8	8.0	3.6	20.3	5.5	7.2	8.7	6.6	6.2	6.0	10.9	28.2
3	16.4	6.4	2.8	16.7	6.7	8.0	8.9	5.8	4.0	5.1	11.7	26.1
4	13.1	3.4	4.6	10.8	7.7	8.5	10.9	4.9	11.6	9.0	3.0	15.1
5	9.4	5.4	6.0	23.1	6.6	7.3	9.5	5.0	18.7	14.8	10.5	10.3
6	13.7	5.2	5.1	27.5	6.3	8.9	5.5	9.7	13.2	5.2	4.7	9.0
7	12.0	4.5	6.4	15.2	7.8	7.6	6.0	7.9	13.7	5.9	2.6	27.7
8	9.2	4.5	5.2	6.4	9.7	6.1	7.4	6.0	12.5	7.0	10.5	11.0
9	10.7	3.8	4.2	6.4	4.3	6.4	5.3	7.8	15.4	2.7	9.3	36.0
10	13.3	4.7	5.8	5.9	6.2	8.3	5.3	7.5	11.3	4.8	3.4	9.8
11	15.5	3.1	9.4	14.3	5.9	8.0	4.4	9.0	8.2	3.6	9.2	6.7
12	7.1	5.0	9.5	15.7	5.9	4.8	6.2	3.8	11.2	4.3	8.2	3.1
13	3.8	5.3	4.1	6.5	9.5	5.8	7.8	5.8	15.1	4.1	12.6	4.3
14	5.7	9.0	5.1	53.3	7.1	5.2	8.2	6.9	12.8	10.0	19.3	4.9
15	10.9	4.1	5.8	27.6	8.6	5.4	7.8	5.4	8.9	8.8	7.1	6.2
16	9.5	6.5	5.6	15.1	6.0	6.7	5.6	6.2	9.1	10.5	4.3	11.1
17	6.2	10.0	5.5	26.9	3.4	5.1	6.8	6.6	4.4	8.1	13.1	8.3
18	6.5	5.4	6.4	14.7	5.2	8.7	12.4	14.6	6.6	6.5	16.7	27.0
19	7.1	6.8	5.1	14.4	4.8	16.8	8.4	17.6	4.9	9.9	13.6	36.1
20	8.2	5.8	4.9	13.4	5.9	11.4	5.1	18.6	5.2	4.8	4.7	7.6
21	5.4	6.9	5.9	24.1	7.4	12.5	8.8	9.0	8.7	4.0	11.9	12.8
22	6.7	6.7	4.5	11.2	7.2	9.4	4.7	20.9	9.7	16.0	31.3	14.7
23	17.2	8.8	8.9	9.6	6.4	13.4	4.6	9.2	6.0	7.5	15.5	19.2
24	5.0	5.3	8.6	15.8	7.2	11.3	8.2	5.9	6.1	2.4	17.7	3.4
25	4.2	5.5	5.0	9.5	6.0	7.9	8.6	40.8	3.2	5.0	11.1	3.2
26	6.0	6.5	3.9	4.4	4.4	10.2	3.2	24.5	9.7	4.3	4.6	5.0
27	6.1	4.4	4.7	3.7	6.7	13.1	6.9	9.0	10.3	5.2	12.1	14.0
28	7.1	3.2	4.5	4.9	5.7	10.6	6.9	6.0	9.2	15.6	14.4	13.8
29	8.0		9.9	4.9	7.2	10.5	6.0	7.5	9.5	13.2	11.3	8.7
30	4.0		6.7	6.2	6.2	9.3	7.5	7.8	14.5	4.2	15.0	8.4
31	6.3		6.0		7.0		6.9	8.6		3.1		6.9
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	17.2	10.0	9.9	53.3	12.7	16.8	12.4	40.8	18.7	16.0	31.3	36.1
MEAN:	8.95	5.69	5.74	15.27	6.68	9.01	7.21	10.07	9.55	6.97	10.75	13.19
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	9.10	ANNUAL MAX:	53.3						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-053-0007 POC: 3  
 COUNTY: (053) Washington  
 CITY: (37170) Hurricane  
 SITE ADDRESS: 147 N 870 W, Hurricane, Utah  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (014) FOUR CORNERS  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 37.179125  
 LONGITUDE: -113.305096  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 846  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (184) Thermo Scientific Model 5030 SHARP

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24-HR BLK AVG

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	5.0	3.1	2.9	17.7	6.0	8.0	9.2	5.5	4.5	2.0	.4	3.9
2	7.0	3.9	2.5	10.2	4.7	5.9	6.9	5.0	3.2	1.2	1.0	6.1
3	7.7	3.7	2.4	6.3	4.4	6.8	6.9	4.6	1.2	.9	1.5	6.6
4	5.2	2.4	3.3	7.3	6.4	6.4	6.3	3.9	4.9	2.3	.5	4.4
5	4.5	2.9	3.8	8.5	5.2	6.2	6.8	3.8	7.4	7.5	2.6	3.8
6	4.9	3.0	3.7	12.5	4.8	5.3	4.9	4.0	5.3	3.5	.9	2.1
7	5.8	2.7	5.1	6.9	6.4	4.6	4.4	4.6	4.9	2.9	.2	6.3
8	4.5	3.5	4.2	3.8	6.5	4.7	5.0	4.4	4.8	2.2	1.6	3.6
9	5.1	2.9	3.3	3.5	3.1	5.5	3.4	6.7	8.6	1.1	1.8	6.6
10	7.4	2.3	3.4	4.2	4.2	6.3	3.9	6.0	7.4	1.4	.8	4.6
11	8.0	2.3	5.0	6.7	4.9	4.8	3.5	6.0	5.3	2.0	1.7	1.6
12	4.1	2.8	4.9	8.4	4.9	3.8	4.1	3.0	4.8	1.1	1.6	1.3
13	1.9	3.2	3.0	4.7	6.4	4.5	5.0	4.8	6.5	.7	3.9	1.9
14	3.3	3.4	3.6	12.0	5.9	4.4	5.3	5.8	6.7	1.9	3.9	2.3
15	5.1	3.1	4.4	6.2	4.8	4.5	5.5	4.4	6.2	2.8	2.6	2.0
16	4.9	4.0	4.1	7.2	3.5	5.1	4.5	5.0	3.6	3.5	1.0	3.0
17	3.2	3.8	4.0	9.2	2.8	4.0	5.5	5.0	2.6	5.6	1.1	3.5
18	3.5	3.9	4.5	9.6	4.0	6.6	9.4	10.5	2.7	3.2	2.2	6.3
19	3.5	3.7	3.3	7.7	3.6	11.0	5.8	15.0	2.5	3.2	2.9	6.9
20	4.7	3.6	3.4	9.5	4.7	9.5	3.7	13.7	1.9	2.8	1.5	5.1
21	2.5	5.4	3.7	15.1	4.8	10.8	5.4	7.1	2.8	2.7	2.0	6.9
22	3.3	3.8	3.7	7.8	5.4	8.3	3.5	8.7	4.4	3.5	6.4	6.1
23	5.2	4.5	5.0	7.8	5.2	9.1	3.3	5.4	4.7	1.9	3.6	8.1
24	3.0	3.7	6.0	10.0	4.4	7.8	3.3	3.7	2.8	1.2	1.9	1.7
25	2.6	2.8	3.1	6.7	3.4	6.4	4.5	7.8	1.1	2.0	2.8	2.0
26	2.6	3.2	2.8	2.8	3.3	8.6	2.6	9.6	2.5	2.6	1.1	2.9
27	3.8	2.4	3.3	2.6	4.7	9.5	4.5	4.0	3.8	2.1	1.6	4.3
28	4.8	2.7	3.0	3.6	4.9	9.4	5.0	4.0	4.7	3.3	4.8	6.3
29	3.2		6.1	3.3	4.6	8.9	4.6	4.4	3.3	2.8	3.0	5.1
30	2.5		5.6	3.8	5.0	7.6	6.2	4.1	3.4	.4	3.2	4.4
31	3.1		5.1		5.2		5.9	4.6		.7		4.0
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	8.0	5.4	6.1	17.7	6.5	11.0	9.4	15.0	8.6	7.5	6.4	8.1
MEAN:	4.38	3.31	3.94	7.52	4.78	6.81	5.12	5.97	4.28	2.42	2.14	4.31
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	4.59	ANNUAL MAX:	17.7						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 26, 2016

(88101) PM2.5 - Local Conditions

SITE ID: 49-057-0002 POC: 1  
 COUNTY: (057) Weber  
 CITY: (55980) Ogden  
 SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH  
 SITE COMMENTS: THIS SITE REPLACES OG (490570001) WHICH WAS DEMOLISHED FOR NEW CONST.  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 41.2063211134  
 LONGITUDE: -111.97552430  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1316  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (145) R & P Model 2025 PM-2.5 Sequential

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2015

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (LC)

MIN DETECTABLE: 2

MONTH														
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER		
1	13.6	9.5	7.2	2.3	7.0	5.0		6.6		7.4	2.3			
2	22.5	3.8	5.6	2.2	5.3	4.6	8.7	5.7		2.9				
3	P 36.1	5.5	4.5	7.0	3.8	5.1	17.3	5.5		4.8				
4	23.6	3.7	6.4	7.2	3.3	5.1	21.9	6.2		3.5				
5	17.2	6.1	7.2	6.2	4.1	6.5	10.1	5.9		4.8				
6	26.5	4.3	8.5	5.2	4.1	3.7	7.2	6.2		4.3				
7	P 42.9	3.0	10.8	6.5	3.3	3.8	6.7	4.4		4.2				
8		4.7	8.5	4.0	3.5	4.6	5.5	4.7		4.6				
9		3.2	6.7	6.4	2.5	5.7	2.5	6.4		5.0		7.0		
10	27.5	2.5	8.3	6.7	3.8	4.7	3.2	7.6		3.3		4.2		
11	P 44.5	4.5	6.0	5.7	5.9	4.3	3.5			4.3		8.0		
12	17.2	7.3	3.1	3.1	5.0	5.0	4.1		10.0	4.8		7.2		
13	7.3	8.1	5.3	4.3	7.4	6.0	4.9		15.3	4.6		5.5		
14	11.7	13.8	5.7	32.9	4.5		5.0		7.1	4.5		2.1		
15	18.7	10.1	7.0	2.5	2.9		5.2		6.1	5.0		5.8		
16	28.0	3.2	7.6	4.1	1.4				2.3	6.9				
17	22.2	5.2	5.5	3.5	2.2				3.4	5.6				
18	9.5	7.0	3.4	6.8	2.5	6.4			3.8	2.4		12.9		
19	13.7	5.9	4.0	7.9	3.2	6.5			5.4	2.4		13.0		
20	6.9	4.8	7.4	7.7	2.2	7.6			4.9	2.6		9.2		
21	7.0	2.7	6.0	9.0	8.6	7.6			6.0	3.9		3.0		
22	8.7	1.4	5.5	9.1	4.0	8.1	4.0		7.0	4.5		2.5		
23	10.8	3.0	4.2	5.1	2.9	8.3	4.4		7.3			2.1		
24	15.2	5.1	3.2	5.4	3.1	8.5	6.8		6.8	6.4		4.1		
25	23.6	6.8	1.9		2.9	7.8	10.4		9.5	6.1	9.2	3.0		
26	22.7	7.2	2.8	2.1	3.3	6.4	6.6		8.4	8.2	2.8	7.6		
27	23.3	7.7	4.3	3.4	2.2	7.5	3.6		6.9	3.8		8.4		
28	8.1	4.9	4.2	4.6	2.5	14.8	3.0		6.4	5.5		12.3		
29	8.5		3.8	5.1	3.5	9.9	3.9		6.8	3.9		21.5		
30	8.2		5.0	6.8	5.3	10.9	4.6		7.2	2.6		29.2		
31	8.8		7.5		6.6		6.4			2.5		21.4		
NO.:	29	28	31	29	31	26	24	10	19	30	3	21		
MAX:	44.5	13.8	10.8	32.9	8.6	14.8	21.9	7.6	15.3	8.2	9.2	29.2		
MEAN:	18.43	5.54	5.71	6.30	3.96	6.71	6.65	5.92	6.87	4.51	4.77	9.05		
ANNUAL OBSERVATIONS:	281		ANNUAL MEAN:		7.24	ANNUAL MAX:		44.5					3 Values marked with 'P' exceed the PRIMARY STANDARD of: 35.5	
	3 Values marked with 'S' exceed the SECONDARY STANDARD of: 35.5													

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.