

User ID: RPW

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 576161

Report Code: AMP230

Oct. 16, 2008

GEOGRAPHIC SELECTIONS

Tribal	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
--------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------	--------	----------	------------	----------

49

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	44201		1

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
MERGE PDF FILES	YES

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

SCR GROUP SELECTIONS

UTAH

GLOBAL DATES

Start Date	End Date
2007	2007

## FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

## EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
3	EXCEPTIONAL EVENTS EXCLUDED
4	NATURAL EVENTS EXCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED
6	EXCEPTIONAL EVENTS WITH CONCURRENCE EXCLUDED
7	NATURAL EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-003-0003  
 County: Box Elder  
 City: Brigham City  
 Support Agency: 1113  
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.492778  
 Longitude: -112.018056  
 UTM Zone: 12  
 Utm Northing: 4593750  
 Utm Easting: 415018  
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages											Maximum Values	Arith Mean	
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	1	Parts per million	
2007	0	97	3573	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0615		
							.046	.054	.062	.069	.075	.079	.092	.097		.100	.097			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	2	Parts per million	
2007	46	98	3619	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0620		
							.047	.054	.062	.070	.076	.084	.097	.100		.107	.100			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	3	Parts per million	
2007	46	98	3619	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0620		
							.047	.054	.062	.070	.076	.084	.097	.100		.107	.100			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	4	Parts per million	
2007	0	97	3573	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0615		
							.046	.054	.062	.069	.075	.079	.092	.097		.100	.097			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	5	Parts per million	
2007	46	98	3619	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0620		
							.047	.054	.062	.070	.076	.084	.097	.100		.107	.100			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	6	Parts per million	
2007	46	98	3619	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0620		
							.047	.054	.062	.070	.076	.084	.097	.100		.107	.100			

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-003-0003  
 County: Box Elder  
 City: Brigham City  
 Support Agency: 1113  
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.492778  
 Longitude: -112.018056  
 UTM Zone: 12  
 Utm Northing: 4593750  
 Utm Easting: 415018  
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
	44201-Ozone		1		1113			INSTRUMENTAL						.005	1 HOUR	7	Parts per million	
2007	46	98	3619	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0620
							.047	.054	.062	.070	.076	.084	.097	.100		.107	.100	

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-005-0004	AQCR: UTAH	Latitude: +41.731111
County: Cache	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.837500
City: Logan	Location Setting: URBAN AND CENTER CITY	UTM Zone: 12
Support Agency: 1113	Land Use: COMMERCIAL	Utm Northing: 4620024
Address: 125 W. CENTER STREET, LOGAN, UT		Utm Easting: 430337
		Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean		
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million	
2007	0	98	7342	0	0	.014	10	25	50	75	90	95	98	99		1	2	.0633				
									.029	.037	.048	.065	.072	.076	.080	.084		.092	.089			
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million	
2007	24	99	7366	0	0	.014	10	25	50	75	90	95	98	99		1	2	.0634				
									.029	.037	.049	.065	.072	.076	.080	.084		.092	.089			
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million	
2007	24	99	7366	0	0	.014	10	25	50	75	90	95	98	99		1	2	.0634				
									.029	.037	.049	.065	.072	.076	.080	.084		.092	.089			
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million	
2007	0	98	7342	0	0	.014	10	25	50	75	90	95	98	99		1	2	.0633				
									.029	.037	.048	.065	.072	.076	.080	.084		.092	.089			
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million	
2007	24	99	7366	0	0	.014	10	25	50	75	90	95	98	99		1	2	.0634				
									.029	.037	.049	.065	.072	.076	.080	.084		.092	.089			
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million	
2007	24	99	7366	0	0	.014	10	25	50	75	90	95	98	99		1	2	.0634				
									.029	.037	.049	.065	.072	.076	.080	.084		.092	.089			

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-005-0004

AQCR: UTAH

Latitude: +41.731111

County: Cache

Urban Area: NOT IN AN URBAN AREA

Longitude: -111.837500

City: Logan

Location Setting: URBAN AND CENTER CITY

UTM Zone: 12

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing: 4620024

Address: 125 W. CENTER STREET, LOGAN, UT

Utm Easting: 430337

Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean	
44201-Ozone			1		1113				INSTRUMENTAL	ULTRA VIOLET							.005	1 HOUR	7	Parts per million		
2007	24	99	7366	0	0	.014	10	25	50	75	90	95	98	99		1	2	.0634				
							.029	.037	.049	.065	.072	.076	.080	.084		.092	.089					

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-011-0004  
 County: Davis  
 City: Bountiful  
 Support Agency: 1113  
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.902967  
 Longitude: -111.884467  
 UTM Zone: 12  
 Utm Northing: 4528150.36  
 Utm Easting: 425503.56  
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages											Maximum Values	Arith Mean	
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	1	Parts per million	
2007	0	97	3467	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0627		
							.046	.053	.062	.072	.080	.087	.097	.099			.103	.099		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	2	Parts per million	
2007	92	99	3559	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0638		
							.046	.053	.063	.073	.084	.093	.099	.103			.123	.103		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	3	Parts per million	
2007	92	99	3559	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0638		
							.046	.053	.063	.073	.084	.093	.099	.103			.123	.103		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	4	Parts per million	
2007	0	97	3467	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0627		
							.046	.053	.062	.072	.080	.087	.097	.099			.103	.099		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	5	Parts per million	
2007	92	99	3559	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0638		
							.046	.053	.063	.073	.084	.093	.099	.103			.123	.103		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	6	Parts per million	
2007	92	99	3559	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0638		
							.046	.053	.063	.073	.084	.093	.099	.103			.123	.103		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET									.005	1 HOUR	7	Parts per million	
2007	92	99	3559	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0638		
							.046	.053	.063	.073	.084	.093	.099	.103			.123	.103		

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-0003	AQCR: WASATCH FRONT	Latitude: +40.646667
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -111.849722
City: Not in a city	Location Setting: SUBURBAN	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4499650
Address: 5715 S. 1400 E., SALT LAKE CITY		Utm Easting: 428153
		Vertical Meas: 1,335.0

Site Comments: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean		
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million	
2007	0	94	3423	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0648				
									.049	.057	.065	.073	.080	.087	.094	.096	.097	.096				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million	
2007	166	99	3589	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0665				
									.049	.057	.065	.074	.086	.094	.100	.116	.117	.116				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million	
2007	166	99	3589	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0665				
									.049	.057	.065	.074	.086	.094	.100	.116	.117	.116				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million	
2007	0	94	3423	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0648				
									.049	.057	.065	.073	.080	.087	.094	.096	.097	.096				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million	
2007	166	99	3589	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0665				
									.049	.057	.065	.074	.086	.094	.100	.116	.117	.116				
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million	
2007	166	99	3589	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0665				
									.049	.057	.065	.074	.086	.094	.100	.116	.117	.116				

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-0003	AQCR: WASATCH FRONT	Latitude: +40.646667
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -111.849722
City: Not in a city	Location Setting: SUBURBAN	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4499650
Address: 5715 S. 1400 E., SALT LAKE CITY		Utm Easting: 428153
		Vertical Meas: 1,335.0

Site Comments: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean	
44201-Ozone			1		1113				INSTRUMENTAL	ULTRA VIOLET							.005	1 HOUR	7	Parts per million		
2007	166	99	3589	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0665				
							.049	.057	.065	.074	.086	.094	.100	.116		.117	.116					

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-2004	AQCR: WASATCH FRONT	Latitude: +40.736389
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -112.210278
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing: 4509978
Address: 12100 W 1200 S, LAKEPOINT, UTAH		Utm Easting: 397806
		Vertical Meas: 1,284.0

Site Comments: LOCATED AT GREAT SALT LAKE MARINA, NW SIDE OF I-80 TRAILER MOVED ACROSS PARKING LOT, APPROX. 70 M NORTH OF PREV. SITE:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean			
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million		
2007	0	95	3514	0	0	.033	10	25	50	75	90	95	98	99		1	2	.0665					
							.050	.057	.066	.076	.084	.090	.099	.110		.118	.110						
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million		
2007	94	97	3608	0	0	.033	10	25	50	75	90	95	98	99		1	2	.0672					
							.050	.058	.066	.076	.086	.093	.105	.110		.118	.110						
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million		
2007	94	97	3608	0	0	.033	10	25	50	75	90	95	98	99		1	2	.0672					
							.050	.058	.066	.076	.086	.093	.105	.110		.118	.110						
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million		
2007	0	95	3514	0	0	.033	10	25	50	75	90	95	98	99		1	2	.0665					
							.050	.057	.066	.076	.084	.090	.099	.110		.118	.110						
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million		
2007	94	97	3608	0	0	.033	10	25	50	75	90	95	98	99		1	2	.0672					
							.050	.058	.066	.076	.086	.093	.105	.110		.118	.110						
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million		
2007	94	97	3608	0	0	.033	10	25	50	75	90	95	98	99		1	2	.0672					
							.050	.058	.066	.076	.086	.093	.105	.110		.118	.110						

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-2004	AQCR: WASATCH FRONT	Latitude: +40.736389
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -112.210278
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing: 4509978
Address: 12100 W 1200 S, LAKEPOINT, UTAH		Utm Easting: 397806
		Vertical Meas: 1,284.0

Site Comments: LOCATED AT GREAT SALT LAKE MARINA, NW SIDE OF I-80 TRAILER MOVED ACROSS PARKING LOT, APPROX. 70 M NORTH OF PREV. SITE:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean		
44201-Ozone			1		1113				INSTRUMENTAL	ULTRA VIOLET							.005	1 HOUR	7	Parts per million	
2007	94	97	3608	0	0	.033	10	25	50	75	90	95	98	99		1	2	.0672			
							.050	.058	.066	.076	.086	.093	.105	.110		.118	.110				

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone: 12  
 Utm Northing: 4509639  
 Utm Easting: 426359  
 Vertical Meas: 1,306.0

Site Comments:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages											Maximum	Values	Arith	Mean	
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	1		Parts per million	
2007	0	94	7010	0	0	.002	10	25	50	75	90	95	98	99		1	2	.0633						
							.019	.034	.045	.063	.074	.083	.088	.091		.103	.094							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	2		Parts per million	
2007	92	97	7102	0	0	.002	10	25	50	75	90	95	98	99		1	2	.0641						
							.019	.034	.046	.063	.074	.085	.089	.099		.111	.103							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	3		Parts per million	
2007	92	97	7102	0	0	.002	10	25	50	75	90	95	98	99		1	2	.0641						
							.019	.034	.046	.063	.074	.085	.089	.099		.111	.103							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	4		Parts per million	
2007	0	94	7010	0	0	.002	10	25	50	75	90	95	98	99		1	2	.0633						
							.019	.034	.045	.063	.074	.083	.088	.091		.103	.094							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	5		Parts per million	
2007	92	97	7102	0	0	.002	10	25	50	75	90	95	98	99		1	2	.0641						
							.019	.034	.046	.063	.074	.085	.089	.099		.111	.103							
44201-Ozone	1			1113					INSTRUMENTAL	ULTRA VIOLET ABSORPTION									.005	1 HOUR	6		Parts per million	
2007	92	97	7102	0	0	.002	10	25	50	75	90	95	98	99		1	2	.0641						
							.019	.034	.046	.063	.074	.085	.089	.099		.111	.103							

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone: 12  
 Utm Northing: 4509639  
 Utm Easting: 426359  
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
	44201-Ozone		1		1113			INSTRUMENTAL						.005	1 HOUR	7	Parts per million	
2007	92	97	7102	0	0	.002	10	25	50	75	90	95	98	99		1	2	.0641
							.019	.034	.046	.063	.074	.085	.089	.099		.111	.103	

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-3007  
 County: Salt Lake  
 City: West Valley  
 Support Agency: 1113  
 Address: 3275 W 3100 S, WEST VALLEY CITY, UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.704444  
 Longitude: -111.968611  
 UTM Zone: 12  
 Utm Northing: 4506194  
 Utm Easting: 418164  
 Vertical Meas: 1,295.0

Site Comments:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean	
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	1	Parts per million	
2007	0	97	3543	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0631	
							.047	.054	.063	.071	.082	.089	.093	.094		.094	.094		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	2	Parts per million	
2007	70	99	3613	1	1	.029	10	25	50	75	90	95	98	99		1	2	.0641	
							.047	.055	.063	.071	.085	.093	.094	.107		.125	.107		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	3	Parts per million	
2007	70	99	3613	1	1	.029	10	25	50	75	90	95	98	99		1	2	.0641	
							.047	.055	.063	.071	.085	.093	.094	.107		.125	.107		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	4	Parts per million	
2007	0	97	3543	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0631	
							.047	.054	.063	.071	.082	.089	.093	.094		.094	.094		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	5	Parts per million	
2007	70	99	3613	1	1	.029	10	25	50	75	90	95	98	99		1	2	.0641	
							.047	.055	.063	.071	.085	.093	.094	.107		.125	.107		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION								.005	1 HOUR	6	Parts per million	
2007	70	99	3613	1	1	.029	10	25	50	75	90	95	98	99		1	2	.0641	
							.047	.055	.063	.071	.085	.093	.094	.107		.125	.107		

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-3007  
 County: Salt Lake  
 City: West Valley  
 Support Agency: 1113  
 Address: 3275 W 3100 S, WEST VALLEY CITY, UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.704444  
 Longitude: -111.968611  
 UTM Zone: 12  
 Utm Northing: 4506194  
 Utm Easting: 418164  
 Vertical Meas: 1,295.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
	44201-Ozone		1		1113			INSTRUMENTAL						.005	1 HOUR	7	Parts per million	
2007	70	99	3613	1	1	.029	10	25	50	75	90	95	98	99		1	2	.0641
							.047	.055	.063	.071	.085	.093	.094	.107		.125	.107	

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-3008  
 County: Salt Lake  
 City: Not in a city  
 Support Agency: 1113  
 Address: 12950 S. 5600 WEST, HERRIMAN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: RURAL  
 Land Use: AGRICULTURAL

Latitude: +40.517946  
 Longitude: -112.023051  
 UTM Zone: 12  
 Utm Northing: 4485530  
 Utm Easting: 413333  
 Vertical Meas: 1,405.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	1		Parts per million	
2007	0	93	3411	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0648			
							.049	.056	.063	.073	.080	.091	.095	.095		.097	.095				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	2		Parts per million	
2007	94	95	3505	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0658			
							.049	.056	.064	.073	.086	.093	.097	.116		.122	.116				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	3		Parts per million	
2007	94	95	3505	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0658			
							.049	.056	.064	.073	.086	.093	.097	.116		.122	.116				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	4		Parts per million	
2007	0	93	3411	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0648			
							.049	.056	.063	.073	.080	.091	.095	.095		.097	.095				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	5		Parts per million	
2007	94	95	3505	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0658			
							.049	.056	.064	.073	.086	.093	.097	.116		.122	.116				
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	6		Parts per million	
2007	94	95	3505	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0658			
							.049	.056	.064	.073	.086	.093	.097	.116		.122	.116				

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-035-3008  
 County: Salt Lake  
 City: Not in a city  
 Support Agency: 1113  
 Address: 12950 S. 5600 WEST, HERRIMAN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: RURAL  
 Land Use: AGRICULTURAL

Latitude: +40.517946  
 Longitude: -112.023051  
 UTM Zone: 12  
 Utm Northing: 4485530  
 Utm Easting: 413333  
 Vertical Meas: 1,405.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc					
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean	
	44201-Ozone		1		1113			INSTRUMENTAL						.005	1 HOUR	7	Parts per million			
2007	94	95	3505	0	0	.034	10	25	50	75	90	95	98	99		1	2	.0658		
							.049	.056	.064	.073	.086	.093	.097	.116		.122	.116			

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-045-0003

AQCR: WASATCH FRONT

Latitude: +40.543371

County: Tooele

Urban Area: NOT IN AN URBAN AREA

Longitude: -112.298814

City: Tooele

Location Setting: URBAN AND CENTER CITY

UTM Zone: 12

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing: 4488683

Address: 434 NORTH 50 WEST, TOOELE, UTAH

Utm Easting: 390013

Vertical Meas: 1,511.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Percentages					Obs			Maximum	Arith Mean		
						Obs	10	25	50	75	90	95	98	99				
							.048	.054	.061	.067	.074	.080	.088	.091				
44201-Ozone		1			1113		INSTRUMENTAL						.005	1 HOUR	0	Parts per million		
							ULTRA VIOLET											
							ABSORPTION											
2007	0	99	3621	0	0	.036	10	25	50	75	90	95	98	99	1	2	.0612	
							.048	.054	.061	.067	.074	.080	.088	.091	.097	.091		

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-049-0002  
 County: Utah  
 City: Provo  
 Support Agency: 1113  
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: COMMERCIAL

Latitude: +40.253611  
 Longitude: -111.663056  
 UTM Zone: 12  
 Utm Northing: 4455894  
 Utm Easting: 443606  
 Vertical Meas: 1,402.0

Site Comments:

Parameter	POC	PQAO	Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc									
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages												Maximum	Values	Arith	Mean	
44201-Ozone	2			1113					INSTRUMENTAL	ULTRA VIOLET										.005	1 HOUR	1		Parts per million	
2007	0	99	3557	0	0	.026	10	25	50	75	90	95	98	99		1	2	.0616							
							.046	.055	.062	.069	.074	.081	.084	.088		.088	.088								
44201-Ozone	2			1113					INSTRUMENTAL	ULTRA VIOLET										.005	1 HOUR	2		Parts per million	
2007	24	99	3581	0	0	.026	10	25	50	75	90	95	98	99		1	2	.0619							
							.046	.056	.062	.069	.076	.082	.086	.088		.096	.088								
44201-Ozone	2			1113					INSTRUMENTAL	ULTRA VIOLET										.005	1 HOUR	3		Parts per million	
2007	24	99	3581	0	0	.026	10	25	50	75	90	95	98	99		1	2	.0619							
							.046	.056	.062	.069	.076	.082	.086	.088		.096	.088								
44201-Ozone	2			1113					INSTRUMENTAL	ULTRA VIOLET										.005	1 HOUR	4		Parts per million	
2007	0	99	3557	0	0	.026	10	25	50	75	90	95	98	99		1	2	.0616							
							.046	.055	.062	.069	.074	.081	.084	.088		.088	.088								
44201-Ozone	2			1113					INSTRUMENTAL	ULTRA VIOLET										.005	1 HOUR	5		Parts per million	
2007	24	99	3581	0	0	.026	10	25	50	75	90	95	98	99		1	2	.0619							
							.046	.056	.062	.069	.076	.082	.086	.088		.096	.088								
44201-Ozone	2			1113					INSTRUMENTAL	ULTRA VIOLET										.005	1 HOUR	6		Parts per million	
2007	24	99	3581	0	0	.026	10	25	50	75	90	95	98	99		1	2	.0619							
							.046	.056	.062	.069	.076	.082	.086	.088		.096	.088								
44201-Ozone	2			1113					INSTRUMENTAL	ULTRA VIOLET										.005	1 HOUR	7		Parts per million	
2007	24	99	3581	0	0	.026	10	25	50	75	90	95	98	99		1	2	.0619							
							.046	.056	.062	.069	.076	.082	.086	.088		.096	.088								

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-049-5008  
 County: Utah  
 City: Not in a city  
 Support Agency: 1113  
 Address: 10865 N. 6000 WEST, HIGHLAND, UTAH

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: RURAL  
 Land Use: AGRICULTURAL

Latitude: +40.430278  
 Longitude: -111.803889  
 UTM Zone: 12  
 Utm Northing: 4475602  
 Utm Easting: 431803  
 Vertical Meas: 1,485.0

Site Comments: PART OF 1994 OZONE NETWORK:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages											Maximum Values	Arith Mean	
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	1	Parts per million	
2007	0	97	3552	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0627		
							.048	.055	.062	.070	.079	.084	.092	.094			.096	.094		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	2	Parts per million	
2007	72	99	3624	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0634		
							.048	.055	.063	.071	.079	.088	.094	.102			.106	.102		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	3	Parts per million	
2007	72	99	3624	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0634		
							.048	.055	.063	.071	.079	.088	.094	.102			.106	.102		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	4	Parts per million	
2007	0	97	3552	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0627		
							.048	.055	.062	.070	.079	.084	.092	.094			.096	.094		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	5	Parts per million	
2007	72	99	3624	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0634		
							.048	.055	.063	.071	.079	.088	.094	.102			.106	.102		
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	6	Parts per million	
2007	72	99	3624	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0634		
							.048	.055	.063	.071	.079	.088	.094	.102			.106	.102		

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-049-5008  
 County: Utah  
 City: Not in a city  
 Support Agency: 1113  
 Address: 10865 N. 6000 WEST, HIGHLAND, UTAH

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: RURAL  
 Land Use: AGRICULTURAL

Latitude: +40.430278  
 Longitude: -111.803889  
 UTM Zone: 12  
 Utm Northing: 4475602  
 Utm Easting: 431803  
 Vertical Meas: 1,485.0

Site Comments: PART OF 1994 OZONE NETWORK:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc							
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean	
44201-Ozone			1		1113				INSTRUMENTAL	ULTRA VIOLET							.005	1 HOUR	7	Parts per million		
2007	72	99	3624	0	0	.029	10	25	50	75	90	95	98	99		1	2	.0634				
							.048	.055	.063	.071	.079	.088	.094	.102		.106	.102					

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-049-5010  
 County: Utah  
 City: Spanish Fork  
 Support Agency: 1113  
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: SUBURBAN  
 Land Use: INDUSTRIAL

Latitude: +40.136389  
 Longitude: -111.659722  
 UTM Zone: 12  
 Utm Northing: 4442904  
 Utm Easting: 443807  
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc					
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean	
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	1	Parts per million	
2007	0	97	3566	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0659		
									.050	.059	.067	.073	.082	.089	.093	.094		.098	.094	
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	2	Parts per million	
2007	72	99	3638	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0666		
									.051	.059	.067	.074	.083	.089	.094	.098		.122	.098	
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	3	Parts per million	
2007	72	99	3638	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0666		
									.051	.059	.067	.074	.083	.089	.094	.098		.122	.098	
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	4	Parts per million	
2007	0	97	3566	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0659		
									.050	.059	.067	.073	.082	.089	.093	.094		.098	.094	
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	5	Parts per million	
2007	72	99	3638	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0666		
									.051	.059	.067	.074	.083	.089	.094	.098		.122	.098	
44201-Ozone			1						INSTRUMENTAL ULTRA VIOLET ABSORPTION							.005	1 HOUR	6	Parts per million	
2007	72	99	3638	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0666		
									.051	.059	.067	.074	.083	.089	.094	.098		.122	.098	

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-049-5010  
 County: Utah  
 City: Spanish Fork  
 Support Agency: 1113  
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: SUBURBAN  
 Land Use: INDUSTRIAL

Latitude: +40.136389  
 Longitude: -111.659722  
 UTM Zone: 12  
 Utm Northing: 4442904  
 Utm Easting: 443807  
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean		
44201-Ozone			1		1113				INSTRUMENTAL	ULTRA VIOLET							.005	1 HOUR	7	Parts per million			
2007	72	99	3638	0	0	.032	10	25	50	75	90	95	98	99		1	2	.0666					
							.051	.059	.067	.074	.083	.089	.094	.098		.122	.098						

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-057-0007  
 County: Weber  
 City: Washington Terrace  
 Support Agency: 1113  
 Address: 4601 S. 300 W., WASHINGTON TERRACE, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.179722  
 Longitude: -111.983056  
 UTM Zone: 12  
 Utm Northing: 4558941  
 Utm Easting: 417544  
 Vertical Meas: 1,379.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL		Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages								Maximum Values	Arith Mean	
	44201-Ozone	1			1113		INSTRUMENTAL						.005	1 HOUR	1	Parts per million	
2007	0	96	3533	0	0	.031	10	25	50	75	90	95	98	99	1	2	.0657
							.049	.058	.066	.075	.080	.087	.095	.096		.101	.096
	44201-Ozone	1			1113		INSTRUMENTAL						.005	1 HOUR	2	Parts per million	
2007	94	99	3627	0	0	.031	10	25	50	75	90	95	98	99	1	2	.0664
							.050	.058	.067	.075	.083	.090	.095	.101		.104	.101
	44201-Ozone	1			1113		INSTRUMENTAL						.005	1 HOUR	3	Parts per million	
2007	94	99	3627	0	0	.031	10	25	50	75	90	95	98	99	1	2	.0664
							.050	.058	.067	.075	.083	.090	.095	.101		.104	.101
	44201-Ozone	1			1113		INSTRUMENTAL						.005	1 HOUR	4	Parts per million	
2007	0	96	3533	0	0	.031	10	25	50	75	90	95	98	99	1	2	.0657
							.049	.058	.066	.075	.080	.087	.095	.096		.101	.096
	44201-Ozone	1			1113		INSTRUMENTAL						.005	1 HOUR	5	Parts per million	
2007	94	99	3627	0	0	.031	10	25	50	75	90	95	98	99	1	2	.0664
							.050	.058	.067	.075	.083	.090	.095	.101		.104	.101
	44201-Ozone	1			1113		INSTRUMENTAL						.005	1 HOUR	6	Parts per million	
2007	94	99	3627	0	0	.031	10	25	50	75	90	95	98	99	1	2	.0664
							.050	.058	.067	.075	.083	.090	.095	.101		.104	.101

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-057-0007  
 County: Weber  
 City: Washington Terrace  
 Support Agency: 1113  
 Address: 4601 S. 300 W., WASHINGTON TERRACE, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.179722  
 Longitude: -111.983056  
 UTM Zone: 12  
 Utm Northing: 4558941  
 Utm Easting: 417544  
 Vertical Meas: 1,379.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
	44201-Ozone		1		1113			INSTRUMENTAL						.005	1 HOUR	7	Parts per million	
2007	94	99	3627	0	0	.031	10	25	50	75	90	95	98	99		1	2	.0664
							.050	.058	.067	.075	.083	.090	.095	.101		.104	.101	

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-057-1003  
 County: Weber  
 City: Not in a city  
 Support Agency: 1113  
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.303683  
 Longitude: -111.987067  
 UTM Zone: 12  
 Utm Northing: 4572719  
 Utm Easting: 417376  
 Vertical Meas: 1,331.0

Site Comments:

Parameter	POC	PQAO		Method of Collection and Analysis									MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages											Maximum Values	Arith Mean	
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	1	Parts per million	
2007	0	87	3216	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0661		
							.051	.059	.066	.074	.081	.084	.097	.098		.101	.098			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	2	Parts per million	
2007	215	93	3431	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0679		
							.051	.059	.068	.076	.084	.096	.101	.107		.108	.107			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	3	Parts per million	
2007	215	93	3431	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0679		
							.051	.059	.068	.076	.084	.096	.101	.107		.108	.107			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	4	Parts per million	
2007	0	87	3216	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0661		
							.051	.059	.066	.074	.081	.084	.097	.098		.101	.098			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	5	Parts per million	
2007	215	93	3431	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0679		
							.051	.059	.068	.076	.084	.096	.101	.107		.108	.107			
44201-Ozone	1		1113				INSTRUMENTAL ULTRA VIOLET ABSORPTION									.005	1 HOUR	6	Parts per million	
2007	215	93	3431	0	0	.035	10	25	50	75	90	95	98	99		1	2	.0679		
							.051	.059	.068	.076	.084	.096	.101	.107		.108	.107			

FREQUENCY DISTRIBUTION REPORT

Oct. 16, 2008

Utah

Site ID: 49-057-1003  
 County: Weber  
 City: Not in a city  
 Support Agency: 1113  
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.303683  
 Longitude: -111.987067  
 UTM Zone: 12  
 Utm Northing: 4572719  
 Utm Easting: 417376  
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Percentages					Obs			Maximum	Arith Mean	
	44201-Ozone		1		1113		INSTRUMENTAL					.005	1 HOUR	7	Parts per million		
2007	215	93	3431	0	0	.035	10	25	50	75	90	95	98	99	1	2	.0679
							.051	.059	.068	.076	.084	.096	.101	.107	.108	.107	