

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1327188

Report Code: AMP230

Apr. 27, 2015

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			44201							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA			

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2014	2014

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
Lead Quarterly 1978
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2013
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-003-0003  
 County: Box Elder  
 City: Brigham City  
 Support Agency: 1113  
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.492707  
 Longitude: -112.018863  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1				1113							8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	84	3262	1	1	.035	10	25	50	75	90	95	98	99	1	2	.0531
							.044	.049	.053	.058	.061	.066	.069	.074	.076	.074	

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-003-7001	AQCR: UTAH	Latitude: +41.945950
County: Box Elder	Urban Area: NOT IN AN URBAN AREA	Longitude: -112.233179
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 195	Land Use: AGRICULTURAL	Utm Northing: 4644310
Address: 8600 WEST 24000 NORTH PORTAGE, UTAH		Utm Easting: 397781
		Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		195										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2014	0	100	8704	0	0	.021	10	25	50	75	90	95	98	99		1	2	.0510			
							.048	.050	.052	.055	.058	.059	.061	.063		.063	.063				

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-005-0004

AQCR: UTAH

Latitude: +41.731111

County: Cache

Urban Area: LOGAN, UT

Longitude: -111.837500

City: Logan

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 125 W. CENTER STREET, LOGAN, UT

Utm Easting:

Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
														8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2014	0	91	8255	0	0	.005	10	25	50	75	90	95	98	99		1	2	.0485	
							.045	.047	.051	.053	.056	.057	.059	.060		.063	.060		

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-007-1003

AQCR: UTAH

Latitude: +39.609960

County: Carbon

Urban Area: NOT IN AN URBAN AREA

Longitude: -110.800749

City: Price

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: On Prperty of Resident at 351 W 2500 E. Price, Utah

Utm Easting:

Vertical Meas: 1,722.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1				1113									8-HR RUN AVG	0	Parts per million			
																BEGIN HOUR					
2014	0	98	7673	0	0	.015	10	25	50	75	90	95	98	99			1	2	.0533		
							.052	.053	.055	.057	.060	.061	.064	.066			.066	.066			

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-011-0004	AQCR: WASATCH FRONT	Latitude: +40.902967
County: Davis	Urban Area: SALT LAKE CITY, UT	Longitude: -111.884467
City: Bountiful	Location Setting: SUBURBAN	UTM Zone: 12
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing: 4528150.36
Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH		Utm Easting: 425503.56
		Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
	44201-Ozone		1		1113								8-HR RUN AVG	0	Parts per million		
													BEGIN HOUR				
2014	0	99	8612	2	2	.003	10	25	50	75	90	95	98	99	1	2	.0536
							.047	.050	.054	.059	.065	.070	.074	.076	.077	.076	

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-013-0002  
 County: Duchesne  
 City: Roosevelt  
 Support Agency: 1113  
 Address: 290 S. 1000 W.

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.294178  
 Longitude: -110.009732  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	92	8168	0	0	.016	10	25	50	75	90	95	98	99	1	2	.0522
							.051	.052	.054	.057	.059	.061	.063	.063	.063	.063	.063



FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-013-7011	AQCR: UTAH	Latitude: +40.216779
County: Duchesne	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.182742
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 6000 SOUTH AND 10000 WEST (MYTON)		Utm Easting:
		Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone			1			0969										8-HR RUN AVG	0	Parts per million				
																BEGIN HOUR						
2014	0	62	4101	1	1	.030	10	25	50	75	90	95	98	99			1	2	.0505			
							.041	.045	.051	.055	.060	.063	.067	.072			.076	.072				

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-017-0004	AQCR: FOUR CORNERS	Latitude: +37.775556
County: Garfield	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.614722
City: Escalante	Location Setting: RURAL	UTM Zone:
Support Agency: 0745	Land Use: DESERT	Utm Northing:
Address: Escalante National Monument - Visitor Center		Utm Easting:
		Vertical Meas: 1,789.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc					
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean				
44201-Ozone		1		0745													8-HR RUN AVG	0	Parts per million		
											BEGIN HOUR										
2014	0	99	8714	0	0	.020	10	25	50	75	90	95	98	99		1	2	.0483			
						.047	.048	.050	.053	.055	.057	.060	.063			.064	.063				

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-035-2004	AQCR: WASATCH FRONT	Latitude: +40.736389
County: Salt Lake	Urban Area: SALT LAKE CITY, UT	Longitude: -112.210278
City: Not in a city	Location Setting: RURAL	UTM Zone: 12
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing: 4509978
Address: 12100 W 1200 S, LAKEPOINT, UTAH		Utm Easting: 397806
		Vertical Meas: 1,284.0

Site Comments: LOCATED AT GREAT SALT LAKE MARINA, NW SIDE OF I-80 TRAILER MOVED ACROSS PARKING LOT, APPROX. 70 M NORTH OF PREV. SITE:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone			1					1113							8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2014	0	93	4208	0	0	.028	10	25	50	75	90	95	98	99		1	2	.0476	
							.042	.046	.049	.055	.058	.061	.067	.074		.075	.074		

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	99	8722	1	1	.003	10	25	50	75	90	95	98	99	1	2	.0520
							.046	.049	.053	.058	.065	.069	.072	.074	.077	.074	

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-037-0101	AQCR: FOUR CORNERS	Latitude: +38.458320
County: San Juan	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.821260
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 0745	Land Use: DESERT	Utm Northing:
Address: CANYONLANDS NATIONAL PARK, UTAH		Utm Easting:
		Vertical Meas: 1,794.0

Site Comments: OZONE AND MET PARAMETERS INSTALLED ON 08/13/92 DASIBI 1003-AH ANALYZER, DASIBI 1003-PC CALIBRATOR, CLIMATRONICS MET:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone			1			0745									8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2014	0	94	8355	0	0	.023	10	25	50	75	90	95	98	99		1	2	.0522	
							.050	.052	.054	.057	.060	.061	.064	.065		.068	.065		

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-045-0003

AQCR: WASATCH FRONT

Latitude: +40.543309

County: Tooele

Urban Area: NOT IN AN URBAN AREA

Longitude: -112.299618

City: Tooele

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 434 NORTH 50 WEST, TOOELE, UTAH

Utm Easting:

Vertical Meas: 1,511.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith Mean
			1				1113										8-HR RUN AVG	0	Parts per million
																	BEGIN HOUR		
2014	0	99	3662	0	0	.034	10	25	50	75	90	95	98	99			1	2	.0507
							.042	.046	.050	.055	.060	.066	.069	.070			.072	.070	

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-047-1002  
 County: Uintah  
 City: Not in a city  
 Support Agency: 0745  
 Address: Dinosaur National Monument

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: FOREST

Latitude: +40.437200  
 Longitude: -109.304700  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,463.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	92	8076	0	0	.017	10	25	50	75	90	95	98	99	1	2	.0519
							.050	.051	.054	.056	.060	.063	.064	.065	.069	.065	

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-047-1003  
 County: Uintah  
 City: Vernal  
 Support Agency: 1113  
 Address: 220 South 1000 East

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: COMMERCIAL

Latitude: +40.452267  
 Longitude: -109.510393  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	99	8503	0	0	.006	10	25	50	75	90	95	98	99	1	2	.0504
							.048	.049	.052	.055	.058	.061	.062	.062		.064	.062



FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-047-2002	AQCR: UTAH	Latitude: +40.206291
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.353932
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 1351	Land Use: DESERT	Utm Northing:
Address: 2 Miles west of Redwash atop Deadman's Bench		Utm Easting:
		Vertical Meas: 1,701.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1351								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	20	2725	0	0	.030	10	25	50	75	90	95	98	99	1	2	.0539
							.054	.056	.057	.059	.062	.062	.065	.065	.065	.062	.062

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-047-2003	AQCR: UTAH	Latitude: +40.056710
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.688108
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 1351	Land Use: DESERT	Utm Northing:
Address: 2 miles south of Ouray and south of the White and Green River confluence		Utm Easting:
		Vertical Meas: 1,466.8

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc					
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean	
				1				1351									8-HR RUN AVG BEGIN HOUR	0	Parts per million	
2014	0	44	2745	7	7	.028	10	25	50	75	90	95	98	99	.088			1	2	.0515
									.041	.044	.050	.055	.064	.078	.083	.088			.091	.088

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-047-7022	AQCR: UTAH	Latitude: +40.483598
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.906796
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: WHITE ROCKS & COUNTY ROAD		Utm Easting:
		Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone			1			0969									8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2014	0	40	4329	0	0	.033	10	25	50	75	90	95	98	99		1	2	.0553	
							.055	.056	.058	.060	.062	.064	.065	.067		.067	.065		

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-049-0002  
 County: Utah  
 City: Provo  
 Support Agency: 1113  
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: COMMERCIAL

Latitude: +40.253611  
 Longitude: -111.663056  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,402.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			2			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	89	8326	0	0	.003	10	25	50	75	90	95	98	99	1	2	.0518
							.048	.050	.054	.058	.063	.067	.072	.073	.074	.073	

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-049-5010	AQCR: WASATCH FRONT	Latitude: +40.136336
County: Utah	Urban Area: NOT IN AN URBAN AREA	Longitude: -111.660502
City: Spanish Fork	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: INDUSTRIAL	Utm Northing:
Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH		Utm Easting:
		Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		1113										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2014	0	98	3944	4	4	.031	10	25	50	75	90	95	98	99		1	2	.0546			
							.046	.049	.056	.060	.066	.071	.077	.082		.082	.082				

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-053-0007  
 County: Washington  
 City: Hurricane  
 Support Agency: 1113  
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.129000  
 Longitude: -113.183000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	95	8599	0	0	.015	10	25	50	75	90	95	98	99	1	2	.0525
							.050	.051	.054	.058	.063	.064	.067	.069	.071	.069	

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-053-0130  
 County: Washington  
 City: Virgin  
 Support Agency: 0745  
 Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: DESERT

Latitude: +37.198300  
 Longitude: -113.150600  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,213.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	81	8052	0	0	.026	10	25	50	75	90	95	98	99	1	2	.0519
							.050	.052	.054	.058	.062	.064	.066	.067		.071	.067

FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-057-0002

AQCR: WASATCH FRONT

Latitude: +41.206321

County: Weber

Urban Area: OGDEN, UT

Longitude: -111.975524

City: Ogden

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 228 32ND STREET, OGDEN, UTAH

Utm Easting:

Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone			1				1113								8-HR RUN AVG	0	Parts per million		
															BEGIN HOUR				
2014	0	100	8487	0	0	.003	10	25	50	75	90	95	98	99		1	2	.0536	
							.047	.050	.055	.059	.065	.069	.070	.073		.073	.073		



FREQUENCY DISTRIBUTION REPORT

Apr. 27, 2015

Utah

Site ID: 49-057-1003  
 County: Weber  
 City: Harrisville  
 Support Agency: 1113  
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.303614  
 Longitude: -111.987871  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2014	0	99	3837	1	1	.032	10	25	50	75	90	95	98	99	1	2	.0539
							.045	.049	.055	.059	.065	.068	.070	.072	.077	.072	