

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1545373

Report Code: AMP230

Apr. 18, 2017

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			44201							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2016	2016

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-hour 2015
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-003-0003
 County: Box Elder
 City: Brigham City
 Support Agency: 1113
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +41.492707
 Longitude: -112.018863
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	98	5904	0	0	.006	10	25	50	75	90	95	98	99	1	2	.0500
							.043	.046	.050	.055	.061	.064	.068	.069	.070	.069	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-003-7001	AQCR: UTAH	Latitude: +41.945874
County: Box Elder	Urban Area: NOT IN AN URBAN AREA	Longitude: -112.233973
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 195	Land Use: AGRICULTURAL	Utm Northing:
Address: 8600 WEST 24000 NORTH PORTAGE, UTAH		Utm Easting:
		Vertical Meas: 1,369.0

Site Comments: SITE IS LOCATED IN MALAD VALLEY:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		195										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2016	0	92	5532	0	0	.012	10	25	50	75	90	95	98	99		1	2	.0289			
							.027	.028	.031	.033	.036	.038	.051	.052		.058	.052				

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-005-0007
 County: Cache
 City: Smithfield
 Support Agency: 1113
 Address: 675 West 220 North

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.842649
 Longitude: -111.852199
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	91	5859	0	0	.017	10	25	50	75	90	95	98	99	1	2	.0494
							.046	.049	.051	.054	.057	.059	.064	.065	.066	.065	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-007-1003	AQCR: UTAH	Latitude: +39.609960
County: Carbon	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.800749
City: Price	Location Setting: SUBURBAN	UTM Zone:
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing:
Address: On Prperty of Resident at 351 W 2500 E. Price, Utah		Utm Easting:
		Vertical Meas: 1,722.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum	Values	Arith	Mean
44201-Ozone			1		1113											8-HR RUN AVG	0	Parts per million				
																BEGIN HOUR						
2016	0	95	4990	0	0	.021	10	25	50	75	90	95	98	99			1	2	.0540			
							.049	.052	.055	.059	.062	.064	.067	.068			.068	.068				

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-011-0004

AQCR: WASATCH FRONT

Latitude: +40.902967

County: Davis

Urban Area: SALT LAKE CITY, UT

Longitude: -111.884467

City: Bountiful

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

Utm Easting:

Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
	44201-Ozone		1		1113									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	99	6198	8	8	.004	10	25	50	75	90	95	98	99	1	2	.0532
							.047	.049	.053	.059	.064	.073	.076	.080	.083	.080	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-013-0002
 County: Duchesne
 City: Roosevelt
 Support Agency: 1113
 Address: 290 S. 1000 W.

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.294178
 Longitude: -110.009732
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	99	5950	6	6	.020	10	25	50	75	90	95	98	99	1	2	.0508
							.045	.047	.051	.055	.059	.062	.075	.088	.096	.094	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-013-7011	AQCR: UTAH	Latitude: +40.216779
County: Duchesne	Urban Area: NOT IN AN URBAN AREA	Longitude: -110.182742
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 6000 SOUTH AND 10000 WEST (MYTON)		Utm Easting:
		Vertical Meas: 1,606.0

Site Comments: TSP, WS, WD, TEMP, %RH, PRECIP, SOLAR RADIATION:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		687										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2016	0	98	4234	7	7	.031	10	25	50	75	90	95	98	99		1	2	.0517			
							.045	.048	.052	.055	.059	.062	.077	.085		.095	.092				

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	84	5727	6	6	.008	10	25	50	75	90	95	98	99	1	2	.0523
							.046	.048	.053	.058	.063	.070	.078	.081	.081	.081	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-035-3013
 County: Salt Lake
 City: Herriman
 Support Agency: 1113
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.496392
 Longitude: -112.036298
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
44201-Ozone		1		1113										8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	98	6083	12	12	.016	10	25	50	75	90	95	98	99	1	2	.0561
							.050	.052	.056	.062	.067	.074	.077	.082	.085	.082	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-037-0101	AQCR: FOUR CORNERS	Latitude: +38.458320
County: San Juan	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.821260
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 0745	Land Use: DESERT	Utm Northing:
Address: CANYONLANDS NATIONAL PARK, UTAH		Utm Easting:
		Vertical Meas: 1,794.0

Site Comments: OZONE AND MET PARAMETERS INSTALLED ON 08/13/92 DASIBI 1003-AH ANALYZER, DASIBI 1003-PC CALIBRATOR, CLIMATRONICS MET:

Parameter	POC	PQAO	Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages												Maximum Values	Arith Mean
44201-Ozone	1			0745												8-HR RUN AVG	0	Parts per million				
																BEGIN HOUR						
2016	0	99	6151	0	0	.028	10	25	50	75	90	95	98	99			1	2	.0514			
							.049	.051	.054	.056	.060	.062	.064	.066			.068	.066				

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-045-0004
 County: Tooele
 City: Erda
 Support Agency: 1113
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: COMMERCIAL

Latitude: +40.600532
 Longitude: -112.353414
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	100	5350	5	5	.022	10	25	50	75	90	95	98	99	1	2	.0521
							.047	.049	.052	.057	.062	.068	.072	.081	.092	.081	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-047-1002
 County: Uintah
 City: Not in a city
 Support Agency: 0745
 Address: Dinosaur National Monument

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: FOREST

Latitude: +40.437200
 Longitude: -109.304700
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,463.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			0745								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	97	5878	5	5	.018	10	25	50	75	90	95	98	99	1	2	.0505
							.045	.048	.051	.055	.060	.064	.071	.077	.083	.080	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-047-1004
 County: Uintah
 City: Vernal
 Support Agency: 1113
 Address: 628 North 1700 West

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +40.464710
 Longitude: -109.561472
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	98	6154	5	5	.020	10	25	50	75	90	95	98	99	1	2	.0511
							.045	.046	.051	.057	.061	.063	.072	.076	.078	.076	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-047-2002	AQCR: UTAH	Latitude: +40.206291
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.353932
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 Miles west of Redwash atop Deadman's Bench		Utm Easting:
		Vertical Meas: 1,701.8

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
44201-Ozone			1		687										8-HR RUN AVG	0	Parts per million				
															BEGIN HOUR						
2016	0	95	4526	7	7	.032	10	25	50	75	90	95	98	99		1	2	.0509			
							.044	.047	.051	.055	.059	.064	.083	.087		.096	.094				

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-047-2003	AQCR: UTAH	Latitude: +40.056710
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.688108
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 687	Land Use: DESERT	Utm Northing:
Address: 2 miles south of Ouray and south of the White and Green River confluence		Utm Easting:
		Vertical Meas: 1,466.8

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages								Maximum Values	Arith Mean	
			1		687								8-HR RUN AVG	0	Parts per million		
													BEGIN HOUR				
2016	0	99	4631	11	11	.031	10	25	50	75	90	95	98	99	1	2	.0527
							.046	.048	.052	.056	.061	.066	.094	.101	.120	.107	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-047-7022
 County: Uintah
 City: Not in a city
 Support Agency: 687
 Address: WHITE ROCKS & COUNTY ROAD

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +40.483598
 Longitude: -109.906796
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,893.0

Site Comments: WS, WD, PRECIP, TEMP, RH%, AND COLLOCATED TSP:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			687								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	100	4615	7	7	.033	10	25	50	75	90	95	98	99	1	2	.0507
							.046	.048	.051	.055	.059	.064	.080	.081	.086	.083	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-049-0002
 County: Utah
 City: Provo
 Support Agency: 1113
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.253611
 Longitude: -111.663056
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,402.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			2			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	97	6105	5	5	.003	10	25	50	75	90	95	98	99	1	2	.0549
							.048	.051	.056	.061	.067	.069	.073	.074	.087	.074	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-049-5010
 County: Utah
 City: Spanish Fork
 Support Agency: 1113
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.136336
 Longitude: -111.660502
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
			1		1113								8-HR RUN AVG	0	Parts per million		
													BEGIN HOUR				
2016	0	99	6132	6	6	.012	10	25	50	75	90	95	98	99	1	2	.0543
							.047	.050	.054	.060	.066	.070	.072	.074	.092	.074	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-053-0007
 County: Washington
 City: Hurricane
 Support Agency: 1113
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +37.179125
 Longitude: -113.305096
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1			1113								8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	99	5720	0	0	.022	10	25	50	75	90	95	98	99	1	2	.0511
							.047	.049	.053	.057	.060	.061	.062	.063	.065	.063	

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-053-0130
 County: Washington
 City: Virgin
 Support Agency: 0745
 Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +37.198300
 Longitude: -113.150600
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,213.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
														8-HR RUN AVG	0	Parts per million		
														BEGIN HOUR				
2016	0	99	6117	0	0	.026	10	25	50	75	90	95	98	99	1	2	.0523	
							.049	.050	.054	.058	.061	.062	.064	.064	.066	.064		

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-057-0002

AQCR: WASATCH FRONT

Latitude: +41.206321

County: Weber

Urban Area: OGDEN, UT

Longitude: -111.975524

City: Ogden

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 228 32ND STREET, OGDEN, UTAH

Utm Easting:

Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum	Values	Arith	Mean
			1				1113							8-HR RUN AVG	0		Parts per million		
														BEGIN HOUR					
2016	0	98	5112	6	6	.004	10	25	50	75	90	95	98	99		1	2	.0519	
							.046	.048	.051	.057	.063	.069	.072	.079		.083	.079		

FREQUENCY DISTRIBUTION REPORT

Apr. 18, 2017

Utah

Site ID: 49-057-1003
 County: Weber
 City: Harrisville
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303614
 Longitude: -111.987871
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
			1		1113									8-HR RUN AVG	0	Parts per million	
														BEGIN HOUR			
2016	0	98	6192	8	8	.010	10	25	50	75	90	95	98	99	1	2	.0553
							.050	.052	.055	.061	.067	.072	.074	.075	.079	.075	