

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1097796

Report Code: AMP230

May. 14, 2013

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
	49			81102										2012	2012

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
EVENTS PROCESSING	REPORT ALL EVENT RECORDS

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

APPLICABLE STANDARDS

Standard Description

- CO 8-hour 1971
- Lead 3-Month 2009
- Lead 3-Month PM10 Surrogate 2009
- Lead Quarterly 1978
- NO2 Annual 1971
- Ozone 8-Hour 2008
- PM10 24-hour 2006
- PM25 24-hour 2006
- SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-005-0004

AQCR: UTAH

Latitude: +41.731111

County: Cache

Urban Area: LOGAN, UT

Longitude: -111.837500

City: Logan

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 125 W. CENTER STREET, LOGAN, UT

Utm Easting:

Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean		
81102-PM10 Total	0-	1			1113			R - P Co Partisol	Gravimetric						4	24 HOUR	0	Micrograms/cubic meter	
	10um STP							Model 2000									(25 C)		
2012	0	94	115	0	0	2	10	25	50	75	90	95	98	99		1	2	18.7	
							4	10	17	24	31	46	59	61		67	61		

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-011-0004

AQCR: WASATCH FRONT

Latitude: +40.902967

County: Davis

Urban Area: SALT LAKE CITY, UT

Longitude: -111.884467

City: Bountiful

Location Setting: SUBURBAN

UTM Zone: 12

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing: 4528150.36

Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

Utm Easting: 425503.56

Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean	
81102-PM10 Total	0-	5			1113			R&P Model 2000							4	24 HOUR	0	Micrograms/cubic meter	
	10um STP							Partisol										(25 C)	
2012	0	93	57	0	0	2	10	25	50	75	90	95	98	99		1	2	17.4	
							6	9	16	22	30	37	52	54		54	52		

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-013-0002
 County: Duchesne
 City: Not in a city
 Support Agency: 1113
 Address: 290 S. 1000 W.

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.294178
 Longitude: -110.009732
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean
81102-PM10	Total	0-	1		1113		R - P Co Partisol							4	24 HOUR	0	Micrograms/cubic meter	
	10um STP						Model 2025										(25 C)	
2012	0	50	61	0	0	4	10	25	50	75	90	95	98	99	1	2	18.7	
							7	10	17	22	29	38	48	104	104	48		

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-035-0012
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1795 N WARM SPRINGS RD (1025 W) SLC UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.807500
 Longitude: -111.921111
 UTM Zone: 12
 Utm Northing: 4517585
 Utm Easting: 422312
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean
81102-PM10	Total	0-	2		1113	R - P	Co Partisol	Gravimetric							4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP					Model 2025													
2012	0	94	344	0	0	2	10	25	50	75	90	95	98	99		1	2	29.4	
							11	17	27	39	53	60	68	74			82	81	
81102-PM10	Total	0-	3		1113	R - P	Co Partisol	Gravimetric							4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP					Model 2025													
						Model 2000													
2012	0	90	29	0	0	2	10	25	50	75	90	95	98	99		1	2	25.8	
							7	14	23	33	48	48	65	65			65	48	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-035-1001
 County: Salt Lake
 City: Magna
 Support Agency: 1113
 Address: 2935 SOUTH 8560 WEST MAGNA,UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.708611
 Longitude: -112.094722
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,317.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
81102-PM10	Total	0-	3		1113			R - P	Co	Partisol		Gravimetric	4	24 HOUR	0	Micrograms/cubic meter				
	10um	STP						Model	2025							(25 C)				
2012	0	99	121	0	0	2	10	25	50	75	90	95	98	99	1	2	17.8			
							6	10	16	22	31	39	54	56		71	56			

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean	
81102-PM10	Total	0-	1		1113			R - P Co Partisol	Gravimetric							4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP							Model 2025												
2012	0	95	348	0	0	2	10	25	50	75	90	95	98	99		1	2	20.5		
							8	12	18	27	37	43	54	60		78	61			

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-047-5632	AQCR: UTAH	Latitude: +39.868622
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.097302
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 1387	Land Use: DESERT	Utm Northing:
Address: Accessed from Dragon Road/145-S, Uintah Co, UT		Utm Easting:
		Vertical Meas: 1,878.87

Site Comments:

Parameter	POC	PQAO	Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages												Maximum	Values	Arith	Mean
81102-PM10 Total	0-	1		1387					INSTRUMENT MET BETA ATTENUATION										4	1 HOUR	0	Micrograms/cubic meter		
10um STP									ONE 4 MODELS													(25 C)		
2012	0	97	8533				2	10	25	50	75	90	95	98	99		1	2	15.2					
								2	4	8	17	29	44	81	131			830	790					
81102-PM10 Total	0-	1		1387																24-HR BLK AVG	0	Micrograms/cubic meter		
10um STP																						(25 C)		
2012	0	97	355	1	1		2	10	25	50	75	90	95	98	99		1	2	14.8					
								3	5	10	17	28	41	81	91			231	145					

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-049-0002
 County: Utah
 City: Provo
 Support Agency: 1113
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.253611
 Longitude: -111.663056
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,402.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean
81102-PM10	Total	0-	2		1113		R - P Co Partisol	Gravimetric							4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP						Model 2000												
2012	0	86	105	0	0	4	10	25	50	75	90	95	98	99		1	2	21.0	
							7	12	19	25	40	43	56	67			76	67	
81102-PM10	Total	0-	3		1113		R - P Co Partisol	Gravimetric							4	24 HOUR	0	Micrograms/cubic meter (25 C)	
	10um STP						Model 2000												
2012	0	93	28	0	0	2	10	25	50	75	90	95	98	99		1	2	18.8	
							7	11	20	24	30	36	57	57			57	36	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-049-4001

AQCR: WASATCH FRONT

Latitude: +40.341389

County: Utah

Urban Area: PROVO-OREM, UT

Longitude: -111.713611

City: Lindon

Location Setting: SUBURBAN

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 30 NORTH MAIN STREET, LINDON, UTAH

Utm Easting:

Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
81102-PM10	Total	0-	2		1113			R - P Co Partisol						4	24 HOUR	0	Micrograms/cubic meter	
	10um	STP						Model 2025									(25 C)	
2012	0	96	352	0	0	2	10	25	50	75	90	95	98	99	1	2	22.2	
							8	12	19	29	40	48	55	67	68	67		

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-057-0002

AQCR: WASATCH FRONT

Latitude: +41.206321

County: Weber

Urban Area: OGDEN, UT

Longitude: -111.975524

City: Ogden

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: RESIDENTIAL

Utm Northing:

Address: 228 32ND STREET, OGDEN, UTAH

Utm Easting:

Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean		
81102-PM10 Total	0-	1		1113					R - P Co Partisol	Gravimetric							4	24 HOUR	0	Micrograms/cubic meter	
10um STP									Model 2025												
2012	0	99	362	0	0	2	10	25	50	75	90	95	98	99		1	2	21.0			
							8	13	19	26	37	44	49	54		95	61				