

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1097805

Report Code: AMP230

May. 14, 2013

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region	Method	Duration	Begin Date	End Date
	49			88101										2012	2012

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
MERGE PDF FILES	YES
EVENTS PROCESSING	REPORT ALL EVENT RECORDS

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
Lead Quarterly 1978
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2006
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-003-0003
 County: Box Elder
 City: Brigham City
 Support Agency: 1113
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +41.492707
 Longitude: -112.018863
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions		1		1113				R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						Gravimetric	2	24 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	98	119	0	0	1.2	10	25	50	75	90	95	98	99		1	2	6.88	
							2.0	3.6	5.6	8.0	11.1	19.3	27.0	28.2		33.4	28.2		

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-005-0004	AQCR: UTAH	Latitude: +41.731111
County: Cache	Urban Area: LOGAN, UT	Longitude: -111.837500
City: Logan	Location Setting: URBAN AND CENTER CITY	UTM Zone:
Support Agency: 1113	Land Use: COMMERCIAL	Utm Northing:
Address: 125 W. CENTER STREET, LOGAN, UT		Utm Easting:
		Vertical Meas: 1,380.0

Site Comments: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.:

Parameter	POC	PQAO		Method of Collection and Analysis								MDL	Duration	EDT	Unit Desc					
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions	1			1113					R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC	Gravimetric	2	24 HOUR	1		Micrograms/cubic meter (LC)					
2012	0	96	352	1	1	.0	10	25	50	75	90	95	98	99	1	2	7.47			
							2.5	4.0	6.0	8.9	14.2	18.8	25.6	28.2	38.3	31.6				
88101-PM2.5 - Local Conditions	1			1113					R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC	Gravimetric	2	24 HOUR	2		Micrograms/cubic meter (LC)					
2012	1	96	353	2	2	.0	10	25	50	75	90	95	98	99	1	2	7.55			
							2.5	4.1	6.0	9.0	14.4	18.8	26.9	28.8	38.3	36.3				
88101-PM2.5 - Local Conditions	1			1113					R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC	Gravimetric	2	24 HOUR	5		Micrograms/cubic meter (LC)					
2012	1	96	353	2	2	.0	10	25	50	75	90	95	98	99	1	2	7.55			
							2.5	4.1	6.0	9.0	14.4	18.8	26.9	28.8	38.3	36.3				
88101-PM2.5 - Local Conditions	2			1113					R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC	Gravimetric	2	24 HOUR	0		Micrograms/cubic meter (LC)					
2012	0	90	31	1	1	.2	10	25	50	75	90	95	98	99	1	2	8.43			
							4.4	5.2	8.2	10.9	15.2	18.7	35.9	35.9	35.9	18.7				

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-011-0004
 County: Davis
 City: Bountiful
 Support Agency: 1113
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.902967
 Longitude: -111.884467
 UTM Zone: 12
 Utm Northing: 4528150.36
 Utm Easting: 425503.56
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions		1		1113				R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						Gravimetric	2	24 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	100	122	0	0	.0	10	25	50	75	90	95	98	99			1	2	7.58
							2.2	3.6	6.2	9.5	14.1	21.2	25.9	26.8			34.7	26.8	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-013-0002
 County: Duchesne
 City: Not in a city
 Support Agency: 1113
 Address: 290 S. 1000 W.

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.294178
 Longitude: -110.009732
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,596.0

Site Comments:

Parameter	POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc						
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions			1			1113			R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC							Gravimetric	2	24 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	60	73	1	1	1.1	10	25	50	75	90	95	98	99			1	2	6.23		
							2.5	3.6	5.1	6.6	10.9	18.1	25.5	36.6			36.6	25.5			

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-035-1001
 County: Salt Lake
 City: Magna
 Support Agency: 1113
 Address: 2935 SOUTH 8560 WEST MAGNA, UTAH

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.708611
 Longitude: -112.094722
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,317.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1			1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						Gravimetric	2	24 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	96	119	0	0	.0	10	25	50	75	90	95	98	99		1	2	6.87
							2.4	3.7	5.9	8.2	13.4	20.5	22.6	22.9		23.5	22.9	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-035-3006
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.736389
 Longitude: -111.872222
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113			R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2012	0	97	356	0	0	.4	10	25	50	75	90	95	98	99		1	2	8.33
							3.1	4.5	6.5	9.8	17.3	22.2	26.0	27.7		31.2	29.4	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-035-3010
 County: Salt Lake
 City: Salt Lake City
 Support Agency: 1113
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT
 Urban Area: SALT LAKE CITY, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.784220
 Longitude: -111.931000
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2012	0	93	341	1	1	.0	10	25	50	75	90	95	98	99		1	2	9.03
						3.0	4.5	7.4	10.9	18.0	22.6	28.7	33.5		35.5	35.1		
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2012	0	93	28	0	0	.2	10	25	50	75	90	95	98	99		1	2	8.88
						2.8	4.7	7.1	10.7	20.7	30.1	32.8	32.8		32.8	30.1		

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-045-0003

AQCR: WASATCH FRONT

Latitude: +40.543309

County: Tooele

Urban Area: NOT IN AN URBAN AREA

Longitude: -112.299618

City: Tooele

Location Setting: URBAN AND CENTER CITY

UTM Zone:

Support Agency: 1113

Land Use: COMMERCIAL

Utm Northing:

Address: 434 NORTH 50 WEST, TOOELE, UTAH

Utm Easting:

Vertical Meas: 1,511.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages								Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions		1		1113			R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						Gravimetric	2	24 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	92	112	0	0	.2	10	25	50	75	90	95	98	99		1	2	5.87
							2.1	3.2	4.9	7.4	10.7	12.8	17.9	22.9		29.0	22.9	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-047-1003
 County: Uintah
 City: Vernal
 Support Agency: 1113
 Address: 220 South 1000 East

AQCR: UTAH
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.452267
 Longitude: -109.510393
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages								Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions		1			1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						Gravimetric	2	24 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	62	76	0	0	.3	10	25	50	75	90	95	98	99		1	2	6.93
							2.6	3.7	5.5	9.0	11.9	18.0	23.7	28.3		28.3	23.7	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-047-5632	AQCR: UTAH	Latitude: +39.868622
County: Uintah	Urban Area: NOT IN AN URBAN AREA	Longitude: -109.097302
City: Not in a city	Location Setting: RURAL	UTM Zone:
Support Agency: 1387	Land Use: DESERT	Utm Northing:
Address: Accessed from Dragon Road/145-S, Uintah Co, UT		Utm Easting:
		Vertical Meas: 1,878.87

Site Comments:

Parameter	POC	PQAO	Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages												Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions	1			1387					BGI Model PQ200 PM2.5 Sampler w/WINS	GRAVIMETRIC										2	24 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	93	70	1	1	.4	10	25	50	75	90	95	98	99			1	2	4.94					
							2.5	3.4	4.4	6.5	7.6	14.7	16.8	38.3			38.3	16.8						
88101-PM2.5 - Local Conditions	3			1387					Met One BAM-1020 Mass Monitor w/VSCC	Beta Attenuation										2	1 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	98	8587			-4.0	10	25	50	75	90	95	98	99			1	2	5.25					
							1.0	2.0	4.0	6.0	10.0	15.0	24.0	34.0			340.0	220.0						
88101-PM2.5 - Local Conditions	3			1387										24-HR BLK AVG	0		Micrograms/cubic meter (LC)							
2012	0	98	357	4	4	.2	10	25	50	75	90	95	98	99			1	2	5.22					
							1.6	2.4	3.7	5.5	10.6	15.3	20.2	35.7			78.6	40.6						

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-049-0002
 County: Utah
 City: Provo
 Support Agency: 1113
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: COMMERCIAL

Latitude: +40.253611
 Longitude: -111.663056
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,402.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages								Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions		1		1113			R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2012	0	94	344	0	0	.1	10	25	50	75	90	95	98	99		1	2	8.08
							3.1	4.5	6.6	10.1	15.7	19.1	22.7	23.2		34.5	23.9	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-049-4001
 County: Utah
 City: Lindon
 Support Agency: 1113
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT
 Urban Area: PROVO-OREM, UT
 Location Setting: SUBURBAN
 Land Use: RESIDENTIAL

Latitude: +40.341389
 Longitude: -111.713611
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2012	0	83	305	0	0	1.3	10	25	50	75	90	95	98	99	1	2	8.01
								3.1	4.6	6.5	9.5	15.1	19.4	23.9	26.4	32.9	27.3
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)		
2012	0	93	29	0	0	.0	10	25	50	75	90	95	98	99	1	2	7.48
								2.8	5.0	6.8	8.1	13.3	19.9	34.1	34.1	34.1	19.9

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-049-5010
 County: Utah
 City: Spanish Fork
 Support Agency: 1113
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: SUBURBAN
 Land Use: INDUSTRIAL

Latitude: +40.136336
 Longitude: -111.660502
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions		1		1113				R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						Gravimetric	2	24 HOUR	0	Micrograms/cubic meter (LC)	
2012	0	97	119	0	0	1.4	10	25	50	75	90	95	98	99			1	2	7.21
							3.0	4.2	6.1	8.1	12.6	18.7	22.4	28.8			29.5	28.8	

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-053-0130
 County: Washington
 City: Virgin
 Support Agency: 0745
 Address: ZION NATIONAL PARK, UTAH

AQCR: FOUR CORNERS
 Urban Area: NOT IN AN URBAN AREA
 Location Setting: RURAL
 Land Use: DESERT

Latitude: +37.198300
 Longitude: -113.150600
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,213.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		0745		Met One BAM-1020 Mass Monitor w/VSCC							2	1 HOUR	0	Micrograms/cubic meter (LC)			
2012	0	89	7830			-7.4	10	25	50	75	90	95	98	99		1	2	6.59	
							1.6	3.8	6.6	9.0	11.1	12.7	16.3	18.9		82.7	55.6		
88101-PM2.5 - Local Conditions		1		0745										24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2012	0	88	322	0	0	.4	10	25	50	75	90	95	98	99		1	2	6.53	
							2.5	4.0	6.8	8.7	10.6	11.3	12.1	13.1		19.7	15.8		

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-057-0002
 County: Weber
 City: Ogden
 Support Agency: 1113
 Address: 228 32ND STREET, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: URBAN AND CENTER CITY
 Land Use: RESIDENTIAL

Latitude: +41.206321
 Longitude: -111.975524
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	1	Micrograms/cubic meter (LC)		
2012	0	93	340	1	1	1.4	10	25	50	75	90	95	98	99	1	2	8.93
							3.2	5.5	7.5	10.7	16.3	21.4	25.8	30.5		35.5	34.8
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	2	Micrograms/cubic meter (LC)		
2012	1	93	341	2	2	1.4	10	25	50	75	90	95	98	99	1	2	9.10
							3.3	5.5	7.5	11.0	16.3	22.0	26.2	31.5		63.7	35.5
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	5	Micrograms/cubic meter (LC)		
2012	1	93	341	2	2	1.4	10	25	50	75	90	95	98	99	1	2	9.10
							3.3	5.5	7.5	11.0	16.3	22.0	26.2	31.5		63.7	35.5

FREQUENCY DISTRIBUTION REPORT

May. 14, 2013

Utah

Site ID: 49-057-1003
 County: Weber
 City: Harrisville
 Support Agency: 1113
 Address: 425 W 2550 NORTH, OGDEN, UTAH

AQCR: WASATCH FRONT
 Urban Area: OGDEN, UT
 Location Setting: RURAL
 Land Use: RESIDENTIAL

Latitude: +41.303614
 Longitude: -111.987871
 UTM Zone:
 Utm Northing:
 Utm Easting:
 Vertical Meas: 1,331.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages										Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions	1				1113		R & P Model 2000 PM-2.5 Air Sampler w/VSCC							2	24 HOUR	1	Micrograms/cubic meter (LC)		
2012	0	94	114	0	0	1.4	10	25	50	75	90	95	98	99		1	2	6.84	
							2.2	3.6	5.3	7.7	12.4	19.5	26.5	27.4				31.7	27.4
88101-PM2.5 - Local Conditions	1				1113		R & P Model 2000 PM-2.5 Air Sampler w/VSCC							2	24 HOUR	2	Micrograms/cubic meter (LC)		
2012	1	94	115	0	0	1.4	10	25	50	75	90	95	98	99		1	2	7.09	
							2.3	3.7	5.3	7.8	12.8	21.3	27.4	31.7				35.4	31.7
88101-PM2.5 - Local Conditions	1				1113		R & P Model 2000 PM-2.5 Air Sampler w/VSCC							2	24 HOUR	5	Micrograms/cubic meter (LC)		
2012	1	94	115	0	0	1.4	10	25	50	75	90	95	98	99		1	2	7.09	
							2.3	3.7	5.3	7.8	12.8	21.3	27.4	31.7				35.4	31.7