

User ID: HPI

FREQUENCY DISTRIBUTION REPORT

Report Request ID: 1641076

Report Code: AMP230

Apr. 4, 2018

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			88101							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA			

SELECTED OPTIONS

Option Type	Option Value
SUMMARY CRITERIA	INCLUDE ALL DATA
EVENTS PROCESSING	REPORT ALL EVENT RECORDS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	EPA_REGION
5	DATES
6	PARAMETER_CODE
7	POC

DATE CRITERIA

Start Date	End Date
2017	2017

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

EXCEPTIONAL DATA TYPES

EDT	DESCRIPTION
0	NO EVENTS
1	EVENTS EXCLUDED
2	EVENTS INCLUDED
5	EVENTS WITH CONCURRENCE EXCLUDED

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-003-0003  
 County: Box Elder  
 City: Brigham City  
 Support Agency: 1113  
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.492707  
 Longitude: -112.018863  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	89	325	7	7	.1	10	25	50	75	90	95	98	99		1	2	7.64
						1.6	2.7	5.1	9.2	15.3	23.9	36.0	44.3		60.1	53.2		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	2	Micrograms/cubic meter (LC)			
2017	1	89	326	8	8	.1	10	25	50	75	90	95	98	99		1	2	7.74
						1.6	2.7	5.1	9.2	15.4	25.8	36.6	44.3		60.1	53.2		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	5	Micrograms/cubic meter (LC)			
2017	1	89	326	8	8	.1	10	25	50	75	90	95	98	99		1	2	7.74
						1.6	2.7	5.1	9.2	15.4	25.8	36.6	44.3		60.1	53.2		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	87	7606			-.5	10	25	50	75	90	95	98	99		1	2	7.42
						1.7	3.2	5.8	9.7	14.5	19.6	24.7	29.4		51.9	50.5		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-003-0003  
 County: Box Elder  
 City: Brigham City  
 Support Agency: 1113  
 Address: 140 W.FISHBURN DRIVE, BRIGHAM CITY, UT

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +41.492707  
 Longitude: -112.018863  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,334.0

Site Comments: SITE FOR OZONE, PM2.5, AND MET:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	2	Micrograms/cubic meter (LC)	
2017	48	87	7654			-.5	10	25	50	75	90	95	98	99		1	2	7.62
							1.7	3.3	5.9	9.8	15.0	20.6	26.9	32.7			56.8	56.2
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	5	Micrograms/cubic meter (LC)	
2017	48	87	7654			-.5	10	25	50	75	90	95	98	99		1	2	7.62
							1.7	3.3	5.9	9.8	15.0	20.6	26.9	32.7			56.8	56.2
88101-PM2.5 - Local Conditions		3		1113											24-HR BLK AVG	1	Micrograms/cubic meter (LC)	
2017	0	87	316	0	0	.6	10	25	50	75	90	95	98	99		1	2	7.38
							2.3	3.9	6.3	9.5	13.3	17.3	22.2	26.4			29.1	27.3
88101-PM2.5 - Local Conditions		3		1113											24-HR BLK AVG	2	Micrograms/cubic meter (LC)	
2017	0	87	318	2	2	.6	10	25	50	75	90	95	98	99		1	2	7.59
							2.3	4.0	6.4	9.6	13.7	18.3	25.8	27.3			44.0	36.2
88101-PM2.5 - Local Conditions		3		1113											24-HR BLK AVG	5	Micrograms/cubic meter (LC)	
2017	0	87	318	2	2	.6	10	25	50	75	90	95	98	99		1	2	7.59
							2.3	4.0	6.4	9.6	13.7	18.3	25.8	27.3			44.0	36.2

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-005-0007  
 County: Cache  
 City: Smithfield  
 Support Agency: 1113  
 Address: 675 West 220 North

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.842649  
 Longitude: -111.852199  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc				
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC							2	24 HOUR	1	Micrograms/cubic meter (LC)				
2017	0	77	87	0	0	.9	10	25	50	75	90	95	98	99	1	2	8.28			
						7.2	7.8	9.5	12.5	19.2	32.6	35.2	35.2	35.2	35.2	34.4				
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC							2	24 HOUR	2	Micrograms/cubic meter (LC)				
2017	2	77	89	2	2	.9	10	25	50	75	90	95	98	99	1	2	9.05			
						7.3	7.8	9.8	15.0	32.6	35.2	47.2	47.2	47.2	47.2	38.2				
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC							2	24 HOUR	5	Micrograms/cubic meter (LC)				
2017	2	77	89	2	2	.9	10	25	50	75	90	95	98	99	1	2	9.05			
						7.3	7.8	9.8	15.0	32.6	35.2	47.2	47.2	47.2	47.2	38.2				
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific TEOM 1405-DF Dichotomous FDMS							2	1 HOUR	0	Micrograms/cubic meter (LC)				
2017	0	82	7219			-10.0	10	25	50	75	90	95	98	99	1	2	7.47			
						.4	2.2	4.7	8.4	16.4	24.9	43.2	64.3	188.7	98.8					
88101-PM2.5 - Local Conditions		3		1113		24-HR BLK AVG							0	Micrograms/cubic meter (LC)						
2017	0	82	300	8	8	-1.4	10	25	50	75	90	95	98	99	1	2	7.45			
						1.6	2.7	4.8	7.6	15.2	25.4	39.3	62.5	83.3	66.2					

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-005-0007  
 County: Cache  
 City: Smithfield  
 Support Agency: 1113  
 Address: 675 West 220 North

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.842649  
 Longitude: -111.852199  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Percentages								Maximum	Arith Mean	
						Obs									Values		
88101-PM2.5 - Local Conditions	4				1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	1	Micrograms/cubic meter (LC)	
2017	0	100	7414			.0	10	25	50	75	90	95	98	99	1	2	10.27
							1.6	3.5	7.0	11.6	21.2	31.0	48.2	67.9	102.6	96.1	
88101-PM2.5 - Local Conditions	4				1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	2	Micrograms/cubic meter (LC)	
2017	120	100	7534			.0	10	25	50	75	90	95	98	99	1	2	10.76
							1.8	3.7	7.2	12.1	22.8	35.8	51.9	67.9	102.6	96.1	
88101-PM2.5 - Local Conditions	4				1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	5	Micrograms/cubic meter (LC)	
2017	120	100	7534			.0	10	25	50	75	90	95	98	99	1	2	10.76
							1.8	3.7	7.2	12.1	22.8	35.8	51.9	67.9	102.6	96.1	
88101-PM2.5 - Local Conditions	4				1113									24-HR BLK AVG	1	Micrograms/cubic meter (LC)	
2017	0	97	308	12	12	.7	10	25	50	75	90	95	98	99	1	2	10.26
							21.0	25.8	30.6	43.6	66.0	68.5	86.1	86.1	86.1	68.5	
88101-PM2.5 - Local Conditions	4				1113									24-HR BLK AVG	2	Micrograms/cubic meter (LC)	
2017	0	97	313	17	17	.7	10	25	50	75	90	95	98	99	1	2	10.74
							25.8	28.6	37.9	47.6	66.0	68.5	86.1	86.1	86.1	68.5	

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-005-0007  
 County: Cache  
 City: Smithfield  
 Support Agency: 1113  
 Address: 675 West 220 North

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +41.842649  
 Longitude: -111.852199  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		4		1113										24-HR BLK AVG	5	Micrograms/cubic meter (LC)		
2017	0	97	313	17	17	.7	10	25	50	75	90	95	98	99		1	2	10.74
							25.8	28.6	37.9	47.6	66.0	68.5	86.1	86.1		86.1	68.5	

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-011-0004  
 County: Davis  
 City: Bountiful  
 Support Agency: 1113  
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.902967  
 Longitude: -111.884467  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	95	347	6	6	1.0	10	25	50	75	90	95	98	99		1	2	8.56
							2.0	3.4	6.1	10.9	18.3	26.6	35.2	38.0		45.2	43.2	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	2	Micrograms/cubic meter (LC)			
2017	1	95	348	7	7	1.0	10	25	50	75	90	95	98	99		1	2	8.66
							2.0	3.4	6.2	10.9	18.5	28.9	36.0	39.8		45.2	43.7	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	5	Micrograms/cubic meter (LC)			
2017	1	95	348	7	7	1.0	10	25	50	75	90	95	98	99		1	2	8.66
							2.0	3.4	6.2	10.9	18.5	28.9	36.0	39.8		45.2	43.7	
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	77	6681			.1	10	25	50	75	90	95	98	99		1	2	9.48
							1.7	3.6	7.0	12.5	19.8	28.1	36.5	41.2		77.3	76.2	



FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-011-0004  
 County: Davis  
 City: Bountiful  
 Support Agency: 1113  
 Address: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.902967  
 Longitude: -111.884467  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,309.0

Site Comments: NEW SITE TO REPLACE 490110001:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	2	Micrograms/cubic meter (LC)		
2017	24	77	6705			.1	10	25	50	75	90	95	98	99		1	2	9.60
							1.7	3.7	7.0	12.5	20.1	28.9	36.9	42.5		77.3	76.2	
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	5	Micrograms/cubic meter (LC)		
2017	24	77	6705			.1	10	25	50	75	90	95	98	99		1	2	9.60
							1.7	3.7	7.0	12.5	20.1	28.9	36.9	42.5		77.3	76.2	
88101-PM2.5 - Local Conditions		3		1113										24-HR BLK AVG	1	Micrograms/cubic meter (LC)		
2017	0	76	275	3	3	.8	10	25	50	75	90	95	98	99		1	2	9.46
							2.4	4.5	7.4	12.6	18.2	24.4	34.7	35.5		39.3	36.4	
88101-PM2.5 - Local Conditions		3		1113										24-HR BLK AVG	2	Micrograms/cubic meter (LC)		
2017	0	76	276	4	4	.8	10	25	50	75	90	95	98	99		1	2	9.59
							2.4	4.5	7.4	12.6	18.5	25.4	35.2	36.4		43.4	39.3	
88101-PM2.5 - Local Conditions		3		1113										24-HR BLK AVG	5	Micrograms/cubic meter (LC)		
2017	0	76	276	4	4	.8	10	25	50	75	90	95	98	99		1	2	9.59
							2.4	4.5	7.4	12.6	18.5	25.4	35.2	36.4		43.4	39.3	

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-013-0002  
 County: Duchesne  
 City: Roosevelt  
 Support Agency: 1113  
 Address: 290 S. 1000 W.

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.294178  
 Longitude: -110.009732  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,596.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Percentages						Obs		Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific Model 5030 SHARP w/VSCC Beta Attenuation							2	1 HOUR	0	Micrograms/cubic meter (LC)	
2017	0	99	8669			.0	10	25	50	75	90	95	98	99		1	2	6.26
							1.6	3.0	4.8	7.4	11.0	15.5	29.7	35.2		95.8	77.9	
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific Model 5030 SHARP w/VSCC Beta Attenuation							2	24-HR BLK AVG	0	Micrograms/cubic meter (LC)	
2017	0	99	361	1	1	.5	10	25	50	75	90	95	98	99		1	2	6.23
							2.3	3.7	4.9	7.2	10.7	12.6	28.2	31.8		40.6	33.9	

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-035-1001  
 County: Salt Lake  
 City: Magna  
 Support Agency: 1113  
 Address: 2935 SOUTH 8560 WEST MAGNA,UTAH

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.708611  
 Longitude: -112.094722  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,317.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC							2	24 HOUR	1	Micrograms/cubic meter (LC)		
2017	0	96	350	1	1	.9	10	25	50	75	90	95	98	99		1	2	7.35
						2.0	3.1	5.3	8.6	16.8	23.8	29.0	32.0		36.9	34.2		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC							2	24 HOUR	2	Micrograms/cubic meter (LC)		
2017	1	96	351	2	2	.9	10	25	50	75	90	95	98	99		1	2	7.43
						2.0	3.1	5.3	8.8	17.3	24.4	30.1	32.6		37.1	36.9		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC							2	24 HOUR	5	Micrograms/cubic meter (LC)		
2017	1	96	351	2	2	.9	10	25	50	75	90	95	98	99		1	2	7.43
						2.0	3.1	5.3	8.8	17.3	24.4	30.1	32.6		37.1	36.9		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	1	Micrograms/cubic meter (LC)		
2017	0	96	351	9	9	1.0	10	25	50	75	90	95	98	99	1	2	8.44
							2.5	3.5	5.7	9.5	18.3	26.0	38.5	45.2	62.5	51.2	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	2	Micrograms/cubic meter (LC)		
2017	1	96	352	10	10	1.0	10	25	50	75	90	95	98	99	1	2	8.52
							2.5	3.5	5.7	9.6	18.3	27.0	38.5	45.2	62.5	51.2	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	5	Micrograms/cubic meter (LC)		
2017	1	96	352	10	10	1.0	10	25	50	75	90	95	98	99	1	2	8.52
							2.5	3.5	5.7	9.6	18.3	27.0	38.5	45.2	62.5	51.2	
88101-PM2.5 - Local Conditions		4		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2017	0	100	8737			.0	10	25	50	75	90	95	98	99	1	2	8.22
							2.3	3.4	5.7	9.2	16.6	26.4	36.7	46.7	69.1	69.0	
88101-PM2.5 - Local Conditions		4		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2017	0	100	364	8	8	1.6	10	25	50	75	90	95	98	99	1	2	8.16
							2.9	3.8	5.8	9.2	15.9	23.5	35.7	41.9	56.8	46.8	

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-035-3006  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1675 SOUTH 600 EAST, SALT LAKE CITY

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.736389  
 Longitude: -111.872222  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,306.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		5		1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	0	Micrograms/cubic meter (LC)	
2017	0	95	8359			-10.0	10	25	50	75	90	95	98	99	1	2	8.03
							1.2	2.9	5.2	9.2	18.5	28.1	39.1	47.5		80.2	79.5
88101-PM2.5 - Local Conditions		5		1113										24-HR BLK AVG	0	Micrograms/cubic meter (LC)	
2017	0	96	349	9	9	.5	10	25	50	75	90	95	98	99	1	2	8.01
							2.5	3.6	5.2	8.9	18.1	25.4	36.7	40.5		59.0	49.3

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-035-3010  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.784220  
 Longitude: -111.931000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC		Gravimetric							2	24 HOUR	1	Micrograms/cubic meter (LC)	
2017	0	88	320	8	8	1.1	10	25	50	75	90	95	98	99		1	2	8.82	
							2.5	4.0	6.5	10.2	16.8	24.8	38.5	40.5		51.4	47.1		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC		Gravimetric							2	24 HOUR	2	Micrograms/cubic meter (LC)	
2017	2	88	322	10	10	1.1	10	25	50	75	90	95	98	99		1	2	9.00	
							2.8	4.0	6.7	10.3	17.6	27.0	38.5	40.5		51.4	47.1		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC		Gravimetric							2	24 HOUR	5	Micrograms/cubic meter (LC)	
2017	2	88	322	10	10	1.1	10	25	50	75	90	95	98	99		1	2	9.00	
							2.8	4.0	6.7	10.3	17.6	27.0	38.5	40.5		51.4	47.1		
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC		Gravimetric							2	24 HOUR	1	Micrograms/cubic meter (LC)	
2017	0	97	283	6	6	1.1	10	25	50	75	90	95	98	99		1	2	8.85	
							12.4	12.9	15.8	22.9	36.1	39.6	40.5	51.5		51.5	40.5		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-035-3010  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.784220  
 Longitude: -111.931000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,286.0

Site Comments:

Year	Exc	Evt	POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
			%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages							Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions																			
			2			1113			R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	2	Micrograms/cubic meter (LC)	
2017	2	97	285	8	8	1.1	10	25	50	75	90	95	98	99		1	2	9.07	
							12.5	13.1	16.0	27.1	37.7	40.5	40.9	51.5		51.5	40.9		
88101-PM2.5 - Local Conditions																			
			2			1113			R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	5	Micrograms/cubic meter (LC)	
2017	2	97	285	8	8	1.1	10	25	50	75	90	95	98	99		1	2	9.07	
							12.5	13.1	16.0	27.1	37.7	40.5	40.9	51.5		51.5	40.9		
88101-PM2.5 - Local Conditions																			
			3			1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	1	Micrograms/cubic meter (LC)	
2017	0	89	7716			-10.0	10	25	50	75	90	95	98	99		1	2	6.95	
							.9	2.5	4.8	8.6	15.0	21.9	31.8	38.9		118.5	63.1		
88101-PM2.5 - Local Conditions																			
			3			1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	2	Micrograms/cubic meter (LC)	
2017	48	89	7764			-10.0	10	25	50	75	90	95	98	99		1	2	7.15	
							.9	2.6	4.9	8.7	15.4	22.6	33.6	39.8		357.8	279.6		
88101-PM2.5 - Local Conditions																			
			3			1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	5	Micrograms/cubic meter (LC)	
2017	48	89	7764			-10.0	10	25	50	75	90	95	98	99		1	2	7.15	
							.9	2.6	4.9	8.7	15.4	22.6	33.6	39.8		357.8	279.6		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-035-3010  
 County: Salt Lake  
 City: Salt Lake City  
 Support Agency: 1113  
 Address: 1250 NORTH 1400 WEST

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.784220  
 Longitude: -111.931000  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,286.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc	
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		3		1113										24-HR BLK AVG	1	Micrograms/cubic meter (LC)	
2017	0	88	318	3	3	.0	10	25	50	75	90	95	98	99	1	2	6.83
							2.0	3.1	5.1	8.2	14.0	18.1	29.3	32.1		40.0	36.2
88101-PM2.5 - Local Conditions		3		1113										24-HR BLK AVG	2	Micrograms/cubic meter (LC)	
2017	0	88	320	5	5	.0	10	25	50	75	90	95	98	99	1	2	7.03
							2.1	3.2	5.2	8.3	14.1	19.4	31.2	36.2		40.0	40.0
88101-PM2.5 - Local Conditions		3		1113										24-HR BLK AVG	5	Micrograms/cubic meter (LC)	
2017	0	88	320	5	5	.0	10	25	50	75	90	95	98	99	1	2	7.03
							2.1	3.2	5.2	8.3	14.1	19.4	31.2	36.2		40.0	40.0
88101-PM2.5 - Local Conditions		4		1113			Thermo Scientific Model 5030 SHARP w/VSCC				Beta Attenuation		2	1 HOUR	0	Micrograms/cubic meter (LC)	
2017	0	4	374			.5	10	25	50	75	90	95	98	99	1	2	13.21
							1.2	3.1	9.0	22.2	33.2	35.8	40.1	41.9		44.9	42.8
88101-PM2.5 - Local Conditions		4		1113										24-HR BLK AVG	0	Micrograms/cubic meter (LC)	
2017	0	4	16	0	0	2.0	10	25	50	75	90	95	98	99	1	2	13.06
							2.9	5.0	10.9	24.9	30.1	32.4	32.4	32.4		32.4	30.1



FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-035-3013  
 County: Salt Lake  
 City: Herriman  
 Support Agency: 1113  
 Address: 14058 Mirabella Dr.

AQCR: WASATCH FRONT  
 Urban Area: SALT LAKE CITY, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.496392  
 Longitude: -112.036298  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	0	Micrograms/cubic meter (LC)		
2017	0	95	8351			-10.0	10	25	50	75	90	95	98	99	1	2	5.65
								-0.6	1.1	3.4	6.9	13.5	21.7	34.7	41.8	161.7	161.3
88101-PM2.5 - Local Conditions		3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2017	0	95	346	2	2	-1.4	10	25	50	75	90	95	98	99	1	2	5.64
								.9	2.0	3.7	6.8	12.1	20.3	28.2	32.3	46.4	39.4

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-045-0004  
 County: Tooele  
 City: Erda  
 Support Agency: 1113  
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: COMMERCIAL

Latitude: +40.600532  
 Longitude: -112.353414  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	99	361	0	0	.5	10	25	50	75	90	95	98	99		1	2	6.77
						1.4	2.5	4.8	9.1	14.5	18.8	25.4	30.5		32.8	32.5		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	2	Micrograms/cubic meter (LC)			
2017	1	99	362	1	1	.5	10	25	50	75	90	95	98	99		1	2	6.85
						1.4	2.5	4.8	9.2	15.0	19.8	28.8	31.2		38.0	32.8		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	5	Micrograms/cubic meter (LC)			
2017	1	99	362	1	1	.5	10	25	50	75	90	95	98	99		1	2	6.85
						1.4	2.5	4.8	9.2	15.0	19.8	28.8	31.2		38.0	32.8		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC						2	1 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	89	7800			-2.5	10	25	50	75	90	95	98	99		1	2	6.13
						.6	1.7	4.0	8.1	14.7	19.9	26.8	31.1		102.0	94.5		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-045-0004  
 County: Tooele  
 City: Erda  
 Support Agency: 1113  
 Address: 2163 W. Erda Way

AQCR: WASATCH FRONT  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: COMMERCIAL

Latitude: +40.600532  
 Longitude: -112.353414  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	2	Micrograms/cubic meter (LC)	
2017	24	89	7824			-2.5	10	25	50	75	90	95	98	99	1	2	6.25	
						.7	1.7	4.0	8.2	14.9	20.3	28.0	33.0		102.0	94.5		
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	5	Micrograms/cubic meter (LC)	
2017	24	89	7824			-2.5	10	25	50	75	90	95	98	99	1	2	6.25	
						.7	1.7	4.0	8.2	14.9	20.3	28.0	33.0		102.0	94.5		
88101-PM2.5 - Local Conditions		3		1113											24-HR BLK AVG	1	Micrograms/cubic meter (LC)	
2017	0	89	325	0	0	-1.1	10	25	50	75	90	95	98	99	1	2	6.08	
						.8	2.3	4.6	8.8	13.4	16.7	20.5	23.8		30.5	28.9		
88101-PM2.5 - Local Conditions		3		1113											24-HR BLK AVG	2	Micrograms/cubic meter (LC)	
2017	0	89	326	1	1	-1.1	10	25	50	75	90	95	98	99	1	2	6.20	
						.8	2.3	4.6	8.8	13.4	16.9	20.9	26.4		43.4	30.5		
88101-PM2.5 - Local Conditions		3		1113											24-HR BLK AVG	5	Micrograms/cubic meter (LC)	
2017	0	89	326	1	1	-1.1	10	25	50	75	90	95	98	99	1	2	6.20	
						.8	2.3	4.6	8.8	13.4	16.9	20.9	26.4		43.4	30.5		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-047-1004  
 County: Uintah  
 City: Vernal  
 Support Agency: 1113  
 Address: 628 North 1700 West

AQCR: UTAH  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: RESIDENTIAL

Latitude: +40.464710  
 Longitude: -109.561472  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		4		1113		Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	0	Micrograms/cubic meter (LC)			
2017	0	100	8756			.9	10	25	50	75	90	95	98	99		1	2	5.70	
						1.9	2.7	4.1	6.5	10.9	15.5	23.6	27.7		146.9	122.1			
88101-PM2.5 - Local Conditions		4		1113		Thermo Scientific Model 5030 SHARP w/VSCC							2	24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2017	0	100	365	0	0	1.9	10	25	50	75	90	95	98	99		1	2	5.65	
						2.4	3.0	4.2	6.4	10.8	15.1	20.6	22.7		26.1	23.8			

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-049-0002  
 County: Utah  
 City: Provo  
 Support Agency: 1113  
 Address: 1355 NORTH 200 WEST PROVO UT

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: COMMERCIAL

Latitude: +40.253611  
 Longitude: -111.663056  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,402.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2017	0	97	353	3	3	.9	10	25	50	75	90	95	98	99		1	2	7.99
						2.7	3.9	6.1	9.4	14.9	20.6	28.1	32.4		60.4	59.6		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	0	Micrograms/cubic meter (LC)			
2017	0	99	8658			-10.0	10	25	50	75	90	95	98	99		1	2	4.99
						-0.7	1.0	3.3	6.8	11.9	16.9	25.1	33.1		128.1	111.5		
88101-PM2.5 - Local Conditions		3		1113									24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2017	0	99	363	3	3	-0.8	10	25	50	75	90	95	98	99		1	2	4.95
						0.5	1.9	3.4	6.2	10.7	15.1	21.9	26.2		57.1	47.8		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-049-4001  
 County: Utah  
 City: Lindon  
 Support Agency: 1113  
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.341389  
 Longitude: -111.713611  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc					
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum	Values	Arith	Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC		Gravimetric							2	24 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	96	351	4	4	.9	10	25	50	75	90	95	98	99		1	2	8.30			
						2.7	3.8	6.4	10.0	15.0	22.4	27.4	36.8		63.0	62.5					
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC		Gravimetric							2	24 HOUR	2	Micrograms/cubic meter (LC)			
2017	1	96	352	5	5	.9	10	25	50	75	90	95	98	99		1	2	8.41			
						2.7	3.9	6.4	10.0	15.0	22.5	27.6	46.6		63.0	62.5					
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC		Gravimetric							2	24 HOUR	5	Micrograms/cubic meter (LC)			
2017	1	96	352	5	5	.9	10	25	50	75	90	95	98	99		1	2	8.41			
						2.7	3.9	6.4	10.0	15.0	22.5	27.6	46.6		63.0	62.5					
88101-PM2.5 - Local Conditions		2		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC		Gravimetric							2	24 HOUR	0	Micrograms/cubic meter (LC)			
2017	0	98	88	4	4	1.2	10	25	50	75	90	95	98	99		1	2	9.45			
						4.8	5.9	9.0	12.5	26.0	51.2	60.7	61.0		61.0	60.7					

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-049-4001  
 County: Utah  
 City: Lindon  
 Support Agency: 1113  
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.341389  
 Longitude: -111.713611  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	1	Micrograms/cubic meter (LC)	
2017	0	67	5782			-10.0	10	25	50	75	90	95	98	99	1	2	6.33
							.4	2.0	4.2	7.6	15.3	21.8	28.4	34.1		65.3	64.7
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	2	Micrograms/cubic meter (LC)	
2017	48	67	5830			-10.0	10	25	50	75	90	95	98	99	1	2	6.59
							.5	2.1	4.3	7.8	15.9	22.5	29.9	37.4		395.7	256.3
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	5	Micrograms/cubic meter (LC)	
2017	48	67	5830			-10.0	10	25	50	75	90	95	98	99	1	2	6.59
							.5	2.1	4.3	7.8	15.9	22.5	29.9	37.4		395.7	256.3
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS							24-HR BLK AVG	1	Micrograms/cubic meter (LC)	
2017	0	67	241	2	2	-1.2	10	25	50	75	90	95	98	99	1	2	6.29
							1.6	2.8	4.2	7.0	13.8	20.8	26.4	28.8		48.2	37.6
88101-PM2.5 - Local Conditions		3		1113			Thermo Scientific TEOM 1405-DF Dichotomous FDMS							24-HR BLK AVG	2	Micrograms/cubic meter (LC)	
2017	0	67	243	3	3	-1.2	10	25	50	75	90	95	98	99	1	2	6.55
							1.8	2.8	4.3	7.1	14.4	21.5	28.8	37.6		48.2	39.9

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-049-4001  
 County: Utah  
 City: Lindon  
 Support Agency: 1113  
 Address: 30 NORTH MAIN STREET, LINDON, UTAH

AQCR: WASATCH FRONT  
 Urban Area: PROVO-OREM, UT  
 Location Setting: SUBURBAN  
 Land Use: RESIDENTIAL

Latitude: +40.341389  
 Longitude: -111.713611  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,442.0

Site Comments: LOCATED AT LINDON ELEMENTARY SCHOOL:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc		
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages									Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		3		1113										24-HR BLK AVG	5	Micrograms/cubic meter (LC)		
2017	0	67	243	3	3	-1.2	10	25	50	75	90	95	98	99		1	2	6.55
							1.8	2.8	4.3	7.1	14.4	21.5	28.8	37.6			48.2	39.9
88101-PM2.5 - Local Conditions		5		1113				Thermo Scientific Model 5030 SHARP w/VSCC		Beta Attenuation			2	1 HOUR	0	Micrograms/cubic meter (LC)		
2017	0	14	1263			.1	10	25	50	75	90	95	98	99		1	2	6.53
							1.4	3.0	5.8	8.5	13.2	16.0	18.7	22.1			31.9	29.9
88101-PM2.5 - Local Conditions		5		1113										24-HR BLK AVG	0	Micrograms/cubic meter (LC)		
2017	0	14	52	0	0	1.2	10	25	50	75	90	95	98	99		1	2	6.45
							2.4	4.0	6.1	8.8	11.7	12.3	15.7	18.6			18.6	15.7



FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-049-5010  
 County: Utah  
 City: Spanish Fork  
 Support Agency: 1113  
 Address: 312 W. 2050 NORTH, SPANISH FORK, UTAH

AQCR: WASATCH FRONT  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: SUBURBAN  
 Land Use: INDUSTRIAL

Latitude: +40.136336  
 Longitude: -111.660502  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,380.0

Site Comments: SITE IS LOCATED AT SPANISH FORK AIRPORT:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	0	Micrograms/cubic meter (LC)			
2017	0	92	335	3	3	.6	10	25	50	75	90	95	98	99		1	2	7.28
							2.3	3.3	5.0	8.4	13.4	19.6	27.6	33.9		75.3	63.7	

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-053-0007  
 County: Washington  
 City: Hurricane  
 Support Agency: 1113  
 Address: 147 N 870 W, Hurricane, Utah

AQCR: FOUR CORNERS  
 Urban Area: NOT IN AN URBAN AREA  
 Location Setting: RURAL  
 Land Use: RESIDENTIAL

Latitude: +37.179125  
 Longitude: -113.305096  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 846.0

Site Comments:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	0	Micrograms/cubic meter (LC)			
2017	0	92	8043			.1	10	25	50	75	90	95	98	99		1	2	4.94	
							.6	2.3	4.1	6.4	8.8	10.7	15.7	22.6		92.8	86.3		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific Model 5030 SHARP w/VSCC							2	24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2017	0	92	335	0	0	.1	10	25	50	75	90	95	98	99		1	2	4.88	
							1.3	2.9	4.5	6.2	8.1	9.2	13.5	18.5		34.0	27.7		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-057-0002	AQCR: WASATCH FRONT	Latitude: +41.206321
County: Weber	Urban Area: OGDEN, UT	Longitude: -111.975524
City: Ogden	Location Setting: URBAN AND CENTER CITY	UTM Zone:
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing:
Address: 228 32ND STREET, OGDEN, UTAH		Utm Easting:
		Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter		POC		PQAO		Method of Collection and Analysis						MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages								Maximum Values	Arith Mean	
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	96	349	7	7	.6	10	25	50	75	90	95	98	99		1	2	8.95
						2.7	4.3	6.7	9.9	18.4	25.2	35.7	45.8		58.4	51.9		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	2	Micrograms/cubic meter (LC)			
2017	1	96	350	8	8	.6	10	25	50	75	90	95	98	99		1	2	9.04
						2.8	4.3	6.7	9.9	18.5	25.3	39.0	45.8		58.4	51.9		
88101-PM2.5 - Local Conditions		1		1113		R & P Model 2025 PM-2.5 Sequential Air Sampler w/VSCC						2	24 HOUR	5	Micrograms/cubic meter (LC)			
2017	1	96	350	8	8	.6	10	25	50	75	90	95	98	99		1	2	9.04
						2.8	4.3	6.7	9.9	18.5	25.3	39.0	45.8		58.4	51.9		
88101-PM2.5 - Local Conditions		3		1113		Thermo Scientific TEOM 1405-DF Dichotomous FDMS						2	1 HOUR	1	Micrograms/cubic meter (LC)			
2017	0	66	5727			-10.0	10	25	50	75	90	95	98	99		1	2	6.67
						.4	2.4	5.1	8.8	14.6	20.1	27.5	31.4		84.8	58.7		

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-057-0002	AQCR: WASATCH FRONT	Latitude: +41.206321
County: Weber	Urban Area: OGDEN, UT	Longitude: -111.975524
City: Ogden	Location Setting: URBAN AND CENTER CITY	UTM Zone:
Support Agency: 1113	Land Use: RESIDENTIAL	Utm Northing:
Address: 228 32ND STREET, OGDEN, UTAH		Utm Easting:
		Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter	POC	PQAO	Method of Collection and Analysis										MDL	Duration	EDT	Unit Desc								
Year	Exc	Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages												Maximum Values	Arith Mean		
88101-PM2.5 - Local Conditions	3			1113					Thermo Scientific	FDMS Gravimetric										2	1 HOUR	2	Micrograms/cubic meter (LC)	
2017	48	66	5775				-10.0	10	25	50	75	90	95	98	99		1	2	7.10					
								.5	2.5	5.2	8.9	15.0	21.1	29.0	34.8		790.3	468.2						
88101-PM2.5 - Local Conditions	3			1113					Thermo Scientific	FDMS Gravimetric										2	1 HOUR	5	Micrograms/cubic meter (LC)	
2017	48	66	5775				-10.0	10	25	50	75	90	95	98	99		1	2	7.10					
								.5	2.5	5.2	8.9	15.0	21.1	29.0	34.8		790.3	468.2						
88101-PM2.5 - Local Conditions	3			1113											24-HR BLK AVG	1	Micrograms/cubic meter (LC)							
2017	0	65	236	0	0		-.2	10	25	50	75	90	95	98	99		1	2	6.63					
								2.1	3.5	5.7	8.2	12.1	16.5	22.4	25.3		27.1	26.8						
88101-PM2.5 - Local Conditions	3			1113											24-HR BLK AVG	2	Micrograms/cubic meter (LC)							
2017	0	65	238	2	2		-.2	10	25	50	75	90	95	98	99		1	2	7.06					
								2.3	3.6	5.8	8.5	12.9	17.1	25.3	27.1		77.3	38.7						
88101-PM2.5 - Local Conditions	3			1113											24-HR BLK AVG	5	Micrograms/cubic meter (LC)							
2017	0	65	238	2	2		-.2	10	25	50	75	90	95	98	99		1	2	7.06					
								2.3	3.6	5.8	8.5	12.9	17.1	25.3	27.1		77.3	38.7						

FREQUENCY DISTRIBUTION REPORT

Apr. 4, 2018

Utah

Site ID: 49-057-0002  
 County: Weber  
 City: Ogden  
 Support Agency: 1113  
 Address: 228 32ND STREET, OGDEN, UTAH

AQCR: WASATCH FRONT  
 Urban Area: OGDEN, UT  
 Location Setting: URBAN AND CENTER CITY  
 Land Use: RESIDENTIAL

Latitude: +41.206321  
 Longitude: -111.975524  
 UTM Zone:  
 Utm Northing:  
 Utm Easting:  
 Vertical Meas: 1,316.0

Site Comments: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.:

Parameter		POC		PQAO		Method of Collection and Analysis							MDL	Duration	EDT	Unit Desc			
Year	Exc Evt	%Obs	#Obs	#Pri	#Sec	Min	Obs	Percentages										Maximum Values	Arith Mean
88101-PM2.5 - Local Conditions		5		1113		Thermo Scientific Model 5030 SHARP w/VSCC							2	1 HOUR	0	Micrograms/cubic meter (LC)			
2017	0	9	808			-1.2	10	25	50	75	90	95	98	99		1	2	11.84	
							1.0	2.7	7.4	12.9	34.3	48.3	63.0	65.4		70.5	69.2		
88101-PM2.5 - Local Conditions		5		1113										24-HR BLK AVG	0	Micrograms/cubic meter (LC)			
2017	0	9	33	4	4	.8	10	25	50	75	90	95	98	99		1	2	11.79	
							1.5	4.3	7.2	11.1	37.9	40.9	54.8	54.8		54.8	40.9		