

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM

RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42602) Nitrogen dioxide

SITE ID: 49-005-0004 POC: 1  
 COUNTY: (005) Cache  
 CITY: (45860) Logan  
 SITE ADDRESS: 125 W. CENTER STREET, LOGAN, UT  
 SITE COMMENTS: SITE REPLACES 490050002 WHICH WAS CLOSED DUE TO DEMOLITION.  
 MONITOR COMMENTS: NEW PARAMETER FOR LOGAN

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0  
 LATITUDE: 41.731111  
 LONGITUDE: -111.8375  
 UTM ZONE: 12  
 UTM NORTHING: 4620024  
 UTM EASTING: 430337  
 ELEVATION-MSL: 5  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .001

Day	MONTH												
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	
1											.034	.030	
2											.037	.037	
3											.036	.032	
4											.044	.034	
5											.045	.037	
6											.043	.035	
7											.030	.033	
8											.023	.029	
9											.029	.026	
10											.029	.029	
11											.032	.033	
12											.037	.033	
13											.033	.025	
14											.040	.036	
15											.039	.033	
16											.039	.033	
17											.035	.036	
18											.037	.031	
19											.042	.033	
20											.035	.028	
21											.034	.029	
22											.034	.024	
23											.030	.033	
24											.012	.026	
25											.035	.029	
26											.038	.032	
27											.036	.037	
28											.030	.034	
29											.030	.014	
30											.026	.036	
31												.032	
NO.:	0	0	0	0	0	0	0	0	0	0	0	30	31
MAX:												.045	.037
MEAN:												.0341	.0313
ANNUAL OBSERVATIONS:	61		ANNUAL MEAN:		.0327		ANNUAL MAX:		.045				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42602) Nitrogen dioxide

SITE ID: 49-011-0001 POC: 1  
 COUNTY: (011) Davis  
 CITY: (07690) Bountiful  
 SITE ADDRESS: 65W 300S BOUNTIFUL UTAH  
 SITE COMMENTS: COMPLETE MONITORING STATION BEGAN 9-13-74  
 MONITOR COMMENTS: 14

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.886389  
 LONGITUDE: -111.882222  
 UTM ZONE: 12  
 UTM NORTHING: 4526298  
 UTM EASTING: 425676  
 ELEVATION-MSL: 5  
 PROBE HEIGHT: 3

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .001

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.053	.052	.021	.040	.014	.042	.028	.034	.025	.030	.033	.062
2	.064	.072	.042	.027	.027	.011	.045	.039	.022	.023	.037	.039
3	.052	.079	.033	.032	.018	.039	.037	.018	.053	.025	.030	.048
4	.049	.060	.051	.042	.033	.044	.026	.018	.047	.033	.049	.055
5	.051	.072	.071	.041	.020	.046	.037	.022	.037	.032	.063	.050
6	.048	.087	.050	.019	.030	.030	.017	.013	.031	.019	.049	.045
7	.068	.084	.035	.019	.030	.017	.021	.023	.025	.033	.047	.058
8	.057	.067	.027	.032	.015	.018	.024	.027	.021	.037	.038	.038
9	.063	.042	.047	.040	.063	.009	.029	.044	.028	.041	.032	.043
10	.043	.053	.038	.019	.043	.027	.017	.034	.039	.054	.040	.054
11	.053	.061	.040	.027	.032	.040	.038	.029	.062	.042	.039	.043
12	.070	.064	.040	.041	.010	.043	.044	.022	.032	.038	.042	.040
13	.036	.061	.022	.047	.041	.054	.053	.035	.027	.035	.052	.039
14	.053	.055	.033	.022	.043	.042	.042	.030	.036	.061	.043	.040
15	.045	.059	.045	.031	.022	.044	.033	.033	.035	.052	.039	.028
16	.042	.065	.037	.030	.017	.024	.036	.048	.023	.057	.043	.041
17	.047	.062	.026	.052	.037	.019	.033	.031	.049	.074	.034	.048
18	.048	.052	.037	.040	.039	.028	.046	.041	.033	.071	.048	.036
19	.047	.050	.068	.035	.013	.021	.017	.042	.041	.051	.044	.038
20	.041	.034	.040	.026	.015	.046	.035	.021	.060	.040	.045	.040
21	.034	.048	.043	.026	.014	.035	.013	.043	.031	.053	.057	.036
22	.031	.059	.048	.036	.023	.017	.059	.042	.026	.043	.083	.031
23	.046	.050	.032	.038	.028	.019	.044	.038	.122	.046	.038	.026
24	.054	.035	.023	.048	.035	.043	.024	.035	.043	.046	.033	.036
25	.052	.030	.040	.055	.054	.045	.018	.048	.036	.038	.040	.039
26	.048	.050	.041	.027	.017	.049	.021	.043	.048	.056	.043	.042
27	.005	.048	.029	.024	.042	.017	.036	.039	.041	.025	.044	.038
28	.040	.045	.020	.026	.034	.052	.012	.033	.024	.045	.045	.010
29	.053		.036	.032	.060	.031	.040	.041	.011	.039	.048	.023
30	.073		.027	.019	.055	.027	.043	.044	.033	.039	.045	.044
31	.060		.035		.034		.052	.025		.037		.039
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	.073	.087	.071	.055	.063	.054	.059	.048	.122	.074	.083	.062
MEAN:	.0492	.0570	.0380	.0331	.0309	.0326	.0329	.0334	.0380	.0424	.0441	.0403
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.0392		ANNUAL MAX:	.122					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(42602) Nitrogen dioxide

SITE ID: 49-035-0003 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 5715 S. 1400 E., SALT LAKE CITY  
 SITE COMMENTS: LOCATED ON SE EDGE OF COTTONWOOD HIGH SCHOOL ATHLETIC FIELD  
 MONITOR COMMENTS: THIS SITE REPLACES NO2-NOX MONITORING AT 49-035-3001.

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.646667  
 LONGITUDE: -111.849722  
 UTM ZONE: 12  
 UTM NORTHING: 4499650  
 UTM EASTING: 428153  
 ELEVATION-MSL: 0  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS

REPORT FOR: 2002

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

UNITS: Parts per million

REPORTING ORG: (1113) Utah Department Of Environmental Quality

MIN DETECTABLE: .001

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.041	.055	.035	.045	.033	.034	.049	.062	.046	.032	.043	.040
2	.053	.056	.046	.052	.029	.027	.034	.044	.035	.025	.045	.039
3	.060	.059	.047	.044	.040	.038	.043	.019	.043	.031	.046	.040
4	.048	.065	.054	.051	.044	.041	.047	.011	.063	.030	.054	.042
5	.051	.078	.055	.040	.038	.041	.042	.030	.030	.033	.052	.037
6	.050	.079	.043	.046	.030	.041	.040	.031	.023	.028	.049	.046
7	.070	.083	.035	.036	.032	.049	.038	.028	.027	.033	.038	.042
8	.074	.023	.046	.037	.044	.036	.035	.039	.024	.037	.027	.032
9	.064	.049	.052	.032	.044	.028	.048	.039	.038	.042	.037	.047
10	.046	.058	.045	.035	.040	.036	.043	.048	.046	.042	.035	.064
11	.062	.078	.034	.043	.019	.038	.051	.041	.034	.041	.038	.040
12	.059	.060	.043	.044	.038	.038	.057	.038	.033	.042	.041	.037
13	.048	.058	.023	.044	.040	.057	.051	.044	.040	.045	.040	.037
14	.051	.057	.038	.040	.038	.052	.043	.041	.052	.049	.039	.032
15	.047	.063	.039	.035	.041	.047	.032	.047	.044	.051	.043	.041
16	.052	.068	.039	.032	.041	.047	.031	.045	.032	.053	.041	.032
17	.049	.058	.041	.032	.054	.047	.037	.056	.037	.053	.036	.034
18	.049	.052	.045	.034	.040	.029	.037	.051	.025	.045	.044	.035
19	.051	.045	.048	.026	.012	.041	.035	.040	.034	.046	.046	.039
20	.045	.035	.036	.035	.026	.046	.031	.033	.033	.045	.045	.037
21	.042	.048	.041	.039	.010	.037	.040	.042	.036	.045	.043	.038
22	.050	.055	.049	.042	.032	.028	.040	.049	.042	.032	.053	.036
23	.047	.040	.014	.039	.030	.030	.033	.053	.061	.035	.047	.038
24	.050	.036	.034	.052	.037	.050	.020	.057	.043	.039	.039	.039
25	.057	.041	.040	.051	.039	.045	.018	.055	.038	.047	.041	.040
26	.043	.052	.040	.032	.035	.042	.040	.049	.050	.037	.044	.041
27	.007	.049	.041	.023	.039	.045	.037	.051	.038	.037	.051	.039
28	.051	.044	.043	.033	.045	.050	.038	.066	.038	.039	.048	.037
29	.051		.043	.048	.044	.048	.036	.047	.009	.039	.038	.026
30	.055		.042	.031	.052	.045	.046	.038	.030	.041	.041	.043
31	.051		.045		.052		.045	.054		.030		.045
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	.074	.083	.055	.052	.054	.057	.057	.066	.063	.053	.054	.064
MEAN:	.0508	.0551	.0412	.0391	.0367	.0411	.0393	.0435	.0375	.0395	.0428	.0392
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.0421		ANNUAL MAX:	.083					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42602) Nitrogen dioxide

SITE ID: 49-035-3006 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE: 12  
 UTM NORTHING: 4509639  
 UTM EASTING: 426359  
 ELEVATION-MSL: 0  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .001

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.046	.058	.023	.048	.024	.041	.038	.078	.053	.032	.043	.047
2	.064	.066	.050	.040	.040	.026	.036	.046	.041	.031	.045	.046
3	.065	.064	.050	.048	.038	.036	.044	.030	.056	.031	.050	.048
4	.050	.074	.056	.047	.034	.035	.036	.037	.066	.037	.054	.049
5	.055	.084	.073	.051	.043	.040	.057	.040	.028	.036	.050	.050
6	.054	.086	.049	.049	.042	.035	.019	.045	.029	.037	.051	.049
7	.069	.088	.045	.041	.047	.051	.044	.048	.023	.041	.048	.051
8	.072	.047	.049	.036	.031	.036	.038	.034	.032	.041	.040	.046
9	.055	.056	.057	.038	.043	.019	.039	.042	.037	.047	.043	.057
10	.052	.061	.049	.039	.044	.034	.040	.048	.051	.053	.040	.074
11	.062	.078	.045	.038	.026	.032	.048	.055	.047	.046	.042	.046
12	.069	.065	.043	.045	.044	.039	.044	.038	.044	.050	.049	.044
13	.051	.060	.031	.053	.040	.044	.034	.043	.042	.054	.050	.048
14	.057	.060	.040	.039	.047	.040	.039	.045	.048	.063	.063	.047
15	.056	.069	.041	.037	.052	.050	.041	.048	.050	.059	.048	.049
16	.049	.074	.045	.040	.040	.041	.042	.051	.043	.059	.047	.041
17	.052	.069	.036	.043	.049	.047	.037	.057	.046	.061	.041	.046
18	.051	.064	.054	.042	.055	.035	.048	.054	.036	.051	.050	.043
19	.052	.050	.052	.040	.042	.024	.033	.049	.039	.053	.048	.044
20	.047	.039	.049	.038	.035	.052	.033	.026	.039	.053	.050	.045
21	.046	.056	.046	.044	.024	.037	.025	.041	.034	.052	.054	.047
22	.046	.059	.056	.053	.033	.040	.029	.050	.047	.044	.062	.043
23	.049	.049	.025	.042	.046	.028	.041	.059	.054	.039	.059	.038
24	.052	.046	.041	.059	.030	.043	.037	.051	.057	.046	.036	.044
25	.075	.031	.039	.058	.034	.046	.031	.051	.045	.051	.045	.045
26	.043	.057	.040	.035	.041	.026	.032	.049	.055	.052	.050	.047
27	.023	.057	.043	.030	.041	.031	.038	.053	.044	.051	.048	.046
28	.050	.051	.047	.041	.040	.050	.042	.064	.043	.044	.052	.041
29	.055		.039	.051	.043	.037	.041	.049	.025	.037	.051	.025
30	.055		.042	.041	.049	.051	.036	.060	.037	.042	.053	.043
31	.054		.042		.048		.044	.041		.035		.051
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	.075	.088	.073	.059	.055	.052	.057	.078	.066	.063	.063	.074
MEAN:	.0541	.0614	.0451	.0435	.0402	.0382	.0383	.0478	.0430	.0461	.0487	.0465
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.0460		ANNUAL MAX:	.088					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Jun. 1, 2006

(42602) Nitrogen dioxide

SITE ID: 49-049-0002 POC: 1  
 COUNTY: (049) Utah  
 CITY: (62470) Provo  
 SITE ADDRESS: 1355 NORTH 200 WEST PROVO UT  
 SITE COMMENTS:  
 MONITOR COMMENTS: 14

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: COMMERCIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0  
 LATITUDE: 40.253611  
 LONGITUDE: -111.663056  
 UTM ZONE: 12  
 UTM NORTHING: 4455894  
 UTM EASTING: 443606  
 ELEVATION-MSL: 0  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE  
 REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR  
 UNITS: Parts per million  
 MIN DETECTABLE: .001

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.049	.057	.033	.047	.033	.040	.054	.043	.045	.038	.044	.036
2	.067	.053	.044	.040	.041	.034	.044	.050	.051	.034	.043	.042
3	.047	.059	.053	.049	.039	.034	.039	.035	.055	.033	.038	.042
4	.046	.067	.050	.050	.038	.047	.053	.045	.056	.030	.052	.044
5	.055	.072	.047	.045	.033	.044	.048	.035	.038	.036	.049	.040
6	.045	.076	.056	.041	.033	.070	.048	.045	.032	.036	.049	.039
7	.051	.074	.032	.040	.040	.050	.038	.043	.029	.045	.055	.042
8	.054	.049	.042	.045	.040	.042	.042	.049	.025	.042	.056	.038
9	.049	.049	.050	.043	.039	.027	.057	.055	.055	.042	.043	.034
10	.050	.041	.042	.021	.040	.039	.037	.062	.059	.052	.042	.048
11	.060	.061	.039	.038	.030	.040	.056	.046	.039	.045	.040	.046
12	.053	.052	.051	.042	.045	.045	.052	.044	.036	.052	.046	.048
13	.047	.059	.040	.046	.050	.060	.054	.060	.046	.047	.044	.046
14	.058	.054	.033	.039	.038	.053	.040	.053	.059	.061	.039	.046
15	.056	.063	.047	.040	.043	.053	.035	.060	.040	.055	.046	.043
16	.051	.057	.038	.043	.044	.049	.035	.057	.038	.060	.047	.045
17	.049	.051	.041	.049	.050	.046	.038	.053	.037	.059	.040	.045
18	.045	.038	.049	.034	.049	.034	.039	.059	.032	.054	.047	.039
19	.048	.061	.049	.023	.033	.049	.036	.067	.040	.050	.043	.045
20	.037	.034	.037	.043	.025	.062	.034	.047	.037	.042	.050	.045
21	.050	.080	.041	.038	.017	.032	.036	.045	.050	.046	.044	.043
22	.042	.054	.058	.041	.034	.023	.042	.053	.052	.047	.042	.044
23	.045	.045	.045	.045	.030	.032	.043	.052	.053	.046	.041	.043
24	.049	.034	.033	.058	.041	.050	.026	.057	.047	.043	.040	.039
25	.053	.024	.038	.051	.042	.043	.023	.051	.047	.051	.043	.039
26	.055	.052	.046	.036	.039	.044	.043	.064	.045	.048	.042	.044
27	.035	.053	.045	.018	.041	.042	.054	.059	.048	.054	.044	.046
28	.039	.049	.048	.035	.052	.051	.034	.052	.035	.047	.040	.042
29	.047		.044	.027	.051	.050	.049	.035	.024	.044	.038	.041
30	.046		.043	.016	.040	.035	.044	.052	.030	.045	.042	.046
31	.049		.030		.054		.055	.060		.039		.048
NO.:	31	28	31	30	31	30	31	31	30	31	30	31
MAX:	.067	.080	.058	.058	.054	.070	.057	.067	.059	.061	.056	.048
MEAN:	.0493	.0542	.0434	.0394	.0395	.0440	.0428	.0512	.0427	.0459	.0443	.0428
ANNUAL OBSERVATIONS:	365		ANNUAL MEAN:	.0449		ANNUAL MAX:	.080					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

(42602) Nitrogen dioxide

SITE ID: 49-057-0002 POC: 1  
 COUNTY: (057) Weber  
 CITY: (55980) Ogden  
 SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH  
 SITE COMMENTS: THIS SITE REPLACES OG (490570001)WHICH WAS DEMOLISHED FOR NEW CONST.  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0  
 LATITUDE: 41.206389  
 LONGITUDE: -111.974722  
 UTM ZONE: 12  
 UTM NORTHING: 4561914  
 UTM EASTING: 418278  
 ELEVATION-MSL: 0  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

REPORTING ORG: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2002

DURATION: 1 HOUR

UNITS: Parts per million

MIN DETECTABLE: .001

MONTH												
Day	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	.058	.071	.036	.050	.034	.050	.052	.053	.060	.036	.045	.043
2	.061	.077	.045	.050	.033	.034	.052	.052	.048	.050	.046	.039
3	.058	.082	.048	.049	.044	.062	.066	.034	.038	.041	.046	.043
4	.062	.074	.053	.049	.048	.053	.056	.022	.060	.040	.053	.040
5	.056	.082	.053	.060	.047	.044	.064	.046	.054	.042	.051	.041
6	.054	.092	.060	.023	.045	.044	.043	.020	.032	.036	.048	.048
7	.059	.100	.029	.040	.039	.056	.054	.026	.027	.046	.061	.037
8	.068	.080	.049	.043	.044	.049	.054	.031	.033	.043	.033	.038
9	.067	.060	.058	.043	.045	.035	.055	.032	.047	.043	.056	.036
10	.054	.069	.058	.042	.040	.045	.047	.033	.054	.048	.045	.042
11	.064	.076	.037	.042	.029	.045	.057	.033	.045	.048	.046	.041
12	.063	.100	.043	.043	.048	.053	.058	.034	.036	.050	.045	.040
13	.051	.064	.028	.052	.054	.059	.049	.034	.052	.050	.048	.050
14	.061	.062	.043	.043	.046	.057	.049	.051	.049	.055	.045	.045
15	.056	.076	.049	.034	.049	.060	.051	.054	.050	.053	.054	.041
16	.067	.075	.045	.044	.047	.057	.046	.050	.040	.053	.045	.036
17	.057	.082	.031	.035	.055	.047	.053	.055	.045	.064	.042	.046
18	.054	.054	.044	.053	.049	.047	.053	.052	.032	.046	.049	.039
19	.054	.054	.051	.037	.059	.050	.047	.053	.035	.046	.046	.045
20	.050	.043	.046	.021	.046	.059	.046	.060	.039	.051	.041	.044
21	.028	.053	.046	.045	.014	.048	.055	.052	.048	.049	.043	.053
22	.060	.061	.053	.056	.032	.041	.047	.051	.045	.056	.045	.045
23	.052	.052	.036	.052	.040	.047	.045	.061	.055	.049	.034	.045
24	.060	.043	.037	.059	.042	.067	.036	.056	.068	.045	.036	.042
25	.064	.034	.036	.053	.044	.062	.028	.056	.048	.048	.048	.046
26	.075	.045	.043	.046	.038	.051	.053	.132	.158	.051	.045	.049
27	.040	.052	.043	.035	.054	.053	.054	.051	.045	.047	.042	.048
28	.054	.052	.049	.035	.048	.061	.044	.066	.052	.045	.043	.046
29	.080		.048	.052	.045	.061	.043	.063	.041	.040	.037	.039
30	.072		.044	.054	.053	.080	.054	.065	.037	.038	.043	.046
31	.064		.037		.052		.050	.063		.035		.047
NO.:	31	28	31	30	31	30	31	31	30	31	29	31
MAX:	.080	.100	.060	.060	.059	.080	.066	.132	.158	.064	.061	.053
MEAN:	.0588	.0666	.0445	.0447	.0440	.0526	.0504	.0497	.0491	.0466	.0453	.0432
ANNUAL OBSERVATIONS:	364		ANNUAL MEAN:	.0495		ANNUAL MAX:	.158					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.